



MOTOROLA SOLUTIONS

**APX™ 6000 P25 Portable Radio
APX™ 6000XE P25 Portable Radio
SRX 2200 Enhanced Combat Radio
136-174 MHz**

[EU Declaration of Conformity](#)

[Déclaration UE de Conformité](#)

[EU-Konformitätserklärung](#)

[Dichiarazione di conformità UE](#)

[Deklaracja zgodności UE](#) [Declaración](#)

[UE de conformidad](#)

EU Declaration of Conformity (DoC-16071800417-B)

This declaration of conformity is issued under the sole responsibility of the manufacturer. The object of the declaration is in conformity with the relevant Union harmonization legislation:

2014/53/EU Radio Equipment Directive (RED)
2011/65/EU Restriction of Hazardous Substances Directive (RoHS)
2012/19/EU Waste Electrical and Electronic Equipment Directive (WEEE)
2013/35/EU Electromagnetic Fields Directive (EMF)

Object of the Declaration: APX P25 Portable Radios

APX™ 6000 P25 Portable Radio
APX6000 / APX6000XE, PMBR302DE
APX6000 / APX6000XE, PMBR302ME
APX6000 / APX6000XE, PMBR302PE

SRX 2200, PMSR302DE
SRX 2200, PMSR302PE

136-174MHz, 1-6W, 12.5/20/25 kHz
GPS/GLONASS/Bluetooth®/Wi-Fi®

National Licensed Frequencies Only

Superseded Remarks: This DoC supersedes DOC-16071800417-A

Placed On The Market By: Motorola Solutions Germany GmbH, Telco Kreisel 1, 65510 Idstein, Germany

Conformity is shown by compliance with the applicable requirements of the following standards:

EN 300 086 V2.1.2
EN 300 113 V2.2.1
EN 300 328 V2.1.1
EN 303 413 V1.1.1


EN 301 489 - 1 V2.1.1
EN 301 489 - 1 V2.2.1 (draft)
EN 301 489 - 5 V2.2.1
EN 301 489 - 17 V3.1.1
EN 301 489 - 17 V3.2.0 (draft)
EN 301 489 - 19 V2.1.1

EN 60950-1:2006 + A11:2009 + A1:2010 + A12:2011 + AC:2011 + A2:2013
Compliant with the ICNIRP (1998) Occupational / Controlled Exposure Limits
EN 50360:2017
EN 50566:2017

Year of first application of CE mark: 2016

The essential test suites, as defined in the quoted standards, have been performed.

BERLIN, 16-OCT-2019



Thomas Nagel
Site Controller Berlin, Motorola Solutions Germany GmbH,
Telco Kreisel 1, 65510 Idstein, Germany



Friedrich Bollmann
Product Safety and Regulatory Compliance,
Motorola Solutions Germany GmbH



Rev. 1 Addendum to EU Declaration of Conformity (DoC-16071800417-B)

This declaration of conformity is an addendum to above referenced product DoC and is issued under the sole responsibility of the manufacturer.

The accessories described below are in conformity with the relevant Union harmonisation legislation.

The listed accessories are certified and approved for use with the radios listed in the referenced DoC.

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
ANTENNA	
NAR6593A	136-174MHZ, 1575MHZ
AUDIO	
BDN6664A	RECEIVE ONLY EARPIECE BGE 1-WIRE
BDN6666A	EARPIECE W/VOL CNTRL
BDN6667A	2-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6668A	3-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6669A	2-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EXTRA-LOUD EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6670A	3-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EXTRA-LOUD EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6726A	RECEIVE ONLY EARPC BLK, 1-WIRE
BDN6727A	REC ONLY EARPC, EXT LOUD, BLK
BDN6728A	REC ONLY EARPC W/VOL CONTL, BLK
BDN6729A	2-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BLACK, 3.5MM THREADED. REQUIRES BDN6783.
BDN6730A	3-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BLACK, 3.5MM THREADED. REQUIRES BDN6783.
BDN6731A	EARPC XTRA LOUD W/MIC & PTT BLK
BDN6732A	3-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EXTRA- LOUD EARPIECE, BLACK, 3.5MM THREADED. REQUIRES BDN6783.
BDN6783B	AUDIO ACCY ADPT 3.5MM W/PTT (NON-OPERATIONAL W/ P3A HW)
HMN4101B	IMPRES RSM NO DSPLY W JACK, NO CHNL
HMN4103B	IMPRES RSM DSPLY W JACK, NO CHNL
HMN4104B	ACCESSORY KIT,IMPRES RSM DSPLY W JACK, W CHNL
NMN6271A	IMPRES XP RSM FOR APX W/ DUAL MIC N
NMN6274A	IMPRES XP RSM FOR APX W/ DUAL MIC NOISE SUPPRESSION, 3.5MM THRDJACK



Rev. 1 Addendum to EU Declaration of Conformity (DoC-16071800417-B)

This declaration of conformity is an addendum to above referenced product DoC and is issued under the sole responsibility of the manufacturer.

The accessories described below are in conformity with the relevant Union harmonisation legislation.

The listed accessories are certified and approved for use with the radios listed in the referenced DoC.

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
AUDIO	
NNTN7869A	6 Pin Hirose Keyload & Audio Adapter FM/IS rated
NNTN8203A	IMPRES XE REMOTE SPEAKER MIC
NNTN8203ABLK	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NNTN8203AYLW	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NNTN8294A	OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK
NNTN8295A	OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK
NNTN8296A	WIRELESS COVERT KIT
NNTN8575A	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NNTN8575ABLK	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NNTN8575AYLW	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NTN2570C	MISSION CRITICAL WIRELESS EARPIECE WITH LONG CORD (280 MM)
NTN8819B	INTEGRATED EAR MICROPHONE/RECEIVER
PMLN5101A	IMPRES TEMPLE TRANSDUCER
PMLN5275C	HEAVY DUTY HEADSET
PMLN5653A	IMPRES GCAI EAR MIC BONE CONDUCTIVE
PMLN6088A	MT SERIES OVER-THE HEAD HEADSET WITH NEXUS CONNECTOR
PMLN6095A	PTT NEXUS ADAPTER FOR MT SERIES HEADSETS
PMLN6123A	IMPRES 3 WIRE W/ TRANS TUBE-BLK
PMLN6124A	IMPRES 3 WIRE W/ TRANS TUBE-BGE
PMLN6125A	1 WIRE SURVEILLANCE KIT-BLK



Rev. 1 Addendum to EU Declaration of Conformity (DoC-16071800417-B)

This declaration of conformity is an addendum to above referenced product DoC and is issued under the sole responsibility of the manufacturer.

The accessories described below are in conformity with the relevant Union harmonisation legislation.

The listed accessories are certified and approved for use with the radios listed in the referenced DoC.

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
AUDIO	
PMLN6126A	1 WIRE SURVEILLANCE KIT -BGE
PMLN6127A	IMPRES 2 WIRE SURVEILLANCE -BLK
PMLN6128A	IMPRES 2 WIRE SURVEILLANCE-BGE
PMLN6129A	IMPRES 2 WIRE W/TRANS TUBE-BLK
PMLN6130A	IMPRES 2 WIRE W/TRANS TUBE-BGE
PMLN6766A	TACTICAL BOOMLESS TEMPLE TRANSDUCER (REQUIRES INTERFACE MODULE PMLN6765 OR PMLN6766 PMLN6827)
PMLN6767A	TACTICAL REMOTE BODY PTT (FOR USE WITH INTERFACE MODULE PMLN6827)
PMLN6827A	PTT INTERFACE MODULE
PMLN6829A	TACTICAL EAR MICROPHONE
PMLN6830A	TACTICAL REMOTE PTT RING SWITCH
PMLN7052A	OPERATIONS CRITICAL WIRELESS 1-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE
PMMN4062A	IMPRES RSM, NOISE CANC. EMERGENCY BUTTON 3.5MM JACK IP54
PMMN4065A	IMPRES RSM, IP57
PMMN4069A	IMPRES RSM, 3.5MM JACK, IP55
PMMN4083A	IMPRES LARGE RSM APX IP68 DELTA T (GCAI)
PMMN4084A	PLUS RSM NC IP54 THRD 3.5MM JACK RX
PMMN4099A	AUDIO ACCESSORY-REMOTE SPEAKER MICR
RLN6477A	MT SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR
RLN6480A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH PALM PTT(INCLUDES ADAPTER BDN6783)
RLN6481A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH PTT ON ADAPTER (INCLUDES ADAPTER BDN6783)



Rev. 1 Addendum to EU Declaration of Conformity (DoC-16071800417-B)

This declaration of conformity is an addendum to above referenced product DoC and is issued under the sole responsibility of the manufacturer.

The accessories described below are in conformity with the relevant Union harmonisation legislation.

The listed accessories are certified and approved for use with the radios listed in the referenced DoC.

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
AUDIO	
RLN6482A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH RING PTT(INCLUDES ADAPTER BDN6783)
RLN6483A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH SNAP-ON-SIDE PTT (INCLUDES ADAPTER BDN6783)
RLN6484A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH BODY PTT(INCLUDES ADAPTER BDN6783)
RLN6554A	ACCESSORY KIT,APX WIRELESS RSM W/ D
RMN4051B	MT SERIES HARD HAT ATTACHED HEADSET WITH NEXUS CONNECTOR
RMN4052B	PELTOR TACTICALPRO SERIES OVER-THE-HEAD HEADSET WITH NEXUS CONNECTOR
RMN4053B	TACTICALPRO SERIES HARD HAT HEADSET WITH NEXUS CONNECTOR
RMN4055B	HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN4056B	HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM THREADED CONNECTOR
RMN4057B	HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM THREADED CONNECTOR
RMN5058A	CORE LIGHTWEIGHT HEADSET W/PTT & VOX
RMN5116A	RECEIVE AND TRANSMIT BOOMLESS TEMPLE TRANSDUCER(FOR HMN4104, HMN4103 AND RMN5116 HMN4101 ONLY)
RMN5132A	HT SERIES LISTEN ONLY NECKBAND HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN5133A	HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN5135A	TACTICALPRO SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR
RMN5137A	MT SERIES OVER-THE HEAD HEADSET, DIRECT RADIO CONNECT
RMN5138A	MT SERIES NECKBAND HEADSET, DIRECT RADIO CONNECT
RMN5139A	MT SERIES HARD HAT ATTACHED HEADSET, DIRECT RADIO CONNECT
WADN4190B	RECEIVE-ONLY FLEXIBLE EARPIECE
ZMN6031A	3-WIRE SURVEILLANCE KIT, BEIGE, HIROSE. REQUIRES NNTN7869 HIROSE ADAPTER



Rev. 1 Addendum to EU Declaration of Conformity (DoC-16071800417-B)

This declaration of conformity is an addendum to above referenced product DoC and is issued under the sole responsibility of the manufacturer.

The accessories described below are in conformity with the relevant Union harmonisation legislation.

The listed accessories are certified and approved for use with the radios listed in the referenced DoC.

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
AUDIO	
ZMN6032A	2-WIRE SURVEILLANCE KIT, BEIGE, HIROSE CONNECTOR. REQUIRES NNTN7869 HIROSE ADAPTER
ZMN6038A	2-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector Requires NNTN7869 Hirose Adapter
ZMN6039A	3-WIRE SURVEILLANCE KIT, WITH EXTRA LOUD EARPIECE, BEIGE, HIROSE CONNECTOR. REQUIRES NNTN7869 HIROSE ADAPTER
BATTERY	
NNTN7034B	DELTA T BATTERY 4200 MAH
NNTN7037A	ASSY,BTRY,IMP STD IP67 NIMH 2100M 2300T
NNTN7038B	BATT IMP STD IP67 LIION 2900M 3100T
NNTN7573A	BTRY IMP STD R NIMH 2100M 2300T
NNTN8182B	BATTERY, R, LI ION 2900M 3100T MILITARY BRN
NNTN8921A	BATT IMP LIION TIA4950 IP67 4100T
NNTN8930A	BATT IMP LIION TIA4950 STD BATTERY
PMNN4403B	BATT STD IP67 LIION2050M BLK
PMNN4439A	APX Clamshell Battery Pack
PMNN4485A	APX GEN 2 IMPRES SLIM DELTA T (2400 MAH)
PMNN4486A	APX GEN 2 IMPRES STD DELTA T (3400 MAH)
PMNN4487A	APX GEN 2 IMPRES HI CAP DELTA T (-30 TEMP 4400 MAH)
PMNN4494A	BATT IMP STD DELTA T RUGGED LIION 5000T

SOFTWARE

The installed radio software is under the full control of the manufacturer with no access by the user and is in compliance with the relevant directives.

The above accessories are shown with their global part numbers. In practice the accessory will have a regional prefix. Prefixes are purely done for regional kittings - primarily the manual (languages) and packaging. Prefixes are MD for European countries, AA of United States and AZ for Asia/Pacific region.

Note: A copy of the above referenced signed and dated Declaration of Conformity can be obtained either via your local Motorola help desk, via your dealer from where you purchased this radio or alternatively you can send an email request to manufacturerdeclaration.eu@motorolasolutions.com, or via <http://www.motorolasolutions.com/Business/XU-EN/BMS+Resource+Library>

Electromagnetic Energy (EME) Test Laboratory

Conformity of models listed with occupational Exposure Level Values (ELVs) in Directive 2013/35/EU

This declaration confirms compliance of Motorola Solutions' portable device(s) model(s) with approved accessories

<u>Model Number</u>	<u>Type Designator</u>	<u>Description</u>
H98KGD9PW5BN	PMBR302DE	APX6000 / APX6000XE VHF Model 1.5
H98KGF9PW6BN	PMBR302ME	APX6000 / APX6000XE VHF Model 2.5
H98KGH9PW7BN	PMBR302PE	APX6000 / APX6000XE VHF Model 3.5
H99KGD9PW5BN	PMSR302DE	SRX2200 VHF Model 1.5
H99KGH9PW7BN	PMSR302PE	SRX2200 VHF Model 3.5

with the occupational ICNIRP¹ limits for radio frequency (RF) energy exposure. The ICNIRP guidelines were developed by an independent scientific organization after thorough evaluations of relevant research studies, and have been endorsed by the World Health Organization (WHO). The ICNIRP guidelines are also referenced in the European Directive 2013/35/EU,² forming the basis of the applicable RF exposure framework for workers.

The applicable exposure limit is specified in terms of the Specific Absorption Rate (SAR), measured in units of watts per kilogram (W/kg). SAR tests of these Motorola Solutions devices indicate that they conform with the applicable SAR limits defined in harmonized³ standard EN50360,⁴ and EN50566,⁵ using operating configuration(s) while transmitting at nominal power, with results scaled to the highest certified power level in all tested frequency bands.

SAR tests, performed at a laboratory certified to the ISO/IEC Guide 17025,⁶ show that these Motorola Solutions' portable device model(s), in all tested operating modes (on the body, on the sides of the head, and in front of the face as applicable), at the highest certified power level(s), conform(s) with the ICNIRP limits for professional devices and occupational users,⁷ and both the health and the sensory ELVs defined in Directive 2013/35/EU.⁸

Sincerely,



Tiong
Nguk
Ing

Digitally signed
by Tiong Nguk
Ing
Date:
2019.08.15
11:39:33 +08'00'

Tiong Nguk Ing on behalf of Pei Loo Tey
Penang EME Laboratory Manager
DATE : 15-AUG-2019

¹ICNIRP (1998): International Commission on Non Ionizing Radiation Protection, "Guidelines for Limiting Exposure to Time-Varying Electric, Magnetic, and Electromagnetic Fields (Up to 300 GHz)" Health Physics, vol. 75, no. 4, pp. 494-522.

²Directive 2013/35/EU of the European Parliament and of the Council of 26 June 2013 on the minimum health and safety requirements regarding the exposure of workers to the risks arising from physical agents (electromagnetic fields) (20th individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC) and repealing Directive 2004/40/EC.

³Directive 2014/53/EU of The European Parliament and of the Council of 16 April 2014 on the Harmonisation of the Laws of the Member States Relating to the Making Available on The Market of Radio Equipment and Repealing Directive 1999/5/EC.

⁴EN50360:2017 Product standard to demonstrate the compliance of wireless communication devices, with the basic restrictions and exposure limit values related to human exposure to electromagnetic fields in the frequency range from 300 MHz to 6 GHz: devices used next to the ear.

⁵EN50566:2017 Product standard to demonstrate the compliance of wireless communication devices with the basic restrictions and exposure limit values related to human exposure to electromagnetic fields in the frequency range from 30 MHz to 6 GHz: hand-held and body mounted devices in close proximity to the human body.

⁶ISO/IEC 17025 General requirements for the competence of testing and calibration laboratories.

⁷Implicit whole-body SAR compliance with the 0.4 W/kg limit is shown using the threshold (16.8 W) derived from Table B.1 in EN 62311:2008.

⁸The Specific Absorption (SA) sensory limits defined in Directive 2013/35/EU apply only to ultra-short-pulsed radio-frequency waveforms capable of inducing the microwave hearing effect, e.g., powerful RADAR emissions, but not the Motorola Solutions radio(s) referenced herein.

Déclaration UE de Conformité (DoC-16071800417-B)

La présente déclaration de conformité est établie sous la seule responsabilité du fabricant. L'objet de la déclaration décrit ci-dessus est conforme à la législation d'harmonisation de l'Union applicable:

Directive 2014/53/UE (RED)
Directive 2011/65/UE (RoHS)
Directive 2012/19/UE (WEEE)
Directive 2013/35/UE (EMF)

Objet de la déclaration: APX P25 Portable Radios

APX™ 6000 P25 Portable Radio
APX6000 / APX6000XE, PMBR302DE
APX6000 / APX6000XE, PMBR302ME
APX6000 / APX6000XE, PMBR302PE

SRX 2200, PMSR302DE
SRX 2200, PMSR302PE

136-174MHz, 1-6W, 12.5/20/25 kHz
GPS/GLONASS/Bluetooth®/Wi-Fi®

Féquences nationales sous licence uniquement

Remarques Remplacées: Cette déclaration de conformité remplace DOC-16071800417-A

Mis sur le marché par: Motorola Solutions Germany GmbH, Telco Kreisel 1, 65510 Idstein, Germany

Par conformité, nous faisons référence à la conformité avec les exigences applicables des normes suivantes :

EN 300 086 V2.1.2
EN 300 113 V2.2.1
EN 300 328 V2.1.1
EN 303 413 V1.1.1

EN 301 489 - 1 V2.1.1
EN 301 489 - 1 V2.2.1 (draft)
EN 301 489 - 5 V2.2.1
EN 301 489 - 17 V3.1.1
EN 301 489 - 17 V3.2.0 (draft)
EN 301 489 - 19 V2.1.1

EN 60950-1:2006 + A11:2009 + A1:2010 + A12:2011 + AC:2011 + A2:2013
Conforme à la directive ICNIRP (1998) sur les limites d'exposition contrôlée ou à usage professionnel
EN 50360:2017
EN 50566:2017

Année de première application du marquage CE: 2016

Les séries de tests radio essentiels, telles que définies dans les normes harmonisées, ont été effectuées avec succès.

Détenteur du document: Motorola Solutions Germany GmbH, Telco Kreisel 1, 65510 Idstein, Germany

Nous confirmons l'exactitude de cette traduction. Celle-ci est valable uniquement si elle est fournie avec la version anglaise d'origine signée.

Rev. 1 Complément à Déclaration UE de Conformité (DoC-16071800417-B)

La présente déclaration de conformité est un complément à la déclaration de conformité du produit mentionnée ci-dessus et est publiée sous la seule responsabilité du fabricant.

Les accessoires décrits ci-dessous sont conformes à la réglementation d'harmonisation de l'Union européenne. Les accessoires suivants sont certifiés et approuvés pour une utilisation avec les radios répertoriées dans la déclaration de conformité mentionnée.

<u>NUMÉRO DE PIÈCE</u>	<u>DESCRIPTION (POUR INFORMATION SEULEMENT)</u>
ANTENNE	
NAR6593A	136-174MHZ, 1575MHZ
AUDIO	
BDN6664A	RECEIVE ONLY EARPIECE BGE 1-WIRE
BDN6666A	EARPIECE W/VOL CNTRL
BDN6667A	2-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6668A	3-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6669A	2-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EXTRA-LOUD EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6670A	3-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EXTRA-LOUD EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6726A	RECEIVE ONLY EARPC BLK, 1-WIRE
BDN6727A	REC ONLY EARPC, EXT LOUD, BLK
BDN6728A	REC ONLY EARPC W/VOL CONTL, BLK
BDN6729A	2-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BLACK, 3.5MM THREADED. REQUIRES BDN6783.
BDN6730A	3-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BLACK, 3.5MM THREADED. REQUIRES BDN6783.
BDN6731A	EARPC XTRA LOUD W/MIC & PTT BLK
BDN6732A	3-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EXTRA- LOUD EARPIECE, BLACK, 3.5MM THREADED. REQUIRES BDN6783.
BDN6783B	AUDIO ACCY ADPT 3.5MM W/PTT (NON-OPERATIONAL W/ P3A HW)
HMN4101B	IMPRES RSM NO DSPLY W JACK, NO CHNL
HMN4103B	IMPRES RSM DSPLY W JACK, NO CHNL
HMN4104B	ACCESSORY KIT,IMPRES RSM DSPLY W JACK, W CHNL
NMN6271A	IMPRES XP RSM FOR APX W/ DUAL MIC N
NMN6274A	IMPRES XP RSM FOR APX W/ DUAL MIC NOISE SUPPRESSION, 3.5MM THRDJACK

Rev. 1 Complément à Déclaration UE de Conformité (DoC-16071800417-B)

La présente déclaration de conformité est un complément à la déclaration de conformité du produit mentionnée ci-dessus et est publiée sous la seule responsabilité du fabricant.

Les accessoires décrits ci-dessous sont conformes à la réglementation d'harmonisation de l'Union européenne. Les accessoires suivants sont certifiés et approuvés pour une utilisation avec les radios répertoriées dans la déclaration de conformité mentionnée.

<u>NUMÉRO DE PIÈCE</u>	<u>DESCRIPTION (POUR INFORMATION SEULEMENT)</u>
AUDIO	
NNTN7869A	6 Pin Hirose Keyload & Audio Adapter FM/IS rated
NNTN8203A	IMPRES XE REMOTE SPEAKER MIC
NNTN8203ABLK	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NNTN8203AYLW	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NNTN8294A	OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK
NNTN8295A	OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK
NNTN8296A	WIRELESS COVERT KIT
NNTN8575A	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NNTN8575ABLK	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NNTN8575AYLW	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NTN2570C	MISSION CRITICAL WIRELESS EARPIECE WITH LONG CORD (280 MM)
NTN8819B	INTEGRATED EAR MICROPHONE/RECEIVER
PMLN5101A	IMPRES TEMPLE TRANSDUCER
PMLN5275C	HEAVY DUTY HEADSET
PMLN5653A	IMPRES GCAI EAR MIC BONE CONDUCTIVE
PMLN6088A	MT SERIES OVER-THE HEAD HEADSET WITH NEXUS CONNECTOR
PMLN6095A	PTT NEXUS ADAPTER FOR MT SERIES HEADSETS
PMLN6123A	IMPRES 3 WIRE W/ TRANS TUBE-BLK
PMLN6124A	IMPRES 3 WIRE W/ TRANS TUBE-BGE
PMLN6125A	1 WIRE SURVEILLANCE KIT-BLK

Rev. 1 Complément à Déclaration UE de Conformité (DoC-16071800417-B)

La présente déclaration de conformité est un complément à la déclaration de conformité du produit mentionnée ci-dessus et est publiée sous la seule responsabilité du fabricant.

Les accessoires décrits ci-dessous sont conformes à la réglementation d'harmonisation de l'Union européenne. Les accessoires suivants sont certifiés et approuvés pour une utilisation avec les radios répertoriées dans la déclaration de conformité mentionnée.

<u>NUMÉRO DE PIÈCE</u>	<u>DESCRIPTION (POUR INFORMATION SEULEMENT)</u>
AUDIO	
PMLN6126A	1 WIRE SURVEILLANCE KIT -BGE
PMLN6127A	IMPRES 2 WIRE SURVEILLANCE -BLK
PMLN6128A	IMPRES 2 WIRE SURVEILLANCE-BGE
PMLN6129A	IMPRES 2 WIRE W/TRANS TUBE-BLK
PMLN6130A	IMPRES 2 WIRE W/TRANS TUBE-BGE
PMLN6766A	TACTICAL BOOMLESS TEMPLE TRANSDUCER (REQUIRES INTERFACE MODULE PMLN6765 OR PMLN6766 PMLN6827)
PMLN6767A	TACTICAL REMOTE BODY PTT (FOR USE WITH INTERFACE MODULE PMLN6827)
PMLN6827A	PTT INTERFACE MODULE
PMLN6829A	TACTICAL EAR MICROPHONE
PMLN6830A	TACTICAL REMOTE PTT RING SWITCH
PMLN7052A	OPERATIONS CRITICAL WIRELESS 1-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE
PMMN4062A	IMPRES RSM, NOISE CANC. EMERGENCY BUTTON 3.5MM JACK IP54
PMMN4065A	IMPRES RSM, IP57
PMMN4069A	IMPRES RSM, 3.5MM JACK, IP55
PMMN4083A	IMPRES LARGE RSM APX IP68 DELTA T (GCAI)
PMMN4084A	PLUS RSM NC IP54 THRD 3.5MM JACK RX
PMMN4099A	AUDIO ACCESSORY-REMOTE SPEAKER MICR
RLN6477A	MT SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR
RLN6480A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH PALM PTT(INCLUDES ADAPTER BDN6783)
RLN6481A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH PTT ON ADAPTER (INCLUDES ADAPTER BDN6783)

Rev. 1 Complément à Déclaration UE de Conformité (DoC-16071800417-B)

La présente déclaration de conformité est un complément à la déclaration de conformité du produit mentionnée ci-dessus et est publiée sous la seule responsabilité du fabricant.

Les accessoires décrits ci-dessous sont conformes à la réglementation d'harmonisation de l'Union européenne. Les accessoires suivants sont certifiés et approuvés pour une utilisation avec les radios répertoriées dans la déclaration de conformité mentionnée.

<u>NUMÉRO DE PIÈCE</u>	<u>DESCRIPTION (POUR INFORMATION SEULEMENT)</u>
AUDIO	
RLN6482A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH RING PTT(INCLUDES ADAPTER BDN6783)
RLN6483A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH SNAP-ON-SIDE PTT (INCLUDES ADAPTER BDN6783)
RLN6484A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH BODY PTT(INCLUDES ADAPTER BDN6783)
RLN6554A	ACCESSORY KIT,APX WIRELESS RSM W/ D
RMN4051B	MT SERIES HARD HAT ATTACHED HEADSET WITH NEXUS CONNECTOR
RMN4052B	PELTOR TACTICALPRO SERIES OVER-THE-HEAD HEADSET WITH NEXUS CONNECTOR
RMN4053B	TACTICALPRO SERIES HARD HAT HEADSET WITH NEXUS CONNECTOR
RMN4055B	HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN4056B	HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM THREADED CONNECTOR
RMN4057B	HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM THREADED CONNECTOR
RMN5058A	CORE LIGHTWEIGHT HEADSET W/PTT & VOX
RMN5116A	RECEIVE AND TRANSMIT BOOMLESS TEMPLE TRANSDUCER(FOR HMN4104, HMN4103 AND RMN5116 HMN4101 ONLY)
RMN5132A	HT SERIES LISTEN ONLY NECKBAND HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN5133A	HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN5135A	TACTICALPRO SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR
RMN5137A	MT SERIES OVER-THE HEAD HEADSET, DIRECT RADIO CONNECT
RMN5138A	MT SERIES NECKBAND HEADSET, DIRECT RADIO CONNECT
RMN5139A	MT SERIES HARD HAT ATTACHED HEADSET, DIRECT RADIO CONNECT
WADN4190B	RECEIVE-ONLY FLEXIBLE EARPIECE
ZMN6031A	3-WIRE SURVEILLANCE KIT, BEIGE, HIROSE. REQUIRES NNTN7869 HIROSE ADAPTER

Rev. 1 Complément à Déclaration UE de Conformité (DoC-16071800417-B)

La présente déclaration de conformité est un complément à la déclaration de conformité du produit mentionnée ci-dessus et est publiée sous la seule responsabilité du fabricant.

Les accessoires décrits ci-dessous sont conformes à la réglementation d'harmonisation de l'Union européenne. Les accessoires suivants sont certifiés et approuvés pour une utilisation avec les radios répertoriées dans la déclaration de conformité mentionnée.

<u>NUMÉRO DE PIÈCE</u>	<u>DESCRIPTION (POUR INFORMATION SEULEMENT)</u>
AUDIO	
ZMN6032A	2-WIRE SURVEILLANCE KIT, BEIGE, HIROSE CONNECTOR. REQUIRES NNTN7869 HIROSE ADAPTER
ZMN6038A	2-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector Requires NNTN7869 Hirose Adapter
ZMN6039A	3-WIRE SURVEILLANCE KIT, WITH EXTRA LOUD EARPIECE, BEIGE, HIROSE CONNECTOR. REQUIRES NNTN7869 HIROSE ADAPTER
BATTERIE	
NNTN7034B	DELTA T BATTERY 4200 MAH
NNTN7037A	ASSY,BTRY,IMP STD IP67 NIMH 2100M 2300T
NNTN7038B	BATT IMP STD IP67 LIION 2900M 3100T
NNTN7573A	BTRY IMP STD R NIMH 2100M 2300T
NNTN8182B	BATTERY, R, LI ION 2900M 3100T MILITARY BRN
NNTN8921A	BATT IMP LIION TIA4950 IP67 4100T
NNTN8930A	BATT IMP LIION TIA4950 STD BATTERY
PMNN4403B	BATT STD IP67 LIION2050M BLK
PMNN4439A	APX Clamshell Battery Pack
PMNN4485A	APX GEN 2 IMPRES SLIM DELTA T (2400 MAH)
PMNN4486A	APX GEN 2 IMPRES STD DELTA T (3400 MAH)
PMNN4487A	APX GEN 2 IMPRES HI CAP DELTA T (-30 TEMP 4400 MAH)
PMNN4494A	BATT IMP STD DELTA T RUGGED LIION 5000T

LOGICIEL

Le logiciel radio installé est sous l'entière responsabilité du fabricant, sans aucun accès par l'utilisateur et est conforme aux directives applicables.

Les accessoires ci-dessus sont présentés avec leurs numéros de référence mondiaux. Dans la pratique, l'accessoire sera doté d'un préfixe régional. Les préfixes sont utilisés pour la création de kits régionaux : principalement le manuel (langues) et l'emballage. Les préfixes sont MD pour les pays d'Europe, AA pour les États-Unis et AZ pour la région Asie/Pacifique.

Remarque: un exemplaire signé et daté de la déclaration de conformité mentionnée ci-dessus peut être obtenu auprès de votre service d'assistance Motorola local ou du revendeur qui vous a fourni cette radio. Vous pouvez aussi le demander par courrier électronique à l'adresse manufacturerdeclaration.eu@motorolasolutions.com, ou sur le site <http://www.motorolasolutions.com/Business/XU-EN/BMS+Resource+Library>.

EU-Konformitätserklärung (DoC-16071800417-B)

Die alleinige Verantwortung für die Ausstellung dieser Konformitätserklärung trägt der Hersteller. Der oben beschriebene Gegenstand der Erklärung erfüllt die einschlägigen Harmonisierungsrechtsvorschriften der Union:

Richtlinie 2014/53/EU (RED)
Richtlinie 2011/65/EU (RoHS)
Richtlinie 2012/19/EU (WEEE)
Richtlinie 2013/35/EU (EMF)

Gegenstand der Erklärung: APX P25 Portable Radios

APX™ 6000 P25 Portable Radio
APX6000 / APX6000XE, PMBR302DE
APX6000 / APX6000XE, PMBR302ME
APX6000 / APX6000XE, PMBR302PE

SRX 2200, PMSR302DE
SRX 2200, PMSR302PE

136-174MHz, 1-6W, 12.5/20/25 kHz
GPS/GLONASS/Bluetooth®/Wi-Fi®

Ausschließlich lizenzierte nationale Frequenzen

Überholte Bemerkungen: Diese Konformitätserklärung ersetzt die DOC-16071800417-A

Auf den Markt gebracht durch: Motorola Solutions Germany GmbH, Telco Kreisel 1, 65510 Idstein, Germany

Die Konformität wird durch die Einhaltung der geltenden Anforderungen der folgenden Standards gezeigt:

EN 300 086 V2.1.2
EN 300 113 V2.2.1
EN 300 328 V2.1.1
EN 303 413 V1.1.1

EN 301 489 - 1 V2.1.1
EN 301 489 - 1 V2.2.1 (draft)
EN 301 489 - 5 V2.2.1
EN 301 489 - 17 V3.1.1
EN 301 489 - 17 V3.2.0 (draft)
EN 301 489 - 19 V2.1.1

EN 60950-1:2006 + A11:2009 + A1:2010 + A12:2011 + AC:2011 + A2:2013
Konform mit den ICNIRP (1998) Grenzwerten berufsbedingter/kontrollierter Exposition
EN 50360:2017
EN 50566:2017

Jahr der erstmaligen Anwendung der CE-Kennzeichnung: 2016

Die grundlegenden Testreihen wurden gemäß den angegebenen harmonisierten Standards durchgeführt.

Dokumentverwaltung: Motorola Solutions Germany GmbH, Telco Kreisel 1, 65510 Idstein, Germany

Wir bestätigen die Richtigkeit dieser Übersetzung. Sie ist nur gültig, wenn sie mit der signierten englischen Originalversion bereitgestellt wurde.

Rev. 1 Zusatz zu EU-Konformitätserklärung (DoC-16071800417-B)

Diese Konformitätserklärung gilt als Ergänzung zur oben erwähnten Produkt-Konformitätserklärung und unterliegt der alleinigen Verantwortung des Herstellers.

Das unten erwähnte Zubehör entspricht den einschlägigen Harmonisierungsrechtsvorschriften der Union.

Die aufgelisteten Zubehörteile sind für den Funkgerätebetrieb in der genannten Konformitätserklärung zertifiziert und zugelassen.

<u>TEILNUMMER</u>	<u>BESCHREIBUNG (NUR ZUR INFORMATION)</u>
ANTENNE	
NAR6593A	136-174MHZ, 1575MHZ
AUDIOZUBEHÖR	
BDN6664A	RECEIVE ONLY EARPIECE BGE 1-WIRE
BDN6666A	EARPIECE W/VOL CNTRL
BDN6667A	2-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6668A	3-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6669A	2-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EXTRA-LOUD EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6670A	3-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EXTRA-LOUD EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6726A	RECEIVE ONLY EARPC BLK, 1-WIRE
BDN6727A	REC ONLY EARPC, EXT LOUD, BLK
BDN6728A	REC ONLY EARPC W/VOL CONTL, BLK
BDN6729A	2-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BLACK, 3.5MM THREADED. REQUIRES BDN6783.
BDN6730A	3-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BLACK, 3.5MM THREADED. REQUIRES BDN6783.
BDN6731A	EARPC XTRA LOUD W/MIC & PTT BLK
BDN6732A	3-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EXTRA- LOUD EARPIECE, BLACK, 3.5MM THREADED. REQUIRES BDN6783.
BDN6783B	AUDIO ACCY ADPT 3.5MM W/PTT (NON-OPERATIONAL W/ P3A HW)
HMN4101B	IMPRES RSM NO DSPLY W JACK, NO CHNL
HMN4103B	IMPRES RSM DSPLY W JACK, NO CHNL
HMN4104B	ACCESSORY KIT,IMPRES RSM DSPLY W JACK, W CHNL
NMN6271A	IMPRES XP RSM FOR APX W/ DUAL MIC N
NMN6274A	IMPRES XP RSM FOR APX W/ DUAL MIC NOISE SUPPRESSION, 3.5MM THRDJACK

Rev. 1 Zusatz zu EU-Konformitätserklärung (DoC-16071800417-B)

Diese Konformitätserklärung gilt als Ergänzung zur oben erwähnten Produkt-Konformitätserklärung und unterliegt der alleinigen Verantwortung des Herstellers.

Das unten erwähnte Zubehör entspricht den einschlägigen Harmonisierungsrechtsvorschriften der Union.

Die aufgelisteten Zubehörteile sind für den Funkgerätebetrieb in der genannten Konformitätserklärung zertifiziert und zugelassen.

<u>TEILNUMMER</u>	<u>BESCHREIBUNG (NUR ZUR INFORMATION)</u>
AUDIOZUBEHÖR	
NNTN7869A	6 Pin Hirose Keyload & Audio Adapter FM/IS rated
NNTN8203A	IMPRES XE REMOTE SPEAKER MIC
NNTN8203ABLK	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NNTN8203AYLW	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NNTN8294A	OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK
NNTN8295A	OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK
NNTN8296A	WIRELESS COVERT KIT
NNTN8575A	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NNTN8575ABLK	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NNTN8575AYLW	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NTN2570C	MISSION CRITICAL WIRELESS EARPIECE WITH LONG CORD (280 MM)
NTN8819B	INTEGRATED EAR MICROPHONE/RECEIVER
PMLN5101A	IMPRES TEMPLE TRANSDUCER
PMLN5275C	HEAVY DUTY HEADSET
PMLN5653A	IMPRES GCAI EAR MIC BONE CONDUCTIVE
PMLN6088A	MT SERIES OVER-THE HEAD HEADSET WITH NEXUS CONNECTOR
PMLN6095A	PTT NEXUS ADAPTER FOR MT SERIES HEADSETS
PMLN6123A	IMPRES 3 WIRE W/ TRANS TUBE-BLK
PMLN6124A	IMPRES 3 WIRE W/ TRANS TUBE-BGE
PMLN6125A	1 WIRE SURVEILLANCE KIT-BLK

Rev. 1 Zusatz zu EU-Konformitätserklärung (DoC-16071800417-B)

Diese Konformitätserklärung gilt als Ergänzung zur oben erwähnten Produkt-Konformitätserklärung und unterliegt der alleinigen Verantwortung des Herstellers.

Das unten erwähnte Zubehör entspricht den einschlägigen Harmonisierungsrechtsvorschriften der Union.

Die aufgelisteten Zubehörteile sind für den Funkgerätebetrieb in der genannten Konformitätserklärung zertifiziert und zugelassen.

<u>TEILNUMMER</u>	<u>BESCHREIBUNG (NUR ZUR INFORMATION)</u>
AUDIOZUBEHÖR	
PMLN6126A	1 WIRE SURVEILLANCE KIT -BGE
PMLN6127A	IMPRES 2 WIRE SURVEILLANCE -BLK
PMLN6128A	IMPRES 2 WIRE SURVEILLANCE-BGE
PMLN6129A	IMPRES 2 WIRE W/TRANS TUBE-BLK
PMLN6130A	IMPRES 2 WIRE W/TRANS TUBE-BGE
PMLN6766A	TACTICAL BOOMLESS TEMPLE TRANSDUCER (REQUIRES INTERFACE MODULE PMLN6765 OR PMLN6766 PMLN6827)
PMLN6767A	TACTICAL REMOTE BODY PTT (FOR USE WITH INTERFACE MODULE PMLN6827)
PMLN6827A	PTT INTERFACE MODULE
PMLN6829A	TACTICAL EAR MICROPHONE
PMLN6830A	TACTICAL REMOTE PTT RING SWITCH
PMLN7052A	OPERATIONS CRITICAL WIRELESS 1-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE
PMMN4062A	IMPRES RSM, NOISE CANC. EMERGENCY BUTTON 3.5MM JACK IP54
PMMN4065A	IMPRES RSM, IP57
PMMN4069A	IMPRES RSM, 3.5MM JACK, IP55
PMMN4083A	IMPRES LARGE RSM APX IP68 DELTA T (GCAI)
PMMN4084A	PLUS RSM NC IP54 THRD 3.5MM JACK RX
PMMN4099A	AUDIO ACCESSORY-REMOTE SPEAKER MICR
RLN6477A	MT SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR
RLN6480A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH PALM PTT(INCLUDES ADAPTER BDN6783)
RLN6481A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH PTT ON ADAPTER (INCLUDES ADAPTER BDN6783)

Rev. 1 Zusatz zu EU-Konformitätserklärung (DoC-16071800417-B)

Diese Konformitätserklärung gilt als Ergänzung zur oben erwähnten Produkt-Konformitätserklärung und unterliegt der alleinigen Verantwortung des Herstellers.

Das unten erwähnte Zubehör entspricht den einschlägigen Harmonisierungsrechtsvorschriften der Union.

Die aufgelisteten Zubehörteile sind für den Funkgerätebetrieb in der genannten Konformitätserklärung zertifiziert und zugelassen.

<u>TEILNUMMER</u>	<u>BESCHREIBUNG (NUR ZUR INFORMATION)</u>
AUDIOZUBEHÖR	
RLN6482A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH RING PTT(INCLUDES ADAPTER BDN6783)
RLN6483A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH SNAP-ON-SIDE PTT (INCLUDES ADAPTER BDN6783)
RLN6484A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH BODY PTT(INCLUDES ADAPTER BDN6783)
RLN6554A	ACCESSORY KIT,APX WIRELESS RSM W/ D
RMN4051B	MT SERIES HARD HAT ATTACHED HEADSET WITH NEXUS CONNECTOR
RMN4052B	PELTOR TACTICALPRO SERIES OVER-THE-HEAD HEADSET WITH NEXUS CONNECTOR
RMN4053B	TACTICALPRO SERIES HARD HAT HEADSET WITH NEXUS CONNECTOR
RMN4055B	HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN4056B	HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM THREADED CONNECTOR
RMN4057B	HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM THREADED CONNECTOR
RMN5058A	CORE LIGHTWEIGHT HEADSET W/PTT & VOX
RMN5116A	RECEIVE AND TRANSMIT BOOMLESS TEMPLE TRANSDUCER(FOR HMN4104, HMN4103 AND RMN5116 HMN4101 ONLY)
RMN5132A	HT SERIES LISTEN ONLY NECKBAND HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN5133A	HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN5135A	TACTICALPRO SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR
RMN5137A	MT SERIES OVER-THE HEAD HEADSET, DIRECT RADIO CONNECT
RMN5138A	MT SERIES NECKBAND HEADSET, DIRECT RADIO CONNECT
RMN5139A	MT SERIES HARD HAT ATTACHED HEADSET, DIRECT RADIO CONNECT
WADN4190B	RECEIVE-ONLY FLEXIBLE EARPIECE
ZMN6031A	3-WIRE SURVEILLANCE KIT, BEIGE, HIROSE. REQUIRES NNTN7869 HIROSE ADAPTER

Rev. 1 Zusatz zu EU-Konformitätserklärung (DoC-16071800417-B)

Diese Konformitätserklärung gilt als Ergänzung zur oben erwähnten Produkt-Konformitätserklärung und unterliegt der alleinigen Verantwortung des Herstellers.

Das unten erwähnte Zubehör entspricht den einschlägigen Harmonisierungsrechtsvorschriften der Union.

Die aufgelisteten Zubehörteile sind für den Funkgerätebetrieb in der genannten Konformitätserklärung zertifiziert und zugelassen.

<u>TEILNUMMER</u>	<u>BESCHREIBUNG (NUR ZUR INFORMATION)</u>
AUDIOZUBEHÖR	
ZMN6032A	2-WIRE SURVEILLANCE KIT, BEIGE, HIROSE CONNECTOR. REQUIRES NNTN7869 HIROSE ADAPTER
ZMN6038A	2-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector Requires NNTN7869 Hirose Adapter
ZMN6039A	3-WIRE SURVEILLANCE KIT, WITH EXTRA LOUD EARPIECE, BEIGE, HIROSE CONNECTOR. REQUIRES NNTN7869 HIROSE ADAPTER
AKKU	
NNTN7034B	DELTA T BATTERY 4200 MAH
NNTN7037A	ASSY,BTRY,IMP STD IP67 NIMH 2100M 2300T
NNTN7038B	BATT IMP STD IP67 LIION 2900M 3100T
NNTN7573A	BTRY IMP STD R NIMH 2100M 2300T
NNTN8182B	BATTERY, R, LI ION 2900M 3100T MILITARY BRN
NNTN8921A	BATT IMP LIION TIA4950 IP67 4100T
NNTN8930A	BATT IMP LIION TIA4950 STD BATTERY
PMNN4403B	BATT STD IP67 LIION2050M BLK
PMNN4439A	APX Clamshell Battery Pack
PMNN4485A	APX GEN 2 IMPRES SLIM DELTA T (2400 MAH)
PMNN4486A	APX GEN 2 IMPRES STD DELTA T (3400 MAH)
PMNN4487A	APX GEN 2 IMPRES HI CAP DELTA T (-30 TEMP 4400 MAH)
PMNN4494A	BATT IMP STD DELTA T RUGGED LIION 5000T

SOFTWARE

Die installierte Funkgerätesoftware unterliegt der vollständigen Kontrolle des Herstellers ohne Zugriff durch den Benutzer und entspricht den dazugehörigen Richtlinien.

Die oben erwähnten Zubehörteile werden mit ihren globalen Teilenummern angezeigt. In der Praxis hat das Zubehör regionale Teilenummern. Teilenummern werden nur für regionales Kitting erstellt. In erster Linie für Handbücher (Sprachen) und Verpackungen. Teilenummern sind: MD für europäische Länder, AA für die USA und AZ für Asien/Pazifikraum.

Hinweis: Eine Kopie der oben genannten unterschriebenen und datierten Konformitätserklärung kann von Ihrem lokalen Motorola Help Desk sowie vom Händler, bei dem Sie dieses Funkgerät erworben haben oder alternativ über unsere E-Mail-Adresse oder Webseite angefordert werden: manufacturerdeclaration.eu@motorola.com oder unter <http://www.motorolasolutions.com/Business/XU-EN/BMS+Resource+Library>

Dichiarazione di conformità UE (DoC-16071800417-B)

La presente dichiarazione di conformità è rilasciata sotto l'esclusiva responsabilità del fabbricante. L'oggetto della dichiarazione di cui sopra è conforme alla pertinente normativa di armonizzazione dell'Unione:

Direttiva 2014/53/UE (RED)
Direttiva 2011/65/UE (RoHS)
Direttiva 2012/19/UE (WEEE)
Direttiva 2013/35/UE (EMF)

Oggetto della dichiarazione: APX P25 Portable Radios

APX™ 6000 P25 Portable Radio
APX6000 / APX6000XE, PMBR302DE
APX6000 / APX6000XE, PMBR302ME
APX6000 / APX6000XE, PMBR302PE

SRX 2200, PMSR302DE
SRX 2200, PMSR302PE

136-174MHz, 1-6W, 12.5/20/25 kHz
GPS/GLONASS/Bluetooth®/Wi-Fi®

Solo frequenze nazionali con licenza

Osservazioni preesistenti: Questa Dichiarazione di conformità sostituisce DOC-16071800417-A

Commercializzato da: Motorola Solutions Germany GmbH, Telco Kreisel 1, 65510 Idstein, Germany

La conformità è dimostrata dalla rispondenza ai requisiti applicabili dei seguenti standard:

EN 300 086 V2.1.2
EN 300 113 V2.2.1
EN 300 328 V2.1.1
EN 303 413 V1.1.1

EN 301 489 - 1 V2.1.1
EN 301 489 - 1 V2.2.1 (draft)
EN 301 489 - 5 V2.2.1
EN 301 489 - 17 V3.1.1
EN 301 489 - 17 V3.2.0 (draft)
EN 301 489 - 19 V2.1.1

EN 60950-1:2006 + A11:2009 + A1:2010 + A12:2011 + AC:2011 + A2:2013
Conforme ai limiti di esposizione per scopi professionali/controllati dello standard ICNIRP (1998)
EN 50360:2017
EN 50566:2017

Anno di prima applicazione del marchio CE: 2016

È stata eseguita la serie di prove radio essenziali, come definito nelle norme armonizzate citate.

Riferimento del documento: Motorola Solutions Germany GmbH, Telco Kreisel 1, 65510 Idstein, Germany

Si conferma la correttezza di questa traduzione. È valida solo se fornita con la versione originale in inglese firmata.

Rev. 1 Allegato al Dichiarazione di conformità UE (DoC-16071800417-B)

Questa dichiarazione di conformità è un allegato alla Dichiarazione di conformità del prodotto indicato sopra ed è stato emesso sotto la sola responsabilità del produttore.

Gli accessori descritti di seguito sono conformi alla normativa di armonizzazione dell'Unione Europea.

Gli accessori elencati sono certificati e approvati per l'uso con le radio riportate nella Dichiarazione di conformità a cui si fa riferimento.

<u>NUMERO DI PARTE</u>	<u>DESCRIZIONE (SOLO PER INFORMAZIONI)</u>
ANTENNA	
NAR6593A	136-174MHZ, 1575MHZ
AUDIO	
BDN6664A	RECEIVE ONLY EARPIECE BGE 1-WIRE
BDN6666A	EARPIECE W/VOL CNTRL
BDN6667A	2-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6668A	3-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6669A	2-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EXTRA-LOUD EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6670A	3-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EXTRA-LOUD EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6726A	RECEIVE ONLY EARPC BLK, 1-WIRE
BDN6727A	REC ONLY EARPC, EXT LOUD, BLK
BDN6728A	REC ONLY EARPC W/VOL CONTL, BLK
BDN6729A	2-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BLACK, 3.5MM THREADED. REQUIRES BDN6783.
BDN6730A	3-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BLACK, 3.5MM THREADED. REQUIRES BDN6783.
BDN6731A	EARPC XTRA LOUD W/MIC & PTT BLK
BDN6732A	3-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EXTRA- LOUD EARPIECE, BLACK, 3.5MM THREADED. REQUIRES BDN6783.
BDN6783B	AUDIO ACCY ADPT 3.5MM W/PTT (NON-OPERATIONAL W/ P3A HW)
HMN4101B	IMPRES RSM NO DSPLY W JACK, NO CHNL
HMN4103B	IMPRES RSM DSPLY W JACK, NO CHNL
HMN4104B	ACCESSORY KIT,IMPRES RSM DSPLY W JACK, W CHNL
NMN6271A	IMPRES XP RSM FOR APX W/ DUAL MIC N
NMN6274A	IMPRES XP RSM FOR APX W/ DUAL MIC NOISE SUPPRESSION, 3.5MM THRDJACK

Rev. 1 Allegato al Dichiarazione di conformità UE (DoC-16071800417-B)

Questa dichiarazione di conformità è un allegato alla Dichiarazione di conformità del prodotto indicato sopra ed è stato emesso sotto la sola responsabilità del produttore.

Gli accessori descritti di seguito sono conformi alla normativa di armonizzazione dell'Unione Europea.

Gli accessori elencati sono certificati e approvati per l'uso con le radio riportate nella Dichiarazione di conformità a cui si fa riferimento.

<u>NUMERO DI PARTE</u>	<u>DESCRIZIONE (SOLO PER INFORMAZIONI)</u>
AUDIO	
NNTN7869A	6 Pin Hirose Keyload & Audio Adapter FM/IS rated
NNTN8203A	IMPRES XE REMOTE SPEAKER MIC
NNTN8203ABLK	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NNTN8203AYLW	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NNTN8294A	OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK
NNTN8295A	OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK
NNTN8296A	WIRELESS COVERT KIT
NNTN8575A	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NNTN8575ABLK	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NNTN8575AYLW	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NTN2570C	MISSION CRITICAL WIRELESS EARPIECE WITH LONG CORD (280 MM)
NTN8819B	INTEGRATED EAR MICROPHONE/RECEIVER
PMLN5101A	IMPRES TEMPLE TRANSDUCER
PMLN5275C	HEAVY DUTY HEADSET
PMLN5653A	IMPRES GCAI EAR MIC BONE CONDUCTIVE
PMLN6088A	MT SERIES OVER-THE HEAD HEADSET WITH NEXUS CONNECTOR
PMLN6095A	PTT NEXUS ADAPTER FOR MT SERIES HEADSETS
PMLN6123A	IMPRES 3 WIRE W/ TRANS TUBE-BLK
PMLN6124A	IMPRES 3 WIRE W/ TRANS TUBE-BGE
PMLN6125A	1 WIRE SURVEILLANCE KIT-BLK

Rev. 1 Allegato al Dichiarazione di conformità UE (DoC-16071800417-B)

Questa dichiarazione di conformità è un allegato alla Dichiarazione di conformità del prodotto indicato sopra ed è stato emesso sotto la sola responsabilità del produttore.

Gli accessori descritti di seguito sono conformi alla normativa di armonizzazione dell'Unione Europea.

Gli accessori elencati sono certificati e approvati per l'uso con le radio riportate nella Dichiarazione di conformità a cui si fa riferimento.

<u>NUMERO DI PARTE</u>	<u>DESCRIZIONE (SOLO PER INFORMAZIONI)</u>
AUDIO	
PMLN6126A	1 WIRE SURVEILLANCE KIT -BGE
PMLN6127A	IMPRES 2 WIRE SURVEILLANCE -BLK
PMLN6128A	IMPRES 2 WIRE SURVEILLANCE-BGE
PMLN6129A	IMPRES 2 WIRE W/TRANS TUBE-BLK
PMLN6130A	IMPRES 2 WIRE W/TRANS TUBE-BGE
PMLN6766A	TACTICAL BOOMLESS TEMPLE TRANSDUCER (REQUIRES INTERFACE MODULE PMLN6765 OR PMLN6766 PMLN6827)
PMLN6767A	TACTICAL REMOTE BODY PTT (FOR USE WITH INTERFACE MODULE PMLN6827)
PMLN6827A	PTT INTERFACE MODULE
PMLN6829A	TACTICAL EAR MICROPHONE
PMLN6830A	TACTICAL REMOTE PTT RING SWITCH
PMLN7052A	OPERATIONS CRITICAL WIRELESS 1-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE
PMMN4062A	IMPRES RSM, NOISE CANC. EMERGENCY BUTTON 3.5MM JACK IP54
PMMN4065A	IMPRES RSM, IP57
PMMN4069A	IMPRES RSM, 3.5MM JACK, IP55
PMMN4083A	IMPRES LARGE RSM APX IP68 DELTA T (GCAI)
PMMN4084A	PLUS RSM NC IP54 THRD 3.5MM JACK RX
PMMN4099A	AUDIO ACCESSORY-REMOTE SPEAKER MICR
RLN6477A	MT SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR
RLN6480A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH PALM PTT(INCLUDES ADAPTER BDN6783)
RLN6481A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH PTT ON ADAPTER (INCLUDES ADAPTER BDN6783)

Rev. 1 Allegato al Dichiarazione di conformità UE (DoC-16071800417-B)

Questa dichiarazione di conformità è un allegato alla Dichiarazione di conformità del prodotto indicato sopra ed è stato emesso sotto la sola responsabilità del produttore.

Gli accessori descritti di seguito sono conformi alla normativa di armonizzazione dell'Unione Europea.

Gli accessori elencati sono certificati e approvati per l'uso con le radio riportate nella Dichiarazione di conformità a cui si fa riferimento.

<u>NUMERO DI PARTE</u>	<u>DESCRIZIONE (SOLO PER INFORMAZIONI)</u>
AUDIO	
RLN6482A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH RING PTT(INCLUDES ADAPTER BDN6783)
RLN6483A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH SNAP-ON-SIDE PTT (INCLUDES ADAPTER BDN6783)
RLN6484A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH BODY PTT(INCLUDES ADAPTER BDN6783)
RLN6554A	ACCESSORY KIT,APX WIRELESS RSM W/ D
RMN4051B	MT SERIES HARD HAT ATTACHED HEADSET WITH NEXUS CONNECTOR
RMN4052B	PELTOR TACTICALPRO SERIES OVER-THE-HEAD HEADSET WITH NEXUS CONNECTOR
RMN4053B	TACTICALPRO SERIES HARD HAT HEADSET WITH NEXUS CONNECTOR
RMN4055B	HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN4056B	HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM THREADED CONNECTOR
RMN4057B	HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM THREADED CONNECTOR
RMN5058A	CORE LIGHTWEIGHT HEADSET W/PTT & VOX
RMN5116A	RECEIVE AND TRANSMIT BOOMLESS TEMPLE TRANSDUCER(FOR HMN4104, HMN4103 AND RMN5116 HMN4101 ONLY)
RMN5132A	HT SERIES LISTEN ONLY NECKBAND HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN5133A	HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN5135A	TACTICALPRO SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR
RMN5137A	MT SERIES OVER-THE HEAD HEADSET, DIRECT RADIO CONNECT
RMN5138A	MT SERIES NECKBAND HEADSET, DIRECT RADIO CONNECT
RMN5139A	MT SERIES HARD HAT ATTACHED HEADSET, DIRECT RADIO CONNECT
WADN4190B	RECEIVE-ONLY FLEXIBLE EARPIECE
ZMN6031A	3-WIRE SURVEILLANCE KIT, BEIGE, HIROSE. REQUIRES NNTN7869 HIROSE ADAPTER

Rev. 1 Allegato al Dichiarazione di conformità UE (DoC-16071800417-B)

Questa dichiarazione di conformità è un allegato alla Dichiarazione di conformità del prodotto indicato sopra ed è stato emesso sotto la sola responsabilità del produttore.

Gli accessori descritti di seguito sono conformi alla normativa di armonizzazione dell'Unione Europea.

Gli accessori elencati sono certificati e approvati per l'uso con le radio riportate nella Dichiarazione di conformità a cui si fa riferimento.

<u>NUMERO DI PARTE</u>	<u>DESCRIZIONE (SOLO PER INFORMAZIONI)</u>
AUDIO	
ZMN6032A	2-WIRE SURVEILLANCE KIT, BEIGE, HIROSE CONNECTOR. REQUIRES NNTN7869 HIROSE ADAPTER
ZMN6038A	2-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector Requires NNTN7869 Hirose Adapter
ZMN6039A	3-WIRE SURVEILLANCE KIT, WITH EXTRA LOUD EARPIECE, BEIGE, HIROSE CONNECTOR. REQUIRES NNTN7869 HIROSE ADAPTER
BATTERIA	
NNTN7034B	DELTA T BATTERY 4200 MAH
NNTN7037A	ASSY,BTRY,IMP STD IP67 NIMH 2100M 2300T
NNTN7038B	BATT IMP STD IP67 LIION 2900M 3100T
NNTN7573A	BTRY IMP STD R NIMH 2100M 2300T
NNTN8182B	BATTERY, R, LI ION 2900M 3100T MILITARY BRN
NNTN8921A	BATT IMP LIION TIA4950 IP67 4100T
NNTN8930A	BATT IMP LIION TIA4950 STD BATTERY
PMNN4403B	BATT STD IP67 LIION2050M BLK
PMNN4439A	APX Clamshell Battery Pack
PMNN4485A	APX GEN 2 IMPRES SLIM DELTA T (2400 MAH)
PMNN4486A	APX GEN 2 IMPRES STD DELTA T (3400 MAH)
PMNN4487A	APX GEN 2 IMPRES HI CAP DELTA T (-30 TEMP 4400 MAH)
PMNN4494A	BATT IMP STD DELTA T RUGGED LIION 5000T

SOFTWARE

Il software della radio installato è sotto il completo controllo del costruttore senza accesso da parte dell'utente ed è conforme alle direttive pertinenti.

Gli accessori indicati sopra sono riportati con i part number globali. In realtà, l'accessorio è contraddistinto da un prefisso regionale. I prefissi sono assegnati solo per motivi di kitting: principalmente il manuale (lingue) e l'imballaggio. I prefissi sono MD per i Paesi europei, AA per gli Stati Uniti e AZ per la regione Asia/Pacifico.

Nota: una copia firmata e datata della Dichiarazione di conformità a cui si fa riferimento sopra è disponibile presso l'help-desk locale Motorola o il rivenditore dal quale è stata acquistata la radio. In alternativa, è possibile inviare una richiesta e-mail all'indirizzo manufacturerdeclaration.eu@motorolasolutions.com oppure tramite il sito Web <http://www.motorolasolutions.com/Business/XU-EN/BMS+Resource+Library>



Deklaracja zgodności UE (DoC-16071800417-B)

Niniejszą deklarację zgodności wydaje się na wyłączną odpowiedzialność producenta.
Wymieniony poniżej przedmiot niniejszej deklaracji jest zgodny z odnośnymi wymaganiami unijnego prawodawstwa harmonizacyjnego:

Dyrektywa 2014/53/UE (RED)
Dyrektywa 2011/65/UE (RoHS)
Dyrektywa 2012/19/UE (WEEE)
Dyrektywa 2013/35/UE (EMF)

Przedmiot deklaracji: APX P25 Portable Radios

APX™ 6000 P25 Portable Radio
APX6000 / APX6000XE, PMBR302DE
APX6000 / APX6000XE, PMBR302ME
APX6000 / APX6000XE, PMBR302PE

SRX 2200, PMSR302DE
SRX 2200, PMSR302PE

136-174MHz, 1-6W, 12.5/20/25 kHz
GPS/GLONASS/Bluetooth®/Wi-Fi®

Wyłącznie krajowe licencjonowane częstotliwości

Zastąpione uwagi: Niniejsza deklaracja zgodności zastępuje DOC-16071800417-A

Wprowadzony do obrotu przez: Motorola Solutions Germany GmbH , Telco Kreisel 1, 65510 Idstein, Germany

Odwołania do norm, w odniesieniu do których deklarowana jest zgodność:

EN 300 086 V2.1.2
EN 300 113 V2.2.1
EN 300 328 V2.1.1
EN 303 413 V1.1.1

EN 301 489 - 1 V2.1.1
EN 301 489 - 1 V2.2.1 (draft)
EN 301 489 - 5 V2.2.1
EN 301 489 - 17 V3.1.1
EN 301 489 - 17 V3.2.0 (draft)
EN 301 489 - 19 V2.1.1

EN 60950-1:2006 + A11:2009 + A1:2010 + A12:2011 + AC:2011 + A2:2013
Zgodność z wytycznymi określonymi przez Międzynarodową Komisję Ochrony przed Promieniowaniem Niejonizującym ICNIRP (1998)
EN 50360:2017
EN 50566:2017

Rok pierwszego umieszczenia oznakowania CE na produkcie: 2016

Przeprowadzono niezbędne testy radiowe określone w zharmonizowanych normach.

Właściciel dokumentu: Motorola Solutions Germany GmbH, Telco Kreisel 1, 65510 Idstein, Germany

Potwierdzamy poprawność niniejszego tłumaczenia. Obowiązuje jedynie z podpisanym oryginałem w języku angielskim.

Rev. 1 Uzupelnienie do Deklaracja zgodności UE (DoC-16071800417-B)

Niniejszy załącznik jest uzupełnieniem Deklaracji Zgodności UE w odniesieniu do wymienionego w powyższej deklaracji produktu i zostaje wydany na wyłączną odpowiedzialność producenta.

Akcesoria wymienione w niniejszym załączniku pozostają w zgodności z odnośnymi wymaganiami unijnego prawodawstwa harmonizacyjnego.

Akcesoria wyszczególnione poniżej zostały przebadane i zatwierdzone do użytku z przedmiotem powyższej deklaracji.

<u>NUMER KATALOGOWY</u>	<u>OPIS (TYLKO INFORMACYJNIE)</u>
ANTENA	
NAR6593A	136-174MHZ, 1575MHZ
AUDIO	
BDN6664A	RECEIVE ONLY EARPIECE BGE 1-WIRE
BDN6666A	EARPIECE W/VOL CNTRL
BDN6667A	2-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6668A	3-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6669A	2-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EXTRA-LOUD EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6670A	3-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EXTRA-LOUD EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6726A	RECEIVE ONLY EARPC BLK, 1-WIRE
BDN6727A	REC ONLY EARPC, EXT LOUD, BLK
BDN6728A	REC ONLY EARPC W/VOL CONTL, BLK
BDN6729A	2-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BLACK, 3.5MM THREADED. REQUIRES BDN6783.
BDN6730A	3-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BLACK, 3.5MM THREADED. REQUIRES BDN6783.
BDN6731A	EARPC XTRA LOUD W/MIC & PTT BLK
BDN6732A	3-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EXTRA- LOUD EARPIECE, BLACK, 3.5MM THREADED. REQUIRES BDN6783.
BDN6783B	AUDIO ACCY ADPT 3.5MM W/PTT (NON-OPERATIONAL W/ P3A HW)
HMN4101B	IMPRES RSM NO DSPLY W JACK, NO CHNL
HMN4103B	IMPRES RSM DSPLY W JACK, NO CHNL
HMN4104B	ACCESSORY KIT,IMPRES RSM DSPLY W JACK, W CHNL
NMN6271A	IMPRES XP RSM FOR APX W/ DUAL MIC N
NMN6274A	IMPRES XP RSM FOR APX W/ DUAL MIC NOISE SUPPRESSION, 3.5MM THRDJACK

Rev. 1 Uzupelnienie do Deklaracja zgodności UE (DoC-16071800417-B)

Niniejszy załącznik jest uzupełnieniem Deklaracji Zgodności UE w odniesieniu do wymienionego w powyższej deklaracji produktu i zostaje wydany na wyłączną odpowiedzialność producenta.

Akcesoria wymienione w niniejszym załączniku pozostają w zgodności z odnośnymi wymaganiami unijnego prawodawstwa harmonizacyjnego.

Akcesoria wyszczególnione poniżej zostały przebadane i zatwierdzone do użytku z przedmiotem powyższej deklaracji.

NUMER KATALOGOWY OPIS (TYLKO INFORMACYJNIE)

AUDIO

NNTN7869A	6 Pin Hirose Keyload & Audio Adapter FM/IS rated
NNTN8203A	IMPRES XE REMOTE SPEAKER MIC
NNTN8203ABLK	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NNTN8203AYLW	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NNTN8294A	OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK
NNTN8295A	OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK
NNTN8296A	WIRELESS COVERT KIT
NNTN8575A	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NNTN8575ABLK	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NNTN8575AYLW	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NTN2570C	MISSION CRITICAL WIRELESS EARPIECE WITH LONG CORD (280 MM)
NTN8819B	INTEGRATED EAR MICROPHONE/RECEIVER
PMLN5101A	IMPRES TEMPLE TRANSDUCER
PMLN5275C	HEAVY DUTY HEADSET
PMLN5653A	IMPRES GCAI EAR MIC BONE CONDUCTIVE
PMLN6088A	MT SERIES OVER-THE HEAD HEADSET WITH NEXUS CONNECTOR
PMLN6095A	PTT NEXUS ADAPTER FOR MT SERIES HEADSETS
PMLN6123A	IMPRES 3 WIRE W/ TRANS TUBE-BLK
PMLN6124A	IMPRES 3 WIRE W/ TRANS TUBE-BGE
PMLN6125A	1 WIRE SURVEILLANCE KIT-BLK

Rev. 1 Uzupelnienie do Deklaracja zgodności UE (DoC-16071800417-B)

Niniejszy załącznik jest uzupełnieniem Deklaracji Zgodności UE w odniesieniu do wymienionego w powyższej deklaracji produktu i zostaje wydany na wyłączną odpowiedzialność producenta.

Akcesoria wymienione w niniejszym załączniku pozostają w zgodności z odnośnymi wymaganiami unijnego prawodawstwa harmonizacyjnego.

Akcesoria wyszczególnione poniżej zostały przebadane i zatwierdzone do użytku z przedmiotem powyższej deklaracji.

NUMER KATALOGOWY OPIS (TYLKO INFORMACYJNIE)

AUDIO

PMLN6126A	1 WIRE SURVEILLANCE KIT -BGE
PMLN6127A	IMPRES 2 WIRE SURVEILLANCE -BLK
PMLN6128A	IMPRES 2 WIRE SURVEILLANCE-BGE
PMLN6129A	IMPRES 2 WIRE W/TRANS TUBE-BLK
PMLN6130A	IMPRES 2 WIRE W/TRANS TUBE-BGE
PMLN6766A	TACTICAL BOOMLESS TEMPLE TRANSDUCER (REQUIRES INTERFACE MODULE PMLN6765 OR PMLN6766 PMLN6827)
PMLN6767A	TACTICAL REMOTE BODY PTT (FOR USE WITH INTERFACE MODULE PMLN6827)
PMLN6827A	PTT INTERFACE MODULE
PMLN6829A	TACTICAL EAR MICROPHONE
PMLN6830A	TACTICAL REMOTE PTT RING SWITCH
PMLN7052A	OPERATIONS CRITICAL WIRELESS 1-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE
PMMN4062A	IMPRES RSM, NOISE CANC. EMERGENCY BUTTON 3.5MM JACK IP54
PMMN4065A	IMPRES RSM, IP57
PMMN4069A	IMPRES RSM, 3.5MM JACK, IP55
PMMN4083A	IMPRES LARGE RSM APX IP68 DELTA T (GCAI)
PMMN4084A	PLUS RSM NC IP54 THRD 3.5MM JACK RX
PMMN4099A	AUDIO ACCESSORY-REMOTE SPEAKER MICR
RLN6477A	MT SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR
RLN6480A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH PALM PTT(INCLUDES ADAPTER BDN6783)
RLN6481A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH PTT ON ADAPTER (INCLUDES ADAPTER BDN6783)

Rev. 1 Uzupelnienie do Deklaracja zgodności UE (DoC-16071800417-B)

Niniejszy załącznik jest uzupełnieniem Deklaracji Zgodności UE w odniesieniu do wymienionego w powyższej deklaracji produktu i zostaje wydany na wyłączną odpowiedzialność producenta.

Akcesoria wymienione w niniejszym załączniku pozostają w zgodności z odnośnymi wymaganiami unijnego prawodawstwa harmonizacyjnego.

Akcesoria wyszczególnione poniżej zostały przebadane i zatwierdzone do użytku z przedmiotem powyższej deklaracji.

NUMER KATALOGOWY OPIS (TYLKO INFORMACYJNIE)

AUDIO

RLN6482A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH RING PTT(INCLUDES ADAPTER BDN6783)
RLN6483A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH SNAP-ON-SIDE PTT (INCLUDES ADAPTER BDN6783)
RLN6484A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH BODY PTT(INCLUDES ADAPTER BDN6783)
RLN6554A	ACCESSORY KIT,APX WIRELESS RSM W/ D
RMN4051B	MT SERIES HARD HAT ATTACHED HEADSET WITH NEXUS CONNECTOR
RMN4052B	PELTOR TACTICALPRO SERIES OVER-THE-HEAD HEADSET WITH NEXUS CONNECTOR
RMN4053B	TACTICALPRO SERIES HARD HAT HEADSET WITH NEXUS CONNECTOR
RMN4055B	HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN4056B	HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM THREADED CONNECTOR
RMN4057B	HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM THREADED CONNECTOR
RMN5058A	CORE LIGHTWEIGHT HEADSET W/PTT & VOX
RMN5116A	RECEIVE AND TRANSMIT BOOMLESS TEMPLE TRANSDUCER(FOR HMN4104, HMN4103 AND RMN5116 HMN4101 ONLY)
RMN5132A	HT SERIES LISTEN ONLY NECKBAND HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN5133A	HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN5135A	TACTICALPRO SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR
RMN5137A	MT SERIES OVER-THE HEAD HEADSET, DIRECT RADIO CONNECT
RMN5138A	MT SERIES NECKBAND HEADSET, DIRECT RADIO CONNECT
RMN5139A	MT SERIES HARD HAT ATTACHED HEADSET, DIRECT RADIO CONNECT
WADN4190B	RECEIVE-ONLY FLEXIBLE EARPIECE
ZMN6031A	3-WIRE SURVEILLANCE KIT, BEIGE, HIROSE. REQUIRES NNTN7869 HIROSE ADAPTER

Rev. 1 Uzupelnienie do Deklaracja zgodności UE (DoC-16071800417-B)

Niniejszy załącznik jest uzupełnieniem Deklaracji Zgodności UE w odniesieniu do wymienionego w powyższej deklaracji produktu i zostaje wydany na wyłączną odpowiedzialność producenta.

Akcesoria wymienione w niniejszym załączniku pozostają w zgodności z odpowiednimi wymaganiami unijnego prawodawstwa harmonizacyjnego.

Akcesoria wyszczególnione poniżej zostały przebadane i zatwierdzone do użytku z przedmiotem powyższej deklaracji.

NUMER KATALOGOWY OPIS (TYLKO INFORMACYJNIE)

AUDIO

ZMN6032A	2-WIRE SURVEILLANCE KIT, BEIGE, HIROSE CONNECTOR. REQUIRES NNTN7869 HIROSE ADAPTER
ZMN6038A	2-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector Requires NNTN7869 Hirose Adapter
ZMN6039A	3-WIRE SURVEILLANCE KIT, WITH EXTRA LOUD EARPIECE, BEIGE, HIROSE CONNECTOR. REQUIRES NNTN7869 HIROSE ADAPTER

BATERIA

NNTN7034B	DELTA T BATTERY 4200 MAH
NNTN7037A	ASSY,BTRY,IMP STD IP67 NIMH 2100M 2300T
NNTN7038B	BATT IMP STD IP67 LIION 2900M 3100T
NNTN7573A	BTRY IMP STD R NIMH 2100M 2300T
NNTN8182B	BATTERY, R, LI ION 2900M 3100T MILITARY BRN
NNTN8921A	BATT IMP LIION TIA4950 IP67 4100T
NNTN8930A	BATT IMP LIION TIA4950 STD BATTERY
PMNN4403B	BATT STD IP67 LIION2050M BLK
PMNN4439A	APX Clamshell Battery Pack
PMNN4485A	APX GEN 2 IMPRES SLIM DELTA T (2400 MAH)
PMNN4486A	APX GEN 2 IMPRES STD DELTA T (3400 MAH)
PMNN4487A	APX GEN 2 IMPRES HI CAP DELTA T (-30 TEMP 4400 MAH)
PMNN4494A	BATT IMP STD DELTA T RUGGED LIION 5000T

OPROGRAMOWANIE

Zainstalowane oprogramowanie radiowe pozostaje pod pełną kontrolą producenta bez możliwości ingerencji przez użytkownika. Oprogramowanie jest w zgodności z odpowiednimi wymaganiami unijnego prawodawstwa harmonizacyjnego.

Powyżej wymienione akcesoria są opisane za pomocą ogólnych indeksów, które w praktyce posiadają regionalne przedrostki: MD – Europa, AA – Stany Zjednoczone, AZ – Azja/Pacyfik.

Informacja: Kopię powyższej Deklaracji Zgodności UE można uzyskać poprzez Motorola Help Desk, poprzez Dystrybutora bądź wysyłając zapytanie na jeden z podanych poniżej adresów email: manufacturerdeclaration.eu@motorolasolutions.com lub na stronie <http://www.motorolasolutions.com/Business/XU-EN/BMS+Resource+Library>.

Declaración UE de conformidad (DoC-16071800417-B)

La presente declaración de conformidad se expide bajo la exclusiva responsabilidad del fabricante. El objeto de la declaración descrito anteriormente es conforme con la legislación de armonización pertinente de la Unión:

Directiva 2014/53/UE (RED)
Directiva 2011/65/UE (RoHS)
Directiva 2012/19/UE (WEEE)
Directiva 2013/35/UE (EMF)

Objeto de la declaración: APX P25 Portable Radios
APX™ 6000 P25 Portable Radio
APX6000 / APX6000XE, PMBR302DE
APX6000 / APX6000XE, PMBR302ME
APX6000 / APX6000XE, PMBR302PE

SRX 2200, PMSR302DE
SRX 2200, PMSR302PE

136-174MHz, 1-6W, 12.5/20/25 kHz
GPS/GLONASS/Bluetooth®/Wi-Fi®

Frecuencias con licencia únicamente nacional

Observaciones reemplazadas: Esta Declaración de conformidad reemplaza a DOC-16071800417-A

introducido en el mercado por: Motorola Solutions Germany GmbH , Telco Kreisel 1, 65510 Idstein, Germany

La conformidad se acreditará mediante el cumplimiento de los requisitos aplicables de los siguientes estándares:

EN 300 086 V2.1.2
EN 300 113 V2.2.1
EN 300 328 V2.1.1
EN 303 413 V1.1.1

EN 301 489 - 1 V2.1.1
EN 301 489 - 1 V2.2.1 (draft)
EN 301 489 - 5 V2.2.1
EN 301 489 - 17 V3.1.1
EN 301 489 - 17 V3.2.0 (draft)
EN 301 489 - 19 V2.1.1

EN 60950-1:2006 + A11:2009 + A1:2010 + A12:2011 + AC:2011 + A2:2013
Cumple con ICNIRP (1998) sobre límites de exposición ocupacional/controlada
EN 50360:2017
EN 50566:2017

Año de la primera aplicación de la marca CE: 2016

Se han efectuado los paquetes de prueba básicos de la radio, tal como se describe en los estándares armonizados citados.

Custodio de la documentación: Motorola Solutions Germany GmbH, Telco Kreisel 1, 65510 Idstein, Germany

Confirmamos la exactitud de esta traducción. Solo es válida si se proporciona con la versión original en inglés firmada.

Rev. 1 Anexo a Declaración UE de conformidad (DoC-16071800417-B)

Esta declaración de conformidad es un anexo de la Declaración de conformidad del producto referido anteriormente y su emisión es responsabilidad exclusiva del fabricante.

Los accesorios que se describen a continuación cumplen la correspondiente legislación de armonización de la Unión Europea.

Los accesorios enumerados están certificados y aprobados para el uso con los modelos de radio a los que se hace referencia en la Declaración de conformidad mencionada.

<u>NÚMERO DE PIEZA</u>	<u>DESCRIPCION (SOLO PARA INFORMACION)</u>
ANTENA	
NAR6593A	136-174MHZ, 1575MHZ
AUDIO	
BDN6664A	RECEIVE ONLY EARPIECE BGE 1-WIRE
BDN6666A	EARPIECE W/VOL CNTRL
BDN6667A	2-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6668A	3-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6669A	2-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EXTRA-LOUD EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6670A	3-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EXTRA-LOUD EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6726A	RECEIVE ONLY EARPC BLK, 1-WIRE
BDN6727A	REC ONLY EARPC, EXT LOUD, BLK
BDN6728A	REC ONLY EARPC W/VOL CONTL, BLK
BDN6729A	2-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BLACK, 3.5MM THREADED. REQUIRES BDN6783.
BDN6730A	3-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BLACK, 3.5MM THREADED. REQUIRES BDN6783.
BDN6731A	EARPC XTRA LOUD W/MIC & PTT BLK
BDN6732A	3-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EXTRA- LOUD EARPIECE, BLACK, 3.5MM THREADED. REQUIRES BDN6783.
BDN6783B	AUDIO ACCY ADPT 3.5MM W/PTT (NON-OPERATIONAL W/ P3A HW)
HMN4101B	IMPRES RSM NO DSPLY W JACK, NO CHNL
HMN4103B	IMPRES RSM DSPLY W JACK, NO CHNL
HMN4104B	ACCESSORY KIT,IMPRES RSM DSPLY W JACK, W CHNL
NMN6271A	IMPRES XP RSM FOR APX W/ DUAL MIC N
NMN6274A	IMPRES XP RSM FOR APX W/ DUAL MIC NOISE SUPPRESSION, 3.5MM THRDJACK

Rev. 1 Anexo a Declaración UE de conformidad (DoC-16071800417-B)

Esta declaración de conformidad es un anexo de la Declaración de conformidad del producto referido anteriormente y su emisión es responsabilidad exclusiva del fabricante.

Los accesorios que se describen a continuación cumplen la correspondiente legislación de armonización de la Unión Europea.

Los accesorios enumerados están certificados y aprobados para el uso con los modelos de radio a los que se hace referencia en la Declaración de conformidad mencionada.

<u>NÚMERO DE PIEZA</u>	<u>DESCRIPCION (SOLO PARA INFORMACION)</u>
AUDIO	
NNTN7869A	6 Pin Hirose Keyload & Audio Adapter FM/IS rated
NNTN8203A	IMPRES XE REMOTE SPEAKER MIC
NNTN8203ABLK	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NNTN8203AYLW	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NNTN8294A	OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK
NNTN8295A	OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK
NNTN8296A	WIRELESS COVERT KIT
NNTN8575A	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NNTN8575ABLK	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NNTN8575AYLW	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NTN2570C	MISSION CRITICAL WIRELESS EARPIECE WITH LONG CORD (280 MM)
NTN8819B	INTEGRATED EAR MICROPHONE/RECEIVER
PMLN5101A	IMPRES TEMPLE TRANSDUCER
PMLN5275C	HEAVY DUTY HEADSET
PMLN5653A	IMPRES GCAI EAR MIC BONE CONDUCTIVE
PMLN6088A	MT SERIES OVER-THE HEAD HEADSET WITH NEXUS CONNECTOR
PMLN6095A	PTT NEXUS ADAPTER FOR MT SERIES HEADSETS
PMLN6123A	IMPRES 3 WIRE W/ TRANS TUBE-BLK
PMLN6124A	IMPRES 3 WIRE W/ TRANS TUBE-BGE
PMLN6125A	1 WIRE SURVEILLANCE KIT-BLK

Rev. 1 Anexo a Declaración UE de conformidad (DoC-16071800417-B)

Esta declaración de conformidad es un anexo de la Declaración de conformidad del producto referido anteriormente y su emisión es responsabilidad exclusiva del fabricante.

Los accesorios que se describen a continuación cumplen la correspondiente legislación de armonización de la Unión Europea.

Los accesorios enumerados están certificados y aprobados para el uso con los modelos de radio a los que se hace referencia en la Declaración de conformidad mencionada.

<u>NÚMERO DE PIEZA</u>	<u>DESCRIPCION (SOLO PARA INFORMACION)</u>
AUDIO	
PMLN6126A	1 WIRE SURVEILLANCE KIT -BGE
PMLN6127A	IMPRES 2 WIRE SURVEILLANCE -BLK
PMLN6128A	IMPRES 2 WIRE SURVEILLANCE-BGE
PMLN6129A	IMPRES 2 WIRE W/TRANS TUBE-BLK
PMLN6130A	IMPRES 2 WIRE W/TRANS TUBE-BGE
PMLN6766A	TACTICAL BOOMLESS TEMPLE TRANSDUCER (REQUIRES INTERFACE MODULE PMLN6765 OR PMLN6766 PMLN6827)
PMLN6767A	TACTICAL REMOTE BODY PTT (FOR USE WITH INTERFACE MODULE PMLN6827)
PMLN6827A	PTT INTERFACE MODULE
PMLN6829A	TACTICAL EAR MICROPHONE
PMLN6830A	TACTICAL REMOTE PTT RING SWITCH
PMLN7052A	OPERATIONS CRITICAL WIRELESS 1-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE
PMMN4062A	IMPRES RSM, NOISE CANC. EMERGENCY BUTTON 3.5MM JACK IP54
PMMN4065A	IMPRES RSM, IP57
PMMN4069A	IMPRES RSM, 3.5MM JACK, IP55
PMMN4083A	IMPRES LARGE RSM APX IP68 DELTA T (GCAI)
PMMN4084A	PLUS RSM NC IP54 THRD 3.5MM JACK RX
PMMN4099A	AUDIO ACCESSORY-REMOTE SPEAKER MICR
RLN6477A	MT SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR
RLN6480A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH PALM PTT(INCLUDES ADAPTER BDN6783)
RLN6481A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH PTT ON ADAPTER (INCLUDES ADAPTER BDN6783)

Rev. 1 Anexo a Declaración UE de conformidad (DoC-16071800417-B)

Esta declaración de conformidad es un anexo de la Declaración de conformidad del producto referido anteriormente y su emisión es responsabilidad exclusiva del fabricante.

Los accesorios que se describen a continuación cumplen la correspondiente legislación de armonización de la Unión Europea.

Los accesorios enumerados están certificados y aprobados para el uso con los modelos de radio a los que se hace referencia en la Declaración de conformidad mencionada.

<u>NÚMERO DE PIEZA</u>	<u>DESCRIPCION (SOLO PARA INFORMACION)</u>
AUDIO	
RLN6482A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH RING PTT(INCLUDES ADAPTER BDN6783)
RLN6483A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH SNAP-ON-SIDE PTT (INCLUDES ADAPTER BDN6783)
RLN6484A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH BODY PTT(INCLUDES ADAPTER BDN6783)
RLN6554A	ACCESSORY KIT,APX WIRELESS RSM W/ D
RMN4051B	MT SERIES HARD HAT ATTACHED HEADSET WITH NEXUS CONNECTOR
RMN4052B	PELTOR TACTICALPRO SERIES OVER-THE-HEAD HEADSET WITH NEXUS CONNECTOR
RMN4053B	TACTICALPRO SERIES HARD HAT HEADSET WITH NEXUS CONNECTOR
RMN4055B	HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN4056B	HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM THREADED CONNECTOR
RMN4057B	HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM THREADED CONNECTOR
RMN5058A	CORE LIGHTWEIGHT HEADSET W/PTT & VOX
RMN5116A	RECEIVE AND TRANSMIT BOOMLESS TEMPLE TRANSDUCER(FOR HMN4104, HMN4103 AND RMN5116 HMN4101 ONLY)
RMN5132A	HT SERIES LISTEN ONLY NECKBAND HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN5133A	HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN5135A	TACTICALPRO SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR
RMN5137A	MT SERIES OVER-THE HEAD HEADSET, DIRECT RADIO CONNECT
RMN5138A	MT SERIES NECKBAND HEADSET, DIRECT RADIO CONNECT
RMN5139A	MT SERIES HARD HAT ATTACHED HEADSET, DIRECT RADIO CONNECT
WADN4190B	RECEIVE-ONLY FLEXIBLE EARPIECE
ZMN6031A	3-WIRE SURVEILLANCE KIT, BEIGE, HIROSE. REQUIRES NNTN7869 HIROSE ADAPTER

Rev. 1 Anexo a Declaración UE de conformidad (DoC-16071800417-B)

Esta declaración de conformidad es un anexo de la Declaración de conformidad del producto referido anteriormente y su emisión es responsabilidad exclusiva del fabricante.

Los accesorios que se describen a continuación cumplen la correspondiente legislación de armonización de la Unión Europea.

Los accesorios enumerados están certificados y aprobados para el uso con los modelos de radio a los que se hace referencia en la Declaración de conformidad mencionada.

<u>NÚMERO DE PIEZA</u>	<u>DESCRIPCION (SOLO PARA INFORMACION)</u>
AUDIO	
ZMN6032A	2-WIRE SURVEILLANCE KIT, BEIGE, HIROSE CONNECTOR. REQUIRES NNTN7869 HIROSE ADAPTER
ZMN6038A	2-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector Requires NNTN7869 Hirose Adapter
ZMN6039A	3-WIRE SURVEILLANCE KIT, WITH EXTRA LOUD EARPIECE, BEIGE, HIROSE CONNECTOR. REQUIRES NNTN7869 HIROSE ADAPTER
BATERÍA	
NNTN7034B	DELTA T BATTERY 4200 MAH
NNTN7037A	ASSY,BTRY,IMP STD IP67 NIMH 2100M 2300T
NNTN7038B	BATT IMP STD IP67 LIION 2900M 3100T
NNTN7573A	BTRY IMP STD R NIMH 2100M 2300T
NNTN8182B	BATTERY, R, LI ION 2900M 3100T MILITARY BRN
NNTN8921A	BATT IMP LIION TIA4950 IP67 4100T
NNTN8930A	BATT IMP LIION TIA4950 STD BATTERY
PMNN4403B	BATT STD IP67 LIION2050M BLK
PMNN4439A	APX Clamshell Battery Pack
PMNN4485A	APX GEN 2 IMPRES SLIM DELTA T (2400 MAH)
PMNN4486A	APX GEN 2 IMPRES STD DELTA T (3400 MAH)
PMNN4487A	APX GEN 2 IMPRES HI CAP DELTA T (-30 TEMP 4400 MAH)
PMNN4494A	BATT IMP STD DELTA T RUGGED LIION 5000T

SOFTWARE

El software de radio instalado se encuentra bajo el control total del fabricante sin acceso por parte del usuario y cumple con las directivas pertinentes.

Los accesorios anteriores se muestran con los números de referencia globales. En la práctica el accesorio tendrá un prefijo regional. Los prefijos se crean para los kits regionales, principalmente el manual (idiomas) y el embalaje. Los prefijos identifican MD con los países europeos, AA con Estados Unidos y AZ con la región Asia/Pacífico.

Nota: Puede obtener una copia de la Declaración de conformidad mencionada anteriormente, firmada y fechada, a través del servicio de atención al cliente local de Motorola o del distribuidor que le vendió la radio. También puede solicitarla mediante un mensaje de correo electrónico a manufacturerdeclaration.eu@motorolasolutions.com o a través de <http://www.motorolasolutions.com/Business/XU-EN/BMS+Resource+Library>