



**MOTOROLA SOLUTIONS**

**MOTOTRBO™ DP4400e TWO-WAY RADIO**  
**MOTOTRBO™ DP4600e TWO-WAY RADIO**  
**MOTOTRBO™ DP4800e TWO-WAY RADIO**  
**403-527 MHz**

[EU Declaration of Conformity](#)

[Déclaration UE de Conformité](#)

[EU-Konformitätserklärung](#)

[Dichiarazione di conformità UE](#)

[Deklaracja zgodności UE](#)

[Declaración UE de conformidad](#)

## EU Declaration of Conformity (DoC-17120701051-C)

This declaration of conformity is issued under the sole responsibility of the manufacturer. The object of the declaration is in conformity with the relevant Union harmonization legislation:

2014/53/EU Radio Equipment Directive  
2011/65/EU on RoHS-2 for Restriction of the use of Hazardous Substances  
2012/19/EU WEEE Waste Electrical and Electronic Equipment  
2013/35/EU on Occupational Exposure to Electromagnetic Fields

**Object of the Declaration:** MOTOTRBO Subscriber DP4x00e portable radio series  
403-527Mhz, TX: 0.2-4W, 12.5/20/25kHz  
DP4400e, Type Designator: PBER502C (plain)  
DP4600e, Type Designator: PBER502F (limited keypad, display)  
DP4800e, Type Designator: PBER502H (full keypad, display)  
National Licenced Frequencies Only

**Superseded Remarks:** This DoC supersedes DoC-17120701051-B

**Manufacturer:** Motorola Solutions Germany GmbH, Am Borsigturm 130, 13507 Berlin, Germany

### Conformity:

#### Radio Equipment, Article 3(2):

EN 300 086 V2.1.2  
EN 300 113 V2.2.1  
EN 300 219 V2.1.1  
EN 300 720 V2.1.1

#### EMC, Article 3(1)b:

EN 301 489-1 V1.9.2  
EN 301 489-5 V1.3.1  
EN 60945:2002-10+COR1:2008

#### Safety, Article 3(1)a:

EN 60950-1:2006+A11:2009+A1:2010+A12:2011+AC:2011+A2:2013  
Compliant with the ICNIRP (1998) Occupational / Controlled Exposure Limits  
EN 50360:2017  
EN 50566:2017


#### Others:

Phoenix Testlab, NB#0700, performed assessment with regards to Maritime standard EN300 720 V2.1.1, according to Article 3.2 of RE-D and issued EU type examination certificate 18-110236

### Year of first application of CE mark: 2015

The essential radio test suites, as defined in the quoted harmonized standards, have been performed.

BERLIN, 19-JUL-2018



Thomas Nagel  
Site Controller Berlin, Motorola Solutions Germany GmbH,  
Am Borsigturm 130, D-13507 Berlin, Germany



Dariusz Szczęśniak  
Product Safety and Regulatory Compliance, Motorola Solutions  
Germany GmbH

**Document Keeper:** Motorola Solutions Germany GmbH, Am Borsigturm 130, D-13507 Berlin, Germany



## **Rev. 1 Addendum to EU Declaration of Conformity (DoC-17120701051-C)**

This declaration of conformity is an addendum to above referenced product DoC and is issued under the sole responsibility of the manufacturer.

The accessories described below are in conformity with the relevant Union harmonisation legislation.

The listed accessories are certified and approved for use with the radios listed in the referenced DoC.

### AUDIO

|           |  |
|-----------|--|
| BDN6664A  | RECEIVE ONLY EARPIECE BGE 1-WIRE   |
| BDN6665A  | REC ONLY EARPC, EXT LOUD, BGE  |
| BDN6719A  | EARPIECE W/3.5MM THREADED PLUG   |
| BDN6726A  | RECEIVE ONLY EARPC BLK, 1-WIRE   |
| BDN6781A  | EARBUD, SINGLE SPEAKER   |
| NNTN8143C | REMOTE PTT BLUETOOTH POD (NON-SECURE)                                      |
| NNTN8189B | BT ACCY KIT, SP, 12 CBL, NCHGR   |
| NNTN8191B | BLUETOOTH POD, NO CHARGER  |
| NNTN8294A | OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK                          |
| NNTN8295A | OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK                         |
| NNTN8296A | WIRELESS COVERT KIT  |
| NNTN8385A | WIRELESS NECKLOOP Y-ADAPTER AND RETENTION HOOK FOR COMPLETELY DISCREET KIT |
| NNTN8459A | 1 WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BLACK                       |
| NTN2572A  | EARPIECE WITH 12 CABLE (FOR USE WITH BLUETOOTH POD)                        |
| NTN2575A  | EARPIECE WITH 9 CABLE (FOR USE WITH BLUETOOTH POD)                         |
| PMLN4620B | D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE     |
| PMLN5096B | D-STYLE EARSET   |
| PMLN5102A | ULTRA LITE HEADSET   |
| PMLN5275C | HEAVY DUTY HEADSET   |
| PMLN5973A | Ear Rcvr w Inline Mic/PTT, Magone  |
| PMLN5974A | Lt Wt Hs w Boom Mic & PTT  |
| PMLN5975A | Swivel Earpiece w Mic/PTT  |
| PMLN5976A | Earset w Boom Mic/PTT  |
| PMLN5979A | Breeze HS w Boom Mic & PTT   |
| PMLN6069A | Earbud w Inline Mic/PTT  |



## Rev. 1 Addendum to EU Declaration of Conformity (DoC-17120701051-C)

This declaration of conformity is an addendum to above referenced product DoC and is issued under the sole responsibility of the manufacturer.

The accessories described below are in conformity with the relevant Union harmonisation legislation.

The listed accessories are certified and approved for use with the radios listed in the referenced DoC.

### AUDIO

|           |  |
|-----------|--|
| PMLN6123A | IMPRES 3 WIRE W/ TRANS TUBE-BLK  |
| PMLN6124A | IMPRES 3 WIRE W/ TRANS TUBE-BGE  |
| PMLN6125A | 1 WIRE SURVEILLANCE KIT-BLK  |
| PMLN6126A | 1 WIRE SURVEILLANCE KIT -BGE   |
| PMLN6127A | IMPRES 2 WIRE SURVEILLANCE -BLK  |
| PMLN6128A | IMPRES 2 WIRE SURVEILLANCE-BGE   |
| PMLN6129A | IMPRES 2 WIRE W/TRANS TUBE-BLK   |
| PMLN6130A | IMPRES 2 WIRE W/TRANS TUBE-BGE   |
| PMLN6463A | BUSINESS WIRELESS ACCESSORY KIT  |
| PMLN6765A | TACTICAL GCAI PTT/VOX INTERFACE MODULE                                     |
| PMLN6767A | TACTICAL REMOTE BODY PTT (FOR USE WITH INTERFACE MODULE PMLN6827)          |
| PMLN6827A | PTT INTERFACE MODULE   |
| PMLN6830A | TACTICAL REMOTE PTT RING SWITCH  |
| PMLN6852A | NEXT GEN BTH HEAVY DUTY HEADSET GCAI                                       |
| PMLN6853A | NEXT GEN BTH HEAVY DUTY HEADSET GCAI TIA4950                               |
| PMLN7052A | OPERATIONS CRITICAL WIRELESS 1-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE |
| PMLN7181A | FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC                                   |
| PMLN7203A | FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC, MULTIPACK                        |
| PMLN7396A | RX-ONLY ADJ D-STYLE W/STD 3.5MM JACK                                       |
| PMMN4024A | REMOTE SPEAKER MICROPHONE  |
| PMMN4025A | IMPRES REMOTE SPEAKER MIC  |
| PMMN4040A | SUBMERSIBLE REMOTE SPEAKER MIC   |
| PMMN4046A | IMPRES LARGE RSM W/ VOLUME, EMERGENCY, PROGRAMMABLE BUTTON, IP57           |
| PMMN4050A | IMPRES LARGE RSM WITH EARJACK, NOISE CANCELING                             |
| PMMN4083A | IMPRES LARGE RSM APX IP68 DELTA T (GCAI)                                   |



## Rev. 1 Addendum to EU Declaration of Conformity (DoC-17120701051-C)

This declaration of conformity is an addendum to above referenced product DoC and is issued under the sole responsibility of the manufacturer.

The accessories described below are in conformity with the relevant Union harmonisation legislation.

The listed accessories are certified and approved for use with the radios listed in the referenced DoC.

### AUDIO

|           |  |
|-----------|--|
| PMMN4095A | WIRELESS RSM (MCW)   |
| RLN4922A  | COMPLETELY DISCREET EARPIECE KIT   |
| RLN4941A  | RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE AND RUBBER EARTIP FOR REMOTE SPEAKER MICROPHONE |
| RLN5313A  | RECEIVE NLY SURV KIT (BLACK) /NOISE  |
| RLN5314A  | RECEIVE ONLY SURV KIT (BEIGE)/NOISE  |
| RLN5878A  | CORE 1 WIRE SURVEILLANCE - BLACK   |
| RLN5879A  | 1 WIRE SURVEILLANCE KIT RECEIVE-ONLY EARPIECE.BEIGE.   |
| RLN5886A  | LOW NOISE KIT  |
| RLN5887A  | HIGH NOISE KIT   |
| RLN6074A  | RSM REPLACEMENT COIL CORD KIT FOR PMMN4024 & PMMN4040A                                       |
| RLN6075A  | RSM REPLACEMENT COIL CORD KIT FOR PMMN4025   |
| RLN6279A  | STANDARD EARPIECE-BLACK  |
| RLN6280A  | STANDARD EARPIECE-BEIGE  |
| RLN6284A  | EARPIECE W/ ACOUSTIC TUBE ASSM-BEIGE   |
| RLN6285A  | EARPIECE W/ ACOUSTIC TUBE ASSM-BLACK   |
| RLN6288A  | EARPIECE W/HIGH NOISE KIT ASSM-BEIGE   |
| RLN6289A  | EARPIECE W/HIGH NOISE KIT ASSM-BLACK   |
| RLN6477A  | MT SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR  |
| RLN6490A  | XBT HEADSET BTN, HEAVY DUTY HEADSET, BT  |
| RLN6491A  | XBT HEADSET HB, HEAVY DUTY HEADSET, BT   |
| RLN6500A  | MOTOTRBO BLUETOOTH ACCESSORY KIT W/NA POWER SUPPLY   |
| RLN6502A  | MOTOTRBO BLUETOOTH ACCESSORY KIT ARGENTINA   |
| RLN6503A  | MOTOTRBO BLUETOOTH ACCESSORY KIT EURO PLUG   |
| RLN6504A  | MOTOTRBO BLUETOOTH ACCESSORY KIT BRAZIL  |
| RLN6550A  | SWIVEL EARPIECE WITH INLINE MICROPHONE FOR BLUETOOTH ACCY KIT POD (PACK OF 3)                |



## Rev. 1 Addendum to EU Declaration of Conformity (DoC-17120701051-C)

This declaration of conformity is an addendum to above referenced product DoC and is issued under the sole responsibility of the manufacturer.

The accessories described below are in conformity with the relevant Union harmonisation legislation.

The listed accessories are certified and approved for use with the radios listed in the referenced DoC.

### AUDIO

|           |   |
|-----------|---|
| RMN4051B  | MT SERIES HARD HAT ATTACHED HEADSET WITH NEXUS CONNECTOR                      |
| RMN4052A  | TACTICALPRO SERIES OVER-THE-HEAD HEADSET WITH NEXUS CONNECTOR                 |
| RMN4053B  | TACTICALPRO SERIES HARD HAT HEADSET WITH NEXUS CONNECTOR                      |
| RMN4055B  | HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM NON THREADED CONNECTOR |
| RMN4056B  | HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM THREADED CONNECTOR     |
| RMN4057B  | HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM THREADED CONNECTOR          |
| RMN5058A  | CORE LIGHTWEIGHT HEADSET W/PTT & VOX  |
| RMN5131A  | METAL BOOM WITH MICROPHONE  |
| RMN5132A  | HT SERIES LISTEN ONLY NECKBAND HEADSET WITH 3.5MM NON THREADED CONNECTOR      |
| RMN5133A  | HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM NON THREADED CONNECTOR      |
| RMN5135A  | TACTICALPRO SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR                      |
| RMN5137A  | MT SERIES OVER-THE HEAD HEADSET, DIRECT RADIO CONNECT                         |
| RMN5138A  | MT SERIES NECKBAND HEADSET, DIRECT RADIO CONNECT                              |
| RMN5139A  | MT SERIES HARD HAT ATTACHED HEADSET, DIRECT RADIO CONNECT                     |
| WADN4190B | RECEIVE-ONLY FLEXIBLE EARPIECE  |

### BATTERY

|            |   |
|------------|---|
| NNTN8129A  | IMPRES HI-CAP LI-ION FM BATTERY 2300M2350T  |
| NNTN8560A  | IMPRES HI-CAP LI-ION 2500 MAH BATTERY SUBMERSIBLE (IP57), INTRINSICALLY SAFE (TIA4950) 2300M2500T |
| PMNN4406BR | BATTERY STD IP67 LI-ION 1500M 1600T   |
| PMNN4407BR | IMPRES LI-ION, 1650MAH SLIM BATTERY 1600M1650T  |
| PMNN4409BR | IMPRES HI-CAP LI-ION NON-FM, 2150 MAH BATTERY 2150M2250T  |
| PMNN4412A  | BATT STD IP67 NIMH1300M1400T  |
| PMNN4435AR | LI-MN 1400 MAH LOW TEMP -30C BATTERY SUBMERSIBLE (IP57)   |
| PMNN4448AR | BATT IMP STD IP67 LIION 2700M2800T  |
| PMNN4463A  | BATT LIION IP57 2000M   |
| PMNN4488A  | BELIZE/ANDORRA UHC + VIBRATOR 2950M3000T  |



## Rev. 1 Addendum to EU Declaration of Conformity (DoC-17120701051-C)

This declaration of conformity is an addendum to above referenced product DoC and is issued under the sole responsibility of the manufacturer.

The accessories described below are in conformity with the relevant Union harmonisation legislation.

The listed accessories are certified and approved for use with the radios listed in the referenced DoC.

### BATTERY

|           |  |
|-----------|--|
| PMNN4489A | BELIZE TIA4950 IMPRES HIGH CAP LI ION BATTERY 2850M2900T |
| PMNN4491A | BATTERY IMPRES LI-ION IP68 2200T                         |
| PMNN4493A | BELIZE NON-TIA HIGH CAP LV LI- ION BATTERY 2950M3000T    |

### CABLE

|           |   |
|-----------|---|
| PMKN4012B | DMR PORTABLE PROGRAMMING CABLE                      |
| PMKN4013C | PROGRAMMING, TEST AND ALIGNMENT CABLE (M3 7-MAY-09) |
| PMKN4040A | DMR PORTABLE TELEMETRY CABLE                        |
| PMKN4126A | TEST ALIGNMENT, TTR AND PROGRAMMING CABLE           |

### OTHERS

|            |                              |
|------------|------------------------------|
| 3087791G04 | EURO LINE CORD FOR SMART MUC |
| 3087791G07 | UK LINE CORD FOR SMART MUC   |

### SOFTWARE

The installed radio software is under the full control of the manufacturer with no access by the user and is in compliance with the relevant directives.

The above accessories are shown with their global part numbers. In practice the accessory will have a regional prefix. Prefixes are purely done for regional kittings - primarily the manual (languages) and packaging. Prefixes are MD for European countries, AA of United States and AZ for Asia/Pacific region.

Note: A copy of the above referenced signed and dated Declaration of Conformity can be obtained either via your local Motorola help desk, via your dealer from where you purchased this radio or alternatively you can send an email request to [manufacturerdeclaration.eu@motorolasolutions.com](mailto:manufacturerdeclaration.eu@motorolasolutions.com), or via <http://www.motorolasolutions.com/Business/XU-EN/BMS+Resource+Library>

## Electromagnetic Energy (EME) Test Laboratory

### Conformity of models listed with occupational Exposure Level Values (ELVs) in Directive 2013/35/EU

This declaration confirms compliance of Motorola Solutions' portable device(s) model(s) with approved accessories

| <u>Model Number</u>       | <u>Type Designator</u> | <u>Description</u>                  |
|---------------------------|------------------------|-------------------------------------|
| MDH56RDC9RA1AN(PMUE3681C) | PBER502CE              | DP4401e 403-527 4W NKP GNSS BT WiFi |
| MDH56RDC9VA1AN(PMUE3682C) | PBER502C               | DP4400e 403-527 4W NKP GOB          |
| MDH56RDN9RA1AN(PMUE3675C) | PBER502HE              | DP4801e 403-527 4W FKP GNSS BT WiFi |
| MDH56RDN9VA1AN(PMUE3676C) | PBER502H               | DP4800e 403-527 4W FKP              |
| MDH56RDQ9RA1AN(PMUE3678C) | PBER502FE              | DP4601e 403-527 4W LKP GNSS BT WiFi |
| MDH56RDQ9VA1AN(PMUE3679C) | PBER502F               | DP4600e 403-527 4W LKP              |

with the occupational ICNIRP<sup>1</sup> limits for radio frequency (RF) energy exposure. The ICNIRP guidelines were developed by an independent scientific organization after thorough evaluations of relevant research studies, and have been endorsed by the World Health Organization (WHO). The ICNIRP guidelines are also referenced in the European Directive 2013/35/EU,<sup>2</sup> forming the basis of the applicable RF exposure framework for workers.

The applicable exposure limit is specified in terms of the Specific Absorption Rate (SAR), measured in units of watts per kilogram (W/kg). SAR tests of these Motorola Solutions devices indicate that they conform with the applicable SAR limits defined in harmonized<sup>3</sup> standard EN50360,<sup>4</sup> and EN50566,<sup>5</sup> using operating configuration(s) while transmitting at nominal power, with results scaled to the highest certified power level in all tested frequency bands.

SAR tests, performed at a laboratory certified to the ISO/IEC Guide 17025,<sup>6</sup> show that these Motorola Solutions' portable device model(s), in all tested operating modes (on the body, on the sides of the head, and in front of the face as applicable), at the highest certified power level(s), conform(s) with the ICNIRP limits for professional devices and occupational users,<sup>7</sup> and both the health and the sensory ELVs defined in Directive 2013/35/EU.<sup>8</sup>

Sincerely,



Tiong  
Nguk  
Ing

Digitally signed  
by Tiong Nguk  
Ing  
Date:  
2018.06.01  
22:42:38 +08'00'

---

Tiong Nguk Ing on behalf of Pei Loo Tey  
 Penang EME Laboratory Manager  
 DATE : 01-JUN-2018

<sup>1</sup>ICNIRP (1998): International Commission on Non Ionizing Radiation Protection, "Guidelines for Limiting Exposure to Time-Varying Electric, Magnetic, and Electromagnetic Fields (Up to 300 GHz)" Health Physics, vol. 75, no. 4, pp. 494-522.

<sup>2</sup>Directive 2013/35/EU of the European Parliament and of the Council of 26 June 2013 on the minimum health and safety requirements regarding the exposure of workers to the risks arising from physical agents (electromagnetic fields) (20th individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC) and repealing Directive 2004/40/EC.

<sup>3</sup>Directive 2014/53/EU of The European Parliament and of the Council of 16 April 2014 on the Harmonisation of the Laws of the Member States Relating to the Making Available on The Market of Radio Equipment and Repealing Directive 1999/5/EC.

<sup>4</sup>EN50360:2017 Product standard to demonstrate the compliance of wireless communication devices, with the basic restrictions and exposure limit values related to human exposure to electromagnetic fields in the frequency range from 300 MHz to 6 GHz: devices used next to the ear.

<sup>5</sup>EN50566:2017 Product standard to demonstrate the compliance of wireless communication devices with the basic restrictions and exposure limit values related to human exposure to electromagnetic fields in the frequency range from 30 MHz to 6 GHz: hand-held and body mounted devices in close proximity to the human body.

<sup>6</sup>ISO/IEC 17025 General requirements for the competence of testing and calibration laboratories.

<sup>7</sup>Implicit whole-body SAR compliance with the 0.4 W/kg limit is shown using the threshold (16.8 W) derived from Table B.1 in EN 62311:2008.

<sup>8</sup>The Specific Absorption (SA) sensory limits defined in Directive 2013/35/EU apply only to ultra-short-pulsed radio-frequency waveforms capable of inducing the microwave hearing effect, e.g., powerful RADAR emissions, but not the Motorola Solutions radio(s) referenced herein.



## Déclaration UE de Conformité (DoC-17120701051-C)

La présente déclaration de conformité est établie sous la seule responsabilité du fabricant. L'objet de la déclaration décrit ci-dessus est conforme à la législation d'harmonisation de l'Union applicable:

Directive 2014/53/UE (RED)  
Directive 2011/65/UE (RoHS)  
Directive 2012/19/UE (WEEE)  
Directive 2013/35/UE (EMF)

**Objet de la déclaration:** MOTOTRBO Subscriber DP4x00e portable radio series  
403-527Mhz, TX: 0.2-4W, 12.5/20/25kHz  
DP4400e, Type Designator: PBER502C (plain)  
DP4600e, Type Designator: PBER502F (limited keypad, display)  
DP4800e, Type Designator, PBER502H (full keypad, display)  
National Licenced Frequencies Only

**Remarques Remplacées:** Cette déclaration de conformité remplace DoC-17120701051-B

**Mis sur le marché par:** Motorola Solutions Germany GmbH , Am Borsigturm 130, 13507 Berlin, Germany

**Par conformité, nous faisons référence à la conformité avec les exigences applicables des normes suivantes :**

EN 300 086 V2.1.2  
EN 300 113 V2.2.1  
EN 300 219 V2.1.1  
EN 300 720 V2.1.1

EN 301 489-1 V1.9.2  
EN 301 489-5 V1.3.1  
EN 60945:2002-10+COR1:2008

EN 60950-1:2006+A11:2009+A1:2010+A12:2011+AC:2011+A2:2013  
Conforme à la directive ICNIRP (1998) sur les limites d'exposition contrôlée ou à usage professionnel  
EN 50360:2017  
EN 50566:2017

**Autres:**

Phoenix Testlab, NB#0700, performed assessment with regards to Maritime standard EN300 720 V2.1.1, according to Article 3.2 of RE-D and issued EU type examination certificate 18-110236

Année de première application du marquage CE: 2015

Les séries de tests radio essentiels, telles que définies dans les normes harmonisées, ont été effectuées avec succès.

**Détenteur du document:** Motorola Solutions Germany GmbH, Am Borsigturm 130, D-13507 Berlin, Germany

Nous confirmons l'exactitude de cette traduction. Celle-ci est valable uniquement si elle est fournie avec la version anglaise d'origine signée.

## Rev. 1 Complément à Déclaration UE de Conformité (DoC-17120701051-C)

La présente déclaration de conformité est un complément à la déclaration de conformité du produit mentionnée ci-dessus et est publiée sous la seule responsabilité du fabricant.

Les accessoires décrits ci-dessous sont conformes à la réglementation d'harmonisation de l'Union européenne. Les accessoires suivants sont certifiés et approuvés pour une utilisation avec les radios répertoriées dans la déclaration de conformité mentionnée.

| <u>NUMÉRO DE PIÈCE</u> | <u>DESCRIPTION (POUR INFORMATION SEULEMENT)</u>                            |
|------------------------|--|
| <b>AUDIO</b>           |  |
| BDN6664A               | RECEIVE ONLY EARPIECE BGE 1-WIRE   |
| BDN6665A               | REC ONLY EARPC, EXT LOUD, BGE  |
| BDN6719A               | EARPIECE W/3.5MM THREADED PLUG   |
| BDN6726A               | RECEIVE ONLY EARPC BLK, 1-WIRE   |
| BDN6781A               | EARBUD, SINGLE SPEAKER   |
| NNTN8143C              | REMOTE PTT BLUETOOTH POD (NON-SECURE)                                      |
| NNTN8189B              | BT ACCY KIT, SP, 12 CBL, NCHGR   |
| NNTN8191B              | BLUETOOTH POD, NO CHARGER  |
| NNTN8294A              | OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK                          |
| NNTN8295A              | OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK                         |
| NNTN8296A              | WIRELESS COVERT KIT  |
| NNTN8385A              | WIRELESS NECKLOOP Y-ADAPTER AND RETENTION HOOK FOR COMPLETELY DISCREET KIT |
| NNTN8459A              | 1 WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BLACK                       |
| NTN2572A               | EARPIECE WITH 12 CABLE (FOR USE WITH BLUETOOTH POD)                        |
| NTN2575A               | EARPIECE WITH 9 CABLE (FOR USE WITH BLUETOOTH POD)                         |
| PMLN4620B              | D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE     |
| PMLN5096B              | D-STYLE EARSET   |
| PMLN5102A              | ULTRA LITE HEADSET   |
| PMLN5275C              | HEAVY DUTY HEADSET   |
| PMLN5973A              | Ear Rcvr w Inline Mic/PTT, Magone  |
| PMLN5974A              | Lt Wt Hs w Boom Mic & PTT  |
| PMLN5975A              | Swivel Earpiece w Mic/PTT  |
| PMLN5976A              | Earset w Boom Mic/PTT  |
| PMLN5979A              | Breeze HS w Boom Mic & PTT   |
| PMLN6069A              | Earbud w Inline Mic/PTT  |

## Rev. 1 Complément à Déclaration UE de Conformité (DoC-17120701051-C)

La présente déclaration de conformité est un complément à la déclaration de conformité du produit mentionnée ci-dessus et est publiée sous la seule responsabilité du fabricant.

Les accessoires décrits ci-dessous sont conformes à la réglementation d'harmonisation de l'Union européenne. Les accessoires suivants sont certifiés et approuvés pour une utilisation avec les radios répertoriées dans la déclaration de conformité mentionnée.

| <u>NUMÉRO DE PIÈCE</u> | <u>DESCRIPTION (POUR INFORMATION SEULEMENT)</u>                            |
|------------------------|--|
| AUDIO                  |  |
| PMLN6123A              | IMPRES 3 WIRE W/ TRANS TUBE-BLK  |
| PMLN6124A              | IMPRES 3 WIRE W/ TRANS TUBE-BGE  |
| PMLN6125A              | 1 WIRE SURVEILLANCE KIT-BLK  |
| PMLN6126A              | 1 WIRE SURVEILLANCE KIT -BGE   |
| PMLN6127A              | IMPRES 2 WIRE SURVEILLANCE -BLK  |
| PMLN6128A              | IMPRES 2 WIRE SURVEILLANCE-BGE   |
| PMLN6129A              | IMPRES 2 WIRE W/TRANS TUBE-BLK   |
| PMLN6130A              | IMPRES 2 WIRE W/TRANS TUBE-BGE   |
| PMLN6463A              | BUSINESS WIRELESS ACCESSORY KIT  |
| PMLN6765A              | TACTICAL GCAI PTT/VOX INTERFACE MODULE                                     |
| PMLN6767A              | TACTICAL REMOTE BODY PTT (FOR USE WITH INTERFACE MODULE PMLN6827)          |
| PMLN6827A              | PTT INTERFACE MODULE   |
| PMLN6830A              | TACTICAL REMOTE PTT RING SWITCH  |
| PMLN6852A              | NEXT GEN BTH HEAVY DUTY HEADSET GCAI                                       |
| PMLN6853A              | NEXT GEN BTH HEAVY DUTY HEADSET GCAI TIA4950                               |
| PMLN7052A              | OPERATIONS CRITICAL WIRELESS 1-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE |
| PMLN7181A              | FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC                                   |
| PMLN7203A              | FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC, MULTIPACK                        |
| PMLN7396A              | RX-ONLY ADJ D-STYLE W/STD 3.5MM JACK                                       |
| PMMN4024A              | REMOTE SPEAKER MICROPHONE  |
| PMMN4025A              | IMPRES REMOTE SPEAKER MIC  |
| PMMN4040A              | SUBMERSIBLE REMOTE SPEAKER MIC   |
| PMMN4046A              | IMPRES LARGE RSM W/ VOLUME, EMERGENCY, PROGRAMMABLE BUTTON, IP57           |
| PMMN4050A              | IMPRES LARGE RSM WITH EARJACK, NOISE CANCELING                             |
| PMMN4083A              | IMPRES LARGE RSM APX IP68 DELTA T (GCAI)                                   |

## Rev. 1 Complément à Déclaration UE de Conformité (DoC-17120701051-C)

La présente déclaration de conformité est un complément à la déclaration de conformité du produit mentionnée ci-dessus et est publiée sous la seule responsabilité du fabricant.

Les accessoires décrits ci-dessous sont conformes à la réglementation d'harmonisation de l'Union européenne. Les accessoires suivants sont certifiés et approuvés pour une utilisation avec les radios répertoriées dans la déclaration de conformité mentionnée.

| <u>NUMÉRO DE PIÈCE</u> | <u>DESCRIPTION (POUR INFORMATION SEULEMENT)</u>  |
|------------------------|--|
| AUDIO                  |  |
| PMMN4095A              | WIRELESS RSM (MCW)   |
| RLN4922A               | COMPLETELY DISCREET EARPIECE KIT   |
| RLN4941A               | RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE AND RUBBER EARTIP FOR REMOTE SPEAKER MICROPHONE |
| RLN5313A               | RECEIVE NLY SURV KIT (BLACK) /NOISE  |
| RLN5314A               | RECEIVE ONLY SURV KIT (BEIGE)/NOISE  |
| RLN5878A               | CORE 1 WIRE SURVEILLANCE - BLACK   |
| RLN5879A               | 1 WIRE SURVEILLANCE KIT RECEIVE-ONLY EARPIECE.BEIGE.   |
| RLN5886A               | LOW NOISE KIT  |
| RLN5887A               | HIGH NOISE KIT   |
| RLN6074A               | RSM REPLACEMENT COIL CORD KIT FOR PMMN4024 & PMMN4040A                                       |
| RLN6075A               | RSM REPLACEMENT COIL CORD KIT FOR PMMN4025   |
| RLN6279A               | STANDARD EARPIECE-BLACK  |
| RLN6280A               | STANDARD EARPIECE-BEIGE  |
| RLN6284A               | EARPIECE W/ ACOUSTIC TUBE ASSM-BEIGE   |
| RLN6285A               | EARPIECE W/ ACOUSTIC TUBE ASSM-BLACK   |
| RLN6288A               | EARPIECE W/HIGH NOISE KIT ASSM-BEIGE   |
| RLN6289A               | EARPIECE W/HIGH NOISE KIT ASSM-BLACK   |
| RLN6477A               | MT SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR  |
| RLN6490A               | XBT HEADSET BTN, HEAVY DUTY HEADSET, BT  |
| RLN6491A               | XBT HEADSET HB, HEAVY DUTY HEADSET, BT   |
| RLN6500A               | MOTOTRBO BLUETOOTH ACCESSORY KIT W/NA POWER SUPPLY   |
| RLN6502A               | MOTOTRBO BLUETOOTH ACCESSORY KIT ARGENTINA   |
| RLN6503A               | MOTOTRBO BLUETOOTH ACCESSORY KIT EURO PLUG   |
| RLN6504A               | MOTOTRBO BLUETOOTH ACCESSORY KIT BRAZIL  |
| RLN6550A               | SWIVEL EARPIECE WITH INLINE MICROPHONE FOR BLUETOOTH ACCY KIT POD (PACK OF 3)                |

## Rev. 1 Complément à Déclaration UE de Conformité (DoC-17120701051-C)

La présente déclaration de conformité est un complément à la déclaration de conformité du produit mentionnée ci-dessus et est publiée sous la seule responsabilité du fabricant.

Les accessoires décrits ci-dessous sont conformes à la réglementation d'harmonisation de l'Union européenne. Les accessoires suivants sont certifiés et approuvés pour une utilisation avec les radios répertoriées dans la déclaration de conformité mentionnée.

| <u>NUMÉRO DE PIÈCE</u> | <u>DESCRIPTION (POUR INFORMATION SEULEMENT)</u>   |
|------------------------|---|
| <b>AUDIO</b>           |   |
| RMN4051B               | MT SERIES HARD HAT ATTACHED HEADSET WITH NEXUS CONNECTOR  |
| RMN4052A               | TACTICALPRO SERIES OVER-THE-HEAD HEADSET WITH NEXUS CONNECTOR                                     |
| RMN4053B               | TACTICALPRO SERIES HARD HAT HEADSET WITH NEXUS CONNECTOR  |
| RMN4055B               | HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM NON THREADED CONNECTOR                     |
| RMN4056B               | HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM THREADED CONNECTOR                         |
| RMN4057B               | HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM THREADED CONNECTOR                              |
| RMN5058A               | CORE LIGHTWEIGHT HEADSET W/PTT & VOX  |
| RMN5131A               | METAL BOOM WITH MICROPHONE  |
| RMN5132A               | HT SERIES LISTEN ONLY NECKBAND HEADSET WITH 3.5MM NON THREADED CONNECTOR                          |
| RMN5133A               | HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM NON THREADED CONNECTOR                          |
| RMN5135A               | TACTICALPRO SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR  |
| RMN5137A               | MT SERIES OVER-THE HEAD HEADSET, DIRECT RADIO CONNECT   |
| RMN5138A               | MT SERIES NECKBAND HEADSET, DIRECT RADIO CONNECT  |
| RMN5139A               | MT SERIES HARD HAT ATTACHED HEADSET, DIRECT RADIO CONNECT   |
| WADN4190B              | RECEIVE-ONLY FLEXIBLE EARPIECE  |
| <b>BATTERIE</b>        |   |
| NNTN8129A              | IMPRES HI-CAP LI-ION FM BATTERY 2300M2350T  |
| NNTN8560A              | IMPRES HI-CAP LI-ION 2500 MAH BATTERY SUBMERSIBLE (IP57), INTRINSICALLY SAFE (TIA4950) 2300M2500T |
| PMNN4406BR             | BATTERY STD IP67 LI-ION 1500M 1600T   |
| PMNN4407BR             | IMPRES LI-ION, 1650MAH SLIM BATTERY 1600M1650T  |
| PMNN4409BR             | IMPRES HI-CAP LI-ION NON-FM, 2150 MAH BATTERY 2150M2250T  |
| PMNN4412A              | BATT STD IP67 NIMH1300M1400T  |
| PMNN4435AR             | LI-MN 1400 MAH LOW TEMP -30C BATTERY SUBMERSIBLE (IP57)   |
| PMNN4448AR             | BATT IMP STD IP67 LIION 2700M2800T  |
| PMNN4463A              | BATT LIION IP57 2000M   |
| PMNN4488A              | BELIZE/ANDORRA UHC + VIBRATOR 2950M3000T  |

## Rev. 1 Complément à Déclaration UE de Conformité (DoC-17120701051-C)

La présente déclaration de conformité est un complément à la déclaration de conformité du produit mentionnée ci-dessus et est publiée sous la seule responsabilité du fabricant.

Les accessoires décrits ci-dessous sont conformes à la réglementation d'harmonisation de l'Union européenne. Les accessoires suivants sont certifiés et approuvés pour une utilisation avec les radios répertoriées dans la déclaration de conformité mentionnée.

| <u>NUMÉRO DE PIÈCE</u>     | <u>DESCRIPTION (POUR INFORMATION SEULEMENT)</u>          |
|----------------------------|--|
| <b>BATTERIE</b>            |  |
| PMNN4489A                  | BELIZE TIA4950 IMPRES HIGH CAP LI ION BATTERY 2850M2900T |
| PMNN4491A                  | BATTERY IMPRES LI-ION IP68 2200T                         |
| PMNN4493A                  | BELIZE NON-TIA HIGH CAP LV LI- ION BATTERY 2950M3000T    |
| <b>CÂBLE</b>               |  |
| PMKN4012B                  | DMR PORTABLE PROGRAMMING CABLE                           |
| PMKN4013C                  | PROGRAMMING, TEST AND ALIGNMENT CABLE (M3 7-MAY-09)      |
| PMKN4040A                  | DMR PORTABLE TELEMETRY CABLE                             |
| PMKN4126A                  | TEST ALIGNMENT, TTR AND PROGRAMMING CABLE                |
| <b>AUTRES COMMENTAIRES</b> |  |
| 3087791G04                 | EURO LINE CORD FOR SMART MUC                             |
| 3087791G07                 | UK LINE CORD FOR SMART MUC                               |

### LOGICIEL

Le logiciel radio installé est sous l'entière responsabilité du fabricant, sans aucun accès par l'utilisateur et est conforme aux directives applicables.

Les accessoires ci-dessus sont présentés avec leurs numéros de référence mondiaux. Dans la pratique, l'accessoire sera doté d'un préfixe régional. Les préfixes sont utilisés pour la création de kits régionaux : principalement le manuel (langues) et l'emballage. Les préfixes sont MD pour les pays d'Europe, AA pour les États-Unis et AZ pour la région Asie/Pacifique.

Remarque: un exemplaire signé et daté de la déclaration de conformité mentionnée ci-dessus peut être obtenu auprès de votre service d'assistance Motorola local ou du revendeur qui vous a fourni cette radio. Vous pouvez aussi le demander par courrier électronique à l'adresse [manufacturerdeclaration.eu@motorolasolutions.com](mailto:manufacturerdeclaration.eu@motorolasolutions.com), ou sur le site <http://www.motorolasolutions.com/Business/XU-EN/BMS+Resource+Library>.

## EU-Konformitätserklärung (DoC-17120701051-C)

Die alleinige Verantwortung für die Ausstellung dieser Konformitätserklärung trägt der Hersteller. Der oben beschriebene Gegenstand der Erklärung erfüllt die einschlägigen Harmonisierungsrechtsvorschriften der Union:

Richtlinie 2014/53/EU (RED)  
Richtlinie 2011/65/EU (RoHS)  
Richtlinie 2012/19/EU (WEEE)  
Richtlinie 2013/35/EU (EMF)

**Gegenstand der Erklärung:** MOTOTRBO Subscriber DP4x00e portable radio series  
403-527Mhz, TX: 0.2-4W, 12.5/20/25kHz  
DP4400e, Type Designator: PBER502C (plain)  
DP4600e, Type Designator: PBER502F (limited keypad, display)  
DP4800e, Type Designator: PBER502H (full keypad, display)  
National Licenced Frequencies Only

**Überholte Bemerkungen:** Diese Konformitätserklärung ersetzt die DoC-17120701051-B

**Auf den Markt gebracht durch:** Motorola Solutions Germany GmbH , Am Borsigturm 130, 13507 Berlin, Germany

**Die Konformität wird durch die Einhaltung der geltenden Anforderungen der folgenden Standards gezeigt:**

EN 300 086 V2.1.2  
EN 300 113 V2.2.1  
EN 300 219 V2.1.1  
EN 300 720 V2.1.1

EN 301 489-1 V1.9.2  
EN 301 489-5 V1.3.1  
EN 60945:2002-10+COR1:2008

EN 60950-1:2006+A11:2009+A1:2010+A12:2011+AC:2011+A2:2013  
Konform mit den ICNIRP (1998) Grenzwerten berufsbedingter/kontrollierter Exposition  
EN 50360:2017  
EN 50566:2017

**Weitere:**

Phoenix Testlab, NB#0700, performed assessment with regards to Maritime standard EN300 720 V2.1.1, according to Article 3.2 of RE-D and issued EU type examination certificate 18-110236

Jahr der erstmaligen Anwendung der CE-Kennzeichnung: 2015

Die grundlegenden Testreihen wurden gemäß den angegebenen harmonisierten Standards durchgeführt.

**Dokumentverwaltung:** Motorola Solutions Germany GmbH, Am Borsigturm 130, D-13507 Berlin, Germany

Wir bestätigen die Richtigkeit dieser Übersetzung. Sie ist nur gültig, wenn sie mit der signierten englischen Originalversion bereitgestellt wurde.

## Rev. 1 Zusatz zu EU-Konformitätserklärung (DoC-17120701051-C)

Diese Konformitätserklärung gilt als Ergänzung zur oben erwähnten Produkt-Konformitätserklärung und unterliegt der alleinigen Verantwortung des Herstellers.

Das unten erwähnte Zubehör entspricht den einschlägigen Harmonisierungsrechtsvorschriften der Union.

Die aufgelisteten Zubehörteile sind für den Funkgerätebetrieb in der genannten Konformitätserklärung zertifiziert und zugelassen.

| <u>TEILNUMMER</u>   | <u>BESCHREIBUNG (NUR ZUR INFORMATION)</u>                                  |
|---------------------|--|
| <b>AUDIOZUBEHÖR</b> |  |
| BDN6664A            | RECEIVE ONLY EARPIECE BGE 1-WIRE   |
| BDN6665A            | REC ONLY EARPC, EXT LOUD, BGE  |
| BDN6719A            | EARPIECE W/3.5MM THREADED PLUG   |
| BDN6726A            | RECEIVE ONLY EARPC BLK, 1-WIRE   |
| BDN6781A            | EARBUD, SINGLE SPEAKER   |
| NNTN8143C           | REMOTE PTT BLUETOOTH POD (NON-SECURE)                                      |
| NNTN8189B           | BT ACCY KIT, SP, 12 CBL, NCHGR   |
| NNTN8191B           | BLUETOOTH POD, NO CHARGER  |
| NNTN8294A           | OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK                          |
| NNTN8295A           | OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK                         |
| NNTN8296A           | WIRELESS COVERT KIT  |
| NNTN8385A           | WIRELESS NECKLOOP Y-ADAPTER AND RETENTION HOOK FOR COMPLETELY DISCREET KIT |
| NNTN8459A           | 1 WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BLACK                       |
| NTN2572A            | EARPIECE WITH 12 CABLE (FOR USE WITH BLUETOOTH POD)                        |
| NTN2575A            | EARPIECE WITH 9 CABLE (FOR USE WITH BLUETOOTH POD)                         |
| PMLN4620B           | D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE     |
| PMLN5096B           | D-STYLE EARSET   |
| PMLN5102A           | ULTRA LITE HEADSET   |
| PMLN5275C           | HEAVY DUTY HEADSET   |
| PMLN5973A           | Ear Rcvr w Inline Mic/PTT, Magone  |
| PMLN5974A           | Lt Wt Hs w Boom Mic & PTT  |
| PMLN5975A           | Swivel Earpiece w Mic/PTT  |
| PMLN5976A           | Earset w Boom Mic/PTT  |
| PMLN5979A           | Breeze HS w Boom Mic & PTT   |
| PMLN6069A           | Earbud w Inline Mic/PTT  |



## Rev. 1 Zusatz zu EU-Konformitätserklärung (DoC-17120701051-C)

Diese Konformitätserklärung gilt als Ergänzung zur oben erwähnten Produkt-Konformitätserklärung und unterliegt der alleinigen Verantwortung des Herstellers.

Das unten erwähnte Zubehör entspricht den einschlägigen Harmonisierungsrechtsvorschriften der Union.

Die aufgelisteten Zubehörteile sind für den Funkgerätebetrieb in der genannten Konformitätserklärung zertifiziert und zugelassen.

| <u>TEILNUMMER</u>   | <u>BESCHREIBUNG (NUR ZUR INFORMATION)</u>                                  |
|---------------------|--|
| <b>AUDIOZUBEHÖR</b> |  |
| PMLN6123A           | IMPRES 3 WIRE W/ TRANS TUBE-BLK  |
| PMLN6124A           | IMPRES 3 WIRE W/ TRANS TUBE-BGE  |
| PMLN6125A           | 1 WIRE SURVEILLANCE KIT-BLK  |
| PMLN6126A           | 1 WIRE SURVEILLANCE KIT -BGE   |
| PMLN6127A           | IMPRES 2 WIRE SURVEILLANCE -BLK  |
| PMLN6128A           | IMPRES 2 WIRE SURVEILLANCE-BGE   |
| PMLN6129A           | IMPRES 2 WIRE W/TRANS TUBE-BLK   |
| PMLN6130A           | IMPRES 2 WIRE W/TRANS TUBE-BGE   |
| PMLN6463A           | BUSINESS WIRELESS ACCESSORY KIT  |
| PMLN6765A           | TACTICAL GCAI PTT/VOX INTERFACE MODULE                                     |
| PMLN6767A           | TACTICAL REMOTE BODY PTT (FOR USE WITH INTERFACE MODULE PMLN6827)          |
| PMLN6827A           | PTT INTERFACE MODULE   |
| PMLN6830A           | TACTICAL REMOTE PTT RING SWITCH  |
| PMLN6852A           | NEXT GEN BTH HEAVY DUTY HEADSET GCAI                                       |
| PMLN6853A           | NEXT GEN BTH HEAVY DUTY HEADSET GCAI TIA4950                               |
| PMLN7052A           | OPERATIONS CRITICAL WIRELESS 1-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE |
| PMLN7181A           | FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC                                   |
| PMLN7203A           | FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC, MULTIPACK                        |
| PMLN7396A           | RX-ONLY ADJ D-STYLE W/STD 3.5MM JACK                                       |
| PMMN4024A           | REMOTE SPEAKER MICROPHONE  |
| PMMN4025A           | IMPRES REMOTE SPEAKER MIC  |
| PMMN4040A           | SUBMERSIBLE REMOTE SPEAKER MIC   |
| PMMN4046A           | IMPRES LARGE RSM W/ VOLUME, EMERGENCY, PROGRAMMABLE BUTTON, IP57           |
| PMMN4050A           | IMPRES LARGE RSM WITH EARJACK, NOISE CANCELING                             |
| PMMN4083A           | IMPRES LARGE RSM APX IP68 DELTA T (GCAI)                                   |

## Rev. 1 Zusatz zu EU-Konformitätserklärung (DoC-17120701051-C)

Diese Konformitätserklärung gilt als Ergänzung zur oben erwähnten Produkt-Konformitätserklärung und unterliegt der alleinigen Verantwortung des Herstellers.

Das unten erwähnte Zubehör entspricht den einschlägigen Harmonisierungsrechtsvorschriften der Union.

Die aufgelisteten Zubehörteile sind für den Funkgerätebetrieb in der genannten Konformitätserklärung zertifiziert und zugelassen.

| <u>TEILNUMMER</u>   | <u>BESCHREIBUNG (NUR ZUR INFORMATION)</u>  |
|---------------------|--|
| <b>AUDIOZUBEHÖR</b> |  |
| PMMN4095A           | WIRELESS RSM (MCW)   |
| RLN4922A            | COMPLETELY DISCREET EARPIECE KIT   |
| RLN4941A            | RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE AND RUBBER EARTIP FOR REMOTE SPEAKER MICROPHONE |
| RLN5313A            | RECEIVE NLY SURV KIT (BLACK) /NOISE  |
| RLN5314A            | RECEIVE ONLY SURV KIT (BEIGE)/NOISE  |
| RLN5878A            | CORE 1 WIRE SURVEILLANCE - BLACK   |
| RLN5879A            | 1 WIRE SURVEILLANCE KIT RECEIVE-ONLY EARPIECE.BEIGE.   |
| RLN5886A            | LOW NOISE KIT  |
| RLN5887A            | HIGH NOISE KIT   |
| RLN6074A            | RSM REPLACEMENT COIL CORD KIT FOR PMMN4024 & PMMN4040A                                       |
| RLN6075A            | RSM REPLACEMENT COIL CORD KIT FOR PMMN4025   |
| RLN6279A            | STANDARD EARPIECE-BLACK  |
| RLN6280A            | STANDARD EARPIECE-BEIGE  |
| RLN6284A            | EARPIECE W/ ACOUSTIC TUBE ASSM-BEIGE   |
| RLN6285A            | EARPIECE W/ ACOUSTIC TUBE ASSM-BLACK   |
| RLN6288A            | EARPIECE W/HIGH NOISE KIT ASSM-BEIGE   |
| RLN6289A            | EARPIECE W/HIGH NOISE KIT ASSM-BLACK   |
| RLN6477A            | MT SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR  |
| RLN6490A            | XBT HEADSET BTN, HEAVY DUTY HEADSET, BT  |
| RLN6491A            | XBT HEADSET HB, HEAVY DUTY HEADSET, BT   |
| RLN6500A            | MOTOTRBO BLUETOOTH ACCESSORY KIT W/NA POWER SUPPLY   |
| RLN6502A            | MOTOTRBO BLUETOOTH ACCESSORY KIT ARGENTINA   |
| RLN6503A            | MOTOTRBO BLUETOOTH ACCESSORY KIT EURO PLUG   |
| RLN6504A            | MOTOTRBO BLUETOOTH ACCESSORY KIT BRAZIL  |
| RLN6550A            | SWIVEL EARPIECE WITH INLINE MICROPHONE FOR BLUETOOTH ACCY KIT POD (PACK OF 3)                |

## Rev. 1 Zusatz zu EU-Konformitätserklärung (DoC-17120701051-C)

Diese Konformitätserklärung gilt als Ergänzung zur oben erwähnten Produkt-Konformitätserklärung und unterliegt der alleinigen Verantwortung des Herstellers.

Das unten erwähnte Zubehör entspricht den einschlägigen Harmonisierungsrechtsvorschriften der Union.

Die aufgelisteten Zubehörteile sind für den Funkgerätebetrieb in der genannten Konformitätserklärung zertifiziert und zugelassen.

| <u>TEILNUMMER</u>   | <u>BESCHREIBUNG (NUR ZUR INFORMATION)</u>   |
|---------------------|---|
| <b>AUDIOZUBEHÖR</b> |   |
| RMN4051B            | MT SERIES HARD HAT ATTACHED HEADSET WITH NEXUS CONNECTOR  |
| RMN4052A            | TACTICALPRO SERIES OVER-THE-HEAD HEADSET WITH NEXUS CONNECTOR                                     |
| RMN4053B            | TACTICALPRO SERIES HARD HAT HEADSET WITH NEXUS CONNECTOR  |
| RMN4055B            | HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM NON THREADED CONNECTOR                     |
| RMN4056B            | HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM THREADED CONNECTOR                         |
| RMN4057B            | HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM THREADED CONNECTOR                              |
| RMN5058A            | CORE LIGHTWEIGHT HEADSET W/PTT & VOX  |
| RMN5131A            | METAL BOOM WITH MICROPHONE  |
| RMN5132A            | HT SERIES LISTEN ONLY NECKBAND HEADSET WITH 3.5MM NON THREADED CONNECTOR                          |
| RMN5133A            | HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM NON THREADED CONNECTOR                          |
| RMN5135A            | TACTICALPRO SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR  |
| RMN5137A            | MT SERIES OVER-THE HEAD HEADSET, DIRECT RADIO CONNECT   |
| RMN5138A            | MT SERIES NECKBAND HEADSET, DIRECT RADIO CONNECT  |
| RMN5139A            | MT SERIES HARD HAT ATTACHED HEADSET, DIRECT RADIO CONNECT   |
| WADN4190B           | RECEIVE-ONLY FLEXIBLE EARPIECE  |
| <b>AKKU</b>         |   |
| NNTN8129A           | IMPRES HI-CAP LI-ION FM BATTERY 2300M2350T  |
| NNTN8560A           | IMPRES HI-CAP LI-ION 2500 MAH BATTERY SUBMERSIBLE (IP57), INTRINSICALLY SAFE (TIA4950) 2300M2500T |
| PMNN4406BR          | BATTERY STD IP67 LI-ION 1500M 1600T   |
| PMNN4407BR          | IMPRES LI-ION, 1650MAH SLIM BATTERY 1600M1650T  |
| PMNN4409BR          | IMPRES HI-CAP LI-ION NON-FM, 2150 MAH BATTERY 2150M2250T  |
| PMNN4412A           | BATT STD IP67 NIMH1300M1400T  |
| PMNN4435AR          | LI-MN 1400 MAH LOW TEMP -30C BATTERY SUBMERSIBLE (IP57)   |
| PMNN4448AR          | BATT IMP STD IP67 LIION 2700M2800T  |
| PMNN4463A           | BATT LIION IP57 2000M   |
| PMNN4488A           | BELIZE/ANDORRA UHC + VIBRATOR 2950M3000T  |

## Rev. 1 Zusatz zu EU-Konformitätserklärung (DoC-17120701051-C)

Diese Konformitätserklärung gilt als Ergänzung zur oben erwähnten Produkt-Konformitätserklärung und unterliegt der alleinigen Verantwortung des Herstellers.

Das unten erwähnte Zubehör entspricht den einschlägigen Harmonisierungsrechtsvorschriften der Union.

Die aufgelisteten Zubehörteile sind für den Funkgerätebetrieb in der genannten Konformitätserklärung zertifiziert und zugelassen.

| <u>TEILNUMMER</u> | <u>BESCHREIBUNG (NUR ZUR INFORMATION)</u>                |
|-------------------|--|
| <b>AKKU</b>       |  |
| PMNN4489A         | BELIZE TIA4950 IMPRES HIGH CAP LI ION BATTERY 2850M2900T |
| PMNN4491A         | BATTERY IMPRES LI-ION IP68 2200T                         |
| PMNN4493A         | BELIZE NON-TIA HIGH CAP LV LI- ION BATTERY 2950M3000T    |
| <b>KABEL</b>      |  |
| PMKN4012B         | DMR PORTABLE PROGRAMMING CABLE                           |
| PMKN4013C         | PROGRAMMING, TEST AND ALIGNMENT CABLE (M3 7-MAY-09)      |
| PMKN4040A         | DMR PORTABLE TELEMETRY CABLE                             |
| PMKN4126A         | TEST ALIGNMENT, TTR AND PROGRAMMING CABLE                |
| <b>ANDERE</b>     |  |
| 3087791G04        | EURO LINE CORD FOR SMART MUC                             |
| 3087791G07        | UK LINE CORD FOR SMART MUC                               |

### **SOFTWARE**

Die installierte Funkgerätesoftware unterliegt der vollständigen Kontrolle des Herstellers ohne Zugriff durch den Benutzer und entspricht den dazugehörigen Richtlinien.

Die oben erwähnten Zubehörteile werden mit ihren globalen Teilenummern angezeigt. In der Praxis hat das Zubehör regionale Teilenummern. Teilenummern werden nur für regionales Kitting erstellt. In erster Linie für Handbücher (Sprachen) und Verpackungen. Teilenummern sind: MD für europäische Länder, AA für die USA und AZ für Asien/Pazifikraum.

Hinweis: Eine Kopie der oben genannten unterschriebenen und datierten Konformitätserklärung kann von Ihrem lokalen Motorola Help Desk sowie vom Händler, bei dem Sie dieses Funkgerät erworben haben oder alternativ über unsere E-Mail-Adresse oder Webseite angefordert werden: [manufacturerdeclaration.eu@motorola.com](mailto:manufacturerdeclaration.eu@motorola.com) oder unter <http://www.motorolasolutions.com/Business/XU-EN/BMS+Resource+Library>

## Dichiarazione di conformità UE (DoC-17120701051-C)

La presente dichiarazione di conformità è rilasciata sotto l'esclusiva responsabilità del fabbricante. L'oggetto della dichiarazione di cui sopra è conforme alla pertinente normativa di armonizzazione dell'Unione:

Direttiva 2014/53/UE (RED)  
Direttiva 2011/65/UE (RoHS)  
Direttiva 2012/19/UE (WEEE)  
Direttiva 2013/35/UE (EMF)

**Oggetto della dichiarazione:** MOTOTRBO Subscriber DP4x00e portable radio series  
403-527Mhz, TX: 0.2-4W, 12.5/20/25kHz  
DP4400e, Type Designator: PBER502C (plain)  
DP4600e, Type Designator: PBER502F (limited keypad, display)  
DP4800e, Type Designator, PBER502H (full keypad, display)  
National Licenced Frequencies Only

**Osservazioni preesistenti:** Questa Dichiarazione di conformità sostituisce DoC-17120701051-B

**Commercializzato da:** Motorola Solutions Germany GmbH , Am Borsigturm 130, 13507 Berlin, Germany

**La conformità è dimostrata dalla rispondenza ai requisiti applicabili dei seguenti standard:**

EN 300 086 V2.1.2  
EN 300 113 V2.2.1  
EN 300 219 V2.1.1  
EN 300 720 V2.1.1

EN 301 489-1 V1.9.2  
EN 301 489-5 V1.3.1  
EN 60945:2002-10+COR1:2008

EN 60950-1:2006+A11:2009+A1:2010+A12:2011+AC:2011+A2:2013  
Conforme ai limiti di esposizione per scopi professionali/controllati dello standard ICNIRP (1998)  
EN 50360:2017  
EN 50566:2017

**Altri:**

Phoenix Testlab, NB#0700, performed assessment with regards to Maritime standard EN300 720 V2.1.1, according to Article 3.2 of RE-D and issued EU type examination certificate 18-110236

Anno di prima applicazione del marchio CE: 2015

È stata eseguita la serie di prove radio essenziali, come definito nelle norme armonizzate citate.

**Riferimento del documento:** Motorola Solutions Germany GmbH, Am Borsigturm 130, D-13507 Berlin, Germany

Si conferma la correttezza di questa traduzione. è valida solo se fornita con la versione originale in inglese firmata.

## Rev. 1 Allegato al Dichiarazione di conformità UE (DoC-17120701051-C)

Questa dichiarazione di conformità è un allegato alla Dichiarazione di conformità del prodotto indicato sopra ed è stato emesso sotto la sola responsabilità del produttore.

Gli accessori descritti di seguito sono conformi alla normativa di armonizzazione dell'Unione Europea.

Gli accessori elencati sono certificati e approvati per l'uso con le radio riportate nella Dichiarazione di conformità a cui si fa riferimento.

| <u>NUMERO DI PARTE</u> | <u>DESCRIZIONE (SOLO PER INFORMAZIONI)</u>                                 |
|------------------------|--|
| <b>AUDIO</b>           |  |
| BDN6664A               | RECEIVE ONLY EARPIECE BGE 1-WIRE   |
| BDN6665A               | REC ONLY EARPC, EXT LOUD, BGE  |
| BDN6719A               | EARPIECE W/3.5MM THREADED PLUG   |
| BDN6726A               | RECEIVE ONLY EARPC BLK, 1-WIRE   |
| BDN6781A               | EARBUD, SINGLE SPEAKER   |
| NNTN8143C              | REMOTE PTT BLUETOOTH POD (NON-SECURE)                                      |
| NNTN8189B              | BT ACCY KIT, SP, 12 CBL, NCHGR   |
| NNTN8191B              | BLUETOOTH POD, NO CHARGER  |
| NNTN8294A              | OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK                          |
| NNTN8295A              | OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK                         |
| NNTN8296A              | WIRELESS COVERT KIT  |
| NNTN8385A              | WIRELESS NECKLOOP Y-ADAPTER AND RETENTION HOOK FOR COMPLETELY DISCREET KIT |
| NNTN8459A              | 1 WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BLACK                       |
| NTN2572A               | EARPIECE WITH 12 CABLE (FOR USE WITH BLUETOOTH POD)                        |
| NTN2575A               | EARPIECE WITH 9 CABLE (FOR USE WITH BLUETOOTH POD)                         |
| PMLN4620B              | D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE     |
| PMLN5096B              | D-STYLE EARSET   |
| PMLN5102A              | ULTRA LITE HEADSET   |
| PMLN5275C              | HEAVY DUTY HEADSET   |
| PMLN5973A              | Ear Rcvr w Inline Mic/PTT, Magone  |
| PMLN5974A              | Lt Wt Hs w Boom Mic & PTT  |
| PMLN5975A              | Swivel Earpiece w Mic/PTT  |
| PMLN5976A              | Earset w Boom Mic/PTT  |
| PMLN5979A              | Breeze HS w Boom Mic & PTT   |
| PMLN6069A              | Earbud w Inline Mic/PTT  |

## Rev. 1 Allegato al Dichiarazione di conformità UE (DoC-17120701051-C)

Questa dichiarazione di conformità è un allegato alla Dichiarazione di conformità del prodotto indicato sopra ed è stato emesso sotto la sola responsabilità del produttore.

Gli accessori descritti di seguito sono conformi alla normativa di armonizzazione dell'Unione Europea.

Gli accessori elencati sono certificati e approvati per l'uso con le radio riportate nella Dichiarazione di conformità a cui si fa riferimento.

| <u>NUMERO DI PARTE</u> | <u>DESCRIZIONE (SOLO PER INFORMAZIONI)</u>                                 |
|------------------------|--|
| AUDIO                  |  |
| PMLN6123A              | IMPRES 3 WIRE W/ TRANS TUBE-BLK  |
| PMLN6124A              | IMPRES 3 WIRE W/ TRANS TUBE-BGE  |
| PMLN6125A              | 1 WIRE SURVEILLANCE KIT-BLK  |
| PMLN6126A              | 1 WIRE SURVEILLANCE KIT -BGE   |
| PMLN6127A              | IMPRES 2 WIRE SURVEILLANCE -BLK  |
| PMLN6128A              | IMPRES 2 WIRE SURVEILLANCE-BGE   |
| PMLN6129A              | IMPRES 2 WIRE W/TRANS TUBE-BLK   |
| PMLN6130A              | IMPRES 2 WIRE W/TRANS TUBE-BGE   |
| PMLN6463A              | BUSINESS WIRELESS ACCESSORY KIT  |
| PMLN6765A              | TACTICAL GCAI PTT/VOX INTERFACE MODULE                                     |
| PMLN6767A              | TACTICAL REMOTE BODY PTT (FOR USE WITH INTERFACE MODULE PMLN6827)          |
| PMLN6827A              | PTT INTERFACE MODULE   |
| PMLN6830A              | TACTICAL REMOTE PTT RING SWITCH  |
| PMLN6852A              | NEXT GEN BTH HEAVY DUTY HEADSET GCAI                                       |
| PMLN6853A              | NEXT GEN BTH HEAVY DUTY HEADSET GCAI TIA4950                               |
| PMLN7052A              | OPERATIONS CRITICAL WIRELESS 1-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE |
| PMLN7181A              | FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC                                   |
| PMLN7203A              | FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC, MULTIPACK                        |
| PMLN7396A              | RX-ONLY ADJ D-STYLE W/STD 3.5MM JACK                                       |
| PMMN4024A              | REMOTE SPEAKER MICROPHONE  |
| PMMN4025A              | IMPRES REMOTE SPEAKER MIC  |
| PMMN4040A              | SUBMERSIBLE REMOTE SPEAKER MIC   |
| PMMN4046A              | IMPRES LARGE RSM W/ VOLUME, EMERGENCY, PROGRAMMABLE BUTTON, IP57           |
| PMMN4050A              | IMPRES LARGE RSM WITH EARJACK, NOISE CANCELING                             |
| PMMN4083A              | IMPRES LARGE RSM APX IP68 DELTA T (GCAI)                                   |

## Rev. 1 Allegato al Dichiarazione di conformità UE (DoC-17120701051-C)

Questa dichiarazione di conformità è un allegato alla Dichiarazione di conformità del prodotto indicato sopra ed è stato emesso sotto la sola responsabilità del produttore.

Gli accessori descritti di seguito sono conformi alla normativa di armonizzazione dell'Unione Europea.

Gli accessori elencati sono certificati e approvati per l'uso con le radio riportate nella Dichiarazione di conformità a cui si fa riferimento.

| <u>NUMERO DI PARTE</u> | <u>DESCRIZIONE (SOLO PER INFORMAZIONI)</u>   |
|------------------------|--|
| AUDIO                  |  |
| PMMN4095A              | WIRELESS RSM (MCW)   |
| RLN4922A               | COMPLETELY DISCREET EARPIECE KIT   |
| RLN4941A               | RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE AND RUBBER EARTIP FOR REMOTE SPEAKER MICROPHONE |
| RLN5313A               | RECEIVE NLY SURV KIT (BLACK) /NOISE  |
| RLN5314A               | RECEIVE ONLY SURV KIT (BEIGE)/NOISE  |
| RLN5878A               | CORE 1 WIRE SURVEILLANCE - BLACK   |
| RLN5879A               | 1 WIRE SURVEILLANCE KIT RECEIVE-ONLY EARPIECE.BEIGE.   |
| RLN5886A               | LOW NOISE KIT  |
| RLN5887A               | HIGH NOISE KIT   |
| RLN6074A               | RSM REPLACEMENT COIL CORD KIT FOR PMMN4024 & PMMN4040A                                       |
| RLN6075A               | RSM REPLACEMENT COIL CORD KIT FOR PMMN4025   |
| RLN6279A               | STANDARD EARPIECE-BLACK  |
| RLN6280A               | STANDARD EARPIECE-BEIGE  |
| RLN6284A               | EARPIECE W/ ACOUSTIC TUBE ASSM-BEIGE   |
| RLN6285A               | EARPIECE W/ ACOUSTIC TUBE ASSM-BLACK   |
| RLN6288A               | EARPIECE W/HIGH NOISE KIT ASSM-BEIGE   |
| RLN6289A               | EARPIECE W/HIGH NOISE KIT ASSM-BLACK   |
| RLN6477A               | MT SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR  |
| RLN6490A               | XBT HEADSET BTN, HEAVY DUTY HEADSET, BT  |
| RLN6491A               | XBT HEADSET HB, HEAVY DUTY HEADSET, BT   |
| RLN6500A               | MOTOTRBO BLUETOOTH ACCESSORY KIT W/NA POWER SUPPLY   |
| RLN6502A               | MOTOTRBO BLUETOOTH ACCESSORY KIT ARGENTINA   |
| RLN6503A               | MOTOTRBO BLUETOOTH ACCESSORY KIT EURO PLUG   |
| RLN6504A               | MOTOTRBO BLUETOOTH ACCESSORY KIT BRAZIL  |
| RLN6550A               | SWIVEL EARPIECE WITH INLINE MICROPHONE FOR BLUETOOTH ACCY KIT POD (PACK OF 3)                |



## Rev. 1 Allegato al Dichiarazione di conformità UE (DoC-17120701051-C)

Questa dichiarazione di conformità è un allegato alla Dichiarazione di conformità del prodotto indicato sopra ed è stato emesso sotto la sola responsabilità del produttore.

Gli accessori descritti di seguito sono conformi alla normativa di armonizzazione dell'Unione Europea.

Gli accessori elencati sono certificati e approvati per l'uso con le radio riportate nella Dichiarazione di conformità a cui si fa riferimento.

| <u>NUMERO DI PARTE</u> | <u>DESCRIZIONE (SOLO PER INFORMAZIONI)</u>  |
|------------------------|---|
| <b>AUDIO</b>           |   |
| RMN4051B               | MT SERIES HARD HAT ATTACHED HEADSET WITH NEXUS CONNECTOR  |
| RMN4052A               | TACTICALPRO SERIES OVER-THE-HEAD HEADSET WITH NEXUS CONNECTOR                                     |
| RMN4053B               | TACTICALPRO SERIES HARD HAT HEADSET WITH NEXUS CONNECTOR  |
| RMN4055B               | HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM NON THREADED CONNECTOR                     |
| RMN4056B               | HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM THREADED CONNECTOR                         |
| RMN4057B               | HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM THREADED CONNECTOR                              |
| RMN5058A               | CORE LIGHTWEIGHT HEADSET W/PTT & VOX  |
| RMN5131A               | METAL BOOM WITH MICROPHONE  |
| RMN5132A               | HT SERIES LISTEN ONLY NECKBAND HEADSET WITH 3.5MM NON THREADED CONNECTOR                          |
| RMN5133A               | HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM NON THREADED CONNECTOR                          |
| RMN5135A               | TACTICALPRO SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR  |
| RMN5137A               | MT SERIES OVER-THE HEAD HEADSET, DIRECT RADIO CONNECT   |
| RMN5138A               | MT SERIES NECKBAND HEADSET, DIRECT RADIO CONNECT  |
| RMN5139A               | MT SERIES HARD HAT ATTACHED HEADSET, DIRECT RADIO CONNECT   |
| WADN4190B              | RECEIVE-ONLY FLEXIBLE EARPIECE  |
| <b>BATTERIA</b>        |   |
| NNTN8129A              | IMPRES HI-CAP LI-ION FM BATTERY 2300M2350T  |
| NNTN8560A              | IMPRES HI-CAP LI-ION 2500 MAH BATTERY SUBMERSIBLE (IP57), INTRINSICALLY SAFE (TIA4950) 2300M2500T |
| PMNN4406BR             | BATTERY STD IP67 LI-ION 1500M 1600T   |
| PMNN4407BR             | IMPRES LI-ION, 1650MAH SLIM BATTERY 1600M1650T  |
| PMNN4409BR             | IMPRES HI-CAP LI-ION NON-FM, 2150 MAH BATTERY 2150M2250T  |
| PMNN4412A              | BATT STD IP67 NIMH1300M1400T  |
| PMNN4435AR             | LI-MN 1400 MAH LOW TEMP -30C BATTERY SUBMERSIBLE (IP57)   |
| PMNN4448AR             | BATT IMP STD IP67 LIION 2700M2800T  |
| PMNN4463A              | BATT LIION IP57 2000M   |
| PMNN4488A              | BELIZE/ANDORRA UHC + VIBRATOR 2950M3000T  |

## Rev. 1 Allegato al Dichiarazione di conformità UE (DoC-17120701051-C)

Questa dichiarazione di conformità è un allegato alla Dichiarazione di conformità del prodotto indicato sopra ed è stato emesso sotto la sola responsabilità del produttore.

Gli accessori descritti di seguito sono conformi alla normativa di armonizzazione dell'Unione Europea.

Gli accessori elencati sono certificati e approvati per l'uso con le radio riportate nella Dichiarazione di conformità a cui si fa riferimento.

| <u>NUMERO DI PARTE</u> | <u>DESCRIZIONE (SOLO PER INFORMAZIONI)</u>               |
|------------------------|--|
| <b>BATTERIA</b>        |  |
| PMNN4489A              | BELIZE TIA4950 IMPRES HIGH CAP LI ION BATTERY 2850M2900T |
| PMNN4491A              | BATTERY IMPRES LI-ION IP68 2200T                         |
| PMNN4493A              | BELIZE NON-TIA HIGH CAP LV LI- ION BATTERY 2950M3000T    |
| <b>CAVO</b>            |  |
| PMKN4012B              | DMR PORTABLE PROGRAMMING CABLE                           |
| PMKN4013C              | PROGRAMMING, TEST AND ALIGNMENT CABLE (M3 7-MAY-09)      |
| PMKN4040A              | DMR PORTABLE TELEMETRY CABLE                             |
| PMKN4126A              | TEST ALIGNMENT, TTR AND PROGRAMMING CABLE                |
| <b>ALTRO</b>           |  |
| 3087791G04             | EURO LINE CORD FOR SMART MUC                             |
| 3087791G07             | UK LINE CORD FOR SMART MUC                               |

### SOFTWARE

Il software della radio installato è sotto il completo controllo del costruttore senza accesso da parte dell'utente ed è conforme alle direttive pertinenti.

Gli accessori indicati sopra sono riportati con i part number globali. In realtà, l'accessorio è contraddistinto da un prefisso regionale. I prefissi sono assegnati solo per motivi di kitting: principalmente il manuale (lingue) e l'imballaggio. I prefissi sono MD per i Paesi europei, AA per gli Stati Uniti e AZ per la regione Asia/Pacifico.

Nota: una copia firmata e datata della Dichiarazione di conformità a cui si fa riferimento sopra è disponibile presso l'help-desk locale Motorola o il rivenditore dal quale è stata acquistata la radio. In alternativa, è possibile inviare una richiesta e-mail all'indirizzo [manufacturerdeclaration.eu@motorolasolutions.com](mailto:manufacturerdeclaration.eu@motorolasolutions.com) oppure tramite il sito Web <http://www.motorolasolutions.com/Business/XU-EN/BMS+Resource+Library>

## **Deklaracja zgodności UE (DoC-17120701051-C)**

Niniejszą deklarację zgodności wydaje się na wyłączną odpowiedzialność producenta.  
Wymieniony poniżej przedmiot niniejszej deklaracji jest zgodny z odnośnymi wymaganiami unijnego prawodawstwa harmonizacyjnego:

Dyrektywa 2014/53/UE (RED)  
Dyrektywa 2011/65/UE (RoHS)  
Dyrektywa 2012/19/UE (WEEE)  
Dyrektywa 2013/35/UE (EMF)

**Przedmiot deklaracji:** MOTOTRBO Subscriber DP4x00e portable radio series  
403-527Mhz, TX: 0.2-4W, 12.5/20/25kHz  
DP4400e, Type Designator: PBER502C (plain)  
DP4600e, Type Designator: PBER502F (limited keypad, display)  
DP4800e, Type Designator: PBER502H (full keypad, display)  
National Licenced Frequencies Only

**Zastąpione uwagi:** Niniejsza deklaracja zgodności zastępuje DoC-17120701051-B

**Wprowadzony do obrotu przez:** Motorola Solutions Germany GmbH , Am Borsigturm 130, 13507 Berlin, Germany

### **Odwołania do norm, w odniesieniu do których deklarowana jest zgodność:**

EN 300 086 V2.1.2  
EN 300 113 V2.2.1  
EN 300 219 V2.1.1  
EN 300 720 V2.1.1

EN 301 489-1 V1.9.2  
EN 301 489-5 V1.3.1  
EN 60945:2002-10+COR1:2008

EN 60950-1:2006+A11:2009+A1:2010+A12:2011+AC:2011+A2:2013  
Zgodność z wytycznymi określonymi przez Międzynarodową Komisję Ochrony przed Promieniowaniem Niejonizującym ICNIRP (1998)  
EN 50360:2017  
EN 50566:2017

### **Pozostałe:**

Phoenix Testlab, NB#0700, performed assessment with regards to Maritime standard EN300 720 V2.1.1, according to Article 3.2 of RE-D and issued EU type examination certificate 18-110236

Rok pierwszego umieszczenia oznakowania CE na produkcie: 2015

Przeprowadzono niezbędne testy radiowe określone w zharmonizowanych normach.

**Właściciel dokumentu:** Motorola Solutions Germany GmbH, Am Borsigturm 130, D-13507 Berlin, Germany

Potwierdzamy poprawność niniejszego tłumaczenia. Obowiązuje jedynie z podpisanym oryginałem w języku angielskim.

## Rev. 1 Uzupelnienie do Deklaracja zgodności UE (DoC-17120701051-C)

Niniejszy załącznik jest uzupełnieniem Deklaracji Zgodności UE w odniesieniu do wymienionego w powyższej deklaracji produktu i zostaje wydany na wyłączną odpowiedzialność producenta.

Akcesoria wymienione w niniejszym załączniku pozostają w zgodności z odnośnymi wymaganiami unijnego prawodawstwa harmonizacyjnego.

Akcesoria wyszczególnione poniżej zostały przebadane i zatwierdzone do użytku z przedmiotem powyższej deklaracji.

### NUMER KATALOGOWY OPIS (TYLKO INFORMACYJNIE)

#### AUDIO

|           |  |
|-----------|--|
| BDN6664A  | RECEIVE ONLY EARPIECE BGE 1-WIRE   |
| BDN6665A  | REC ONLY EARPC, EXT LOUD, BGE  |
| BDN6719A  | EARPIECE W/3.5MM THREADED PLUG   |
| BDN6726A  | RECEIVE ONLY EARPC BLK, 1-WIRE   |
| BDN6781A  | EARBUD, SINGLE SPEAKER   |
| NNTN8143C | REMOTE PTT BLUETOOTH POD (NON-SECURE)                                      |
| NNTN8189B | BT ACCY KIT, SP, 12 CBL, NCHGR   |
| NNTN8191B | BLUETOOTH POD, NO CHARGER  |
| NNTN8294A | OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK                          |
| NNTN8295A | OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK                         |
| NNTN8296A | WIRELESS COVERT KIT  |
| NNTN8385A | WIRELESS NECKLOOP Y-ADAPTER AND RETENTION HOOK FOR COMPLETELY DISCREET KIT |
| NNTN8459A | 1 WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BLACK                       |
| NTN2572A  | EARPIECE WITH 12 CABLE (FOR USE WITH BLUETOOTH POD)                        |
| NTN2575A  | EARPIECE WITH 9 CABLE (FOR USE WITH BLUETOOTH POD)                         |
| PMLN4620B | D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE     |
| PMLN5096B | D-STYLE EARSET   |
| PMLN5102A | ULTRA LITE HEADSET   |
| PMLN5275C | HEAVY DUTY HEADSET   |
| PMLN5973A | Ear Rcvr w Inline Mic/PTT, Magone  |
| PMLN5974A | Lt Wt Hs w Boom Mic & PTT  |
| PMLN5975A | Swivel Earpiece w Mic/PTT  |
| PMLN5976A | Earset w Boom Mic/PTT  |
| PMLN5979A | Breeze HS w Boom Mic & PTT   |
| PMLN6069A | Earbud w Inline Mic/PTT  |

## Rev. 1 Uzupełnienie do Deklaracja zgodności UE (DoC-17120701051-C)

Niniejszy załącznik jest uzupełnieniem Deklaracji Zgodności UE w odniesieniu do wymienionego w powyższej deklaracji produktu i zostaje wydany na wyłączną odpowiedzialność producenta.

Akcesoria wymienione w niniejszym załączniku pozostają w zgodności z odnośnymi wymaganiami unijnego prawodawstwa harmonizacyjnego.

Akcesoria wyszczególnione poniżej zostały przebadane i zatwierdzone do użytku z przedmiotem powyższej deklaracji.

### NUMER KATALOGOWY OPIS (TYLKO INFORMACYJNIE)

#### AUDIO

|           |  |
|-----------|--|
| PMLN6123A | IMPRES 3 WIRE W/ TRANS TUBE-BLK  |
| PMLN6124A | IMPRES 3 WIRE W/ TRANS TUBE-BGE  |
| PMLN6125A | 1 WIRE SURVEILLANCE KIT-BLK  |
| PMLN6126A | 1 WIRE SURVEILLANCE KIT -BGE   |
| PMLN6127A | IMPRES 2 WIRE SURVEILLANCE -BLK  |
| PMLN6128A | IMPRES 2 WIRE SURVEILLANCE-BGE   |
| PMLN6129A | IMPRES 2 WIRE W/TRANS TUBE-BLK   |
| PMLN6130A | IMPRES 2 WIRE W/TRANS TUBE-BGE   |
| PMLN6463A | BUSINESS WIRELESS ACCESSORY KIT  |
| PMLN6765A | TACTICAL GCAI PTT/VOX INTERFACE MODULE                                     |
| PMLN6767A | TACTICAL REMOTE BODY PTT (FOR USE WITH INTERFACE MODULE PMLN6827)          |
| PMLN6827A | PTT INTERFACE MODULE   |
| PMLN6830A | TACTICAL REMOTE PTT RING SWITCH  |
| PMLN6852A | NEXT GEN BTH HEAVY DUTY HEADSET GCAI                                       |
| PMLN6853A | NEXT GEN BTH HEAVY DUTY HEADSET GCAI TIA4950                               |
| PMLN7052A | OPERATIONS CRITICAL WIRELESS 1-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE |
| PMLN7181A | FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC                                   |
| PMLN7203A | FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC, MULTIPACK                        |
| PMLN7396A | RX-ONLY ADJ D-STYLE W/STD 3.5MM JACK                                       |
| PMMN4024A | REMOTE SPEAKER MICROPHONE  |
| PMMN4025A | IMPRES REMOTE SPEAKER MIC  |
| PMMN4040A | SUBMERSIBLE REMOTE SPEAKER MIC   |
| PMMN4046A | IMPRES LARGE RSM W/ VOLUME, EMERGENCY, PROGRAMMABLE BUTTON, IP57           |
| PMMN4050A | IMPRES LARGE RSM WITH EARJACK, NOISE CANCELING                             |
| PMMN4083A | IMPRES LARGE RSM APX IP68 DELTA T (GCAI)                                   |

## Rev. 1 Uzupelnienie do Deklaracja zgodności UE (DoC-17120701051-C)

Niniejszy załącznik jest uzupełnieniem Deklaracji Zgodności UE w odniesieniu do wymienionego w powyższej deklaracji produktu i zostaje wydany na wyłączną odpowiedzialność producenta.

Aksesoria wymienione w niniejszym załączniku pozostają w zgodności z odnośnymi wymaganiami unijnego prawodawstwa harmonizacyjnego.

Aksesoria wyszczególnione poniżej zostały przebadane i zatwierdzone do użytku z przedmiotem powyższej deklaracji.

### NUMER KATALOGOWY OPIS (TYLKO INFORMACYJNIE)

#### AUDIO

|           |  |
|-----------|--|
| PMMN4095A | WIRELESS RSM (MCW)   |
| RLN4922A  | COMPLETELY DISCREET EARPIECE KIT   |
| RLN4941A  | RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE AND RUBBER EARTIP FOR REMOTE SPEAKER MICROPHONE |
| RLN5313A  | RECEIVE NLY SURV KIT (BLACK) /NOISE  |
| RLN5314A  | RECEIVE ONLY SURV KIT (BEIGE)/NOISE  |
| RLN5878A  | CORE 1 WIRE SURVEILLANCE - BLACK   |
| RLN5879A  | 1 WIRE SURVEILLANCE KIT RECEIVE-ONLY EARPIECE.BEIGE.   |
| RLN5886A  | LOW NOISE KIT  |
| RLN5887A  | HIGH NOISE KIT   |
| RLN6074A  | RSM REPLACEMENT COIL CORD KIT FOR PMMN4024 & PMMN4040A                                       |
| RLN6075A  | RSM REPLACEMENT COIL CORD KIT FOR PMMN4025   |
| RLN6279A  | STANDARD EARPIECE-BLACK  |
| RLN6280A  | STANDARD EARPIECE-BEIGE  |
| RLN6284A  | EARPIECE W/ ACOUSTIC TUBE ASSM-BEIGE   |
| RLN6285A  | EARPIECE W/ ACOUSTIC TUBE ASSM-BLACK   |
| RLN6288A  | EARPIECE W/HIGH NOISE KIT ASSM-BEIGE   |
| RLN6289A  | EARPIECE W/HIGH NOISE KIT ASSM-BLACK   |
| RLN6477A  | MT SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR  |
| RLN6490A  | XBT HEADSET BTN, HEAVY DUTY HEADSET, BT  |
| RLN6491A  | XBT HEADSET HB, HEAVY DUTY HEADSET, BT   |
| RLN6500A  | MOTOTRBO BLUETOOTH ACCESSORY KIT W/NA POWER SUPPLY   |
| RLN6502A  | MOTOTRBO BLUETOOTH ACCESSORY KIT ARGENTINA   |
| RLN6503A  | MOTOTRBO BLUETOOTH ACCESSORY KIT EURO PLUG   |
| RLN6504A  | MOTOTRBO BLUETOOTH ACCESSORY KIT BRAZIL  |
| RLN6550A  | SWIVEL EARPIECE WITH INLINE MICROPHONE FOR BLUETOOTH ACCY KIT POD (PACK OF 3)                |

## Rev. 1 Uzupelnienie do Deklaracja zgodności UE (DoC-17120701051-C)

Niniejszy załącznik jest uzupełnieniem Deklaracji Zgodności UE w odniesieniu do wymienionego w powyższej deklaracji produktu i zostaje wydany na wyłączną odpowiedzialność producenta.

Akcesoria wymienione w niniejszym załączniku pozostają w zgodności z odnośnymi wymaganiami unijnego prawodawstwa harmonizacyjnego.

Akcesoria wyszczególnione poniżej zostały przebadane i zatwierdzone do użytku z przedmiotem powyższej deklaracji.

### NUMER KATALOGOWY OPIS (TYLKO INFORMACYJNIE)

#### AUDIO

|           |   |
|-----------|---|
| RMN4051B  | MT SERIES HARD HAT ATTACHED HEADSET WITH NEXUS CONNECTOR                      |
| RMN4052A  | TACTICALPRO SERIES OVER-THE-HEAD HEADSET WITH NEXUS CONNECTOR                 |
| RMN4053B  | TACTICALPRO SERIES HARD HAT HEADSET WITH NEXUS CONNECTOR                      |
| RMN4055B  | HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM NON THREADED CONNECTOR |
| RMN4056B  | HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM THREADED CONNECTOR     |
| RMN4057B  | HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM THREADED CONNECTOR          |
| RMN5058A  | CORE LIGHTWEIGHT HEADSET W/PTT & VOX  |
| RMN5131A  | METAL BOOM WITH MICROPHONE  |
| RMN5132A  | HT SERIES LISTEN ONLY NECKBAND HEADSET WITH 3.5MM NON THREADED CONNECTOR      |
| RMN5133A  | HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM NON THREADED CONNECTOR      |
| RMN5135A  | TACTICALPRO SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR                      |
| RMN5137A  | MT SERIES OVER-THE HEAD HEADSET, DIRECT RADIO CONNECT                         |
| RMN5138A  | MT SERIES NECKBAND HEADSET, DIRECT RADIO CONNECT                              |
| RMN5139A  | MT SERIES HARD HAT ATTACHED HEADSET, DIRECT RADIO CONNECT                     |
| WADN4190B | RECEIVE-ONLY FLEXIBLE EARPIECE  |

#### BATERIA

|            |   |
|------------|---|
| NNTN8129A  | IMPRES HI-CAP LI-ION FM BATTERY 2300M2350T  |
| NNTN8560A  | IMPRES HI-CAP LI-ION 2500 MAH BATTERY SUBMERSIBLE (IP57), INTRINSICALLY SAFE (TIA4950) 2300M2500T |
| PMNN4406BR | BATTERY STD IP67 LI-ION 1500M 1600T   |
| PMNN4407BR | IMPRES LI-ION, 1650MAH SLIM BATTERY 1600M1650T  |
| PMNN4409BR | IMPRES HI-CAP LI-ION NON-FM, 2150 MAH BATTERY 2150M2250T  |
| PMNN4412A  | BATT STD IP67 NIMH1300M1400T  |
| PMNN4435AR | LI-MN 1400 MAH LOW TEMP -30C BATTERY SUBMERSIBLE (IP57)   |
| PMNN4448AR | BATT IMP STD IP67 LIION 2700M2800T  |
| PMNN4463A  | BATT LIION IP57 2000M   |
| PMNN4488A  | BELIZE/ANDORRA UHC + VIBRATOR 2950M3000T  |

## Rev. 1 Uzupelnienie do Deklaracja zgodności UE (DoC-17120701051-C)

Niniejszy załącznik jest uzupełnieniem Deklaracji Zgodności UE w odniesieniu do wymienionego w powyższej deklaracji produktu i zostaje wydany na wyłączną odpowiedzialność producenta.

Akcesoria wymienione w niniejszym załączniku pozostają w zgodności z odnośnymi wymaganiami unijnego prawodawstwa harmonizacyjnego.

Akcesoria wyszczególnione poniżej zostały przebadane i zatwierdzone do użytku z przedmiotem powyższej deklaracji.

### NUMER KATALOGOWY    OPIS (TYLKO INFORMACYJNIE)

#### BATERIA

|           |  |
|-----------|--|
| PMNN4489A | BELIZE TIA4950 IMPRES HIGH CAP LI ION BATTERY 2850M2900T |
| PMNN4491A | BATTERY IMPRES LI-ION IP68 2200T                         |
| PMNN4493A | BELIZE NON-TIA HIGH CAP LV LI- ION BATTERY 2950M3000T    |

#### KABEL

|           |   |
|-----------|---|
| PMKN4012B | DMR PORTABLE PROGRAMMING CABLE                      |
| PMKN4013C | PROGRAMMING, TEST AND ALIGNMENT CABLE (M3 7-MAY-09) |
| PMKN4040A | DMR PORTABLE TELEMETRY CABLE                        |
| PMKN4126A | TEST ALIGNMENT, TTR AND PROGRAMMING CABLE           |

#### INNE

|            |                              |
|------------|------------------------------|
| 3087791G04 | EURO LINE CORD FOR SMART MUC |
| 3087791G07 | UK LINE CORD FOR SMART MUC   |

#### OPROGRAMOWANIE

Zainstalowane oprogramowanie radiowe pozostaje pod pełną kontrolą producenta bez możliwości ingerencji przez użytkownika. Oprogramowanie jest w zgodności z odnośnymi wymaganiami unijnego prawodawstwa harmonizacyjnego.

Powyżej wymienione akcesoria są opisane za pomocą ogólnych indeksów, które w praktyce posiadają regionalne przedrostki: MD – Europa, AA – Stany Zjednoczone, AZ – Azja/Pacyfik.

Informacja: Kopię powyższej Deklaracji Zgodności UE można uzyskać poprzez Motorola Help Desk, poprzez Dystrybutora bądź wysyłając zapytanie na jeden z podanych poniżej adresów email: [manufacturerdeclaration.eu@motorolasolutions.com](mailto:manufacturerdeclaration.eu@motorolasolutions.com) lub na stronie <http://www.motorolasolutions.com/Business/XU-EN/BMS+Resource+Library>.



## Declaración UE de conformidad (DoC-17120701051-C)

La presente declaración de conformidad se expide bajo la exclusiva responsabilidad del fabricante. El objeto de la declaración descrito anteriormente es conforme con la legislación de armonización pertinente de la Unión:

Directiva 2014/53/UE (RED)  
Directiva 2011/65/UE (RoHS)  
Directiva 2012/19/UE (WEEE)  
Directiva 2013/35/UE (EMF)

**Objeto de la declaración:** MOTOTRBO Subscriber DP4x00e portable radio series  
403-527Mhz, TX: 0.2-4W, 12.5/20/25kHz  
DP4400e, Type Designator: PBER502C (plain)  
DP4600e, Type Designator: PBER502F (limited keypad, display)  
DP4800e, Type Designator, PBER502H (full keypad, display)  
National Licenced Frequencies Only

**Observaciones reemplazadas:** Esta Declaración de conformidad reemplaza a DoC-17120701051-B

**introducido en el mercado por:** Motorola Solutions Germany GmbH , Am Borsigturm 130, 13507 Berlin, Germany

**La conformidad se acreditará mediante el cumplimiento de los requisitos aplicables de los siguientes estándares:**

EN 300 086 V2.1.2  
EN 300 113 V2.2.1  
EN 300 219 V2.1.1  
EN 300 720 V2.1.1

EN 301 489-1 V1.9.2  
EN 301 489-5 V1.3.1  
EN 60945:2002-10+COR1:2008

EN 60950-1:2006+A11:2009+A1:2010+A12:2011+AC:2011+A2:2013  
Cumple con ICNIRP (1998) sobre límites de exposición ocupacional/controlada  
EN 50360:2017  
EN 50566:2017

**Otros:**

Phoenix Testlab, NB#0700, performed assessment with regards to Maritime standard EN300 720 V2.1.1, according to Article 3.2 of RE-D and issued EU type examination certificate 18-110236

Año de la primera aplicación de la marca CE: 2015

Se han efectuado los paquetes de prueba básicos de la radio, tal como se describe en los estándares armonizados citados.

**Custodio de la documentación:** Motorola Solutions Germany GmbH, Am Borsigturm 130, D-13507 Berlin, Germany

Confirmamos la exactitud de esta traducción. Solo es válida si se proporciona con la versión original en inglés firmada.

## Rev. 1 Anexo a Declaración UE de conformidad (DoC-17120701051-C)

Esta declaración de conformidad es un anexo de la Declaración de conformidad del producto referido anteriormente y su emisión es responsabilidad exclusiva del fabricante.

Los accesorios que se describen a continuación cumplen la correspondiente legislación de armonización de la Unión Europea.

Los accesorios enumerados están certificados y aprobados para el uso con los modelos de radio a los que se hace referencia en la Declaración de conformidad mencionada.

| <u>NÚMERO DE PIEZA</u> | <u>DESCRIPCION (SOLO PARA INFORMACION)</u>                                 |
|------------------------|--|
| <b>AUDIO</b>           |  |
| BDN6664A               | RECEIVE ONLY EARPIECE BGE 1-WIRE   |
| BDN6665A               | REC ONLY EARPC, EXT LOUD, BGE  |
| BDN6719A               | EARPIECE W/3.5MM THREADED PLUG   |
| BDN6726A               | RECEIVE ONLY EARPC BLK, 1-WIRE   |
| BDN6781A               | EARBUD, SINGLE SPEAKER   |
| NNTN8143C              | REMOTE PTT BLUETOOTH POD (NON-SECURE)                                      |
| NNTN8189B              | BT ACCY KIT, SP, 12 CBL, NCHGR   |
| NNTN8191B              | BLUETOOTH POD, NO CHARGER  |
| NNTN8294A              | OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK                          |
| NNTN8295A              | OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK                         |
| NNTN8296A              | WIRELESS COVERT KIT  |
| NNTN8385A              | WIRELESS NECKLOOP Y-ADAPTER AND RETENTION HOOK FOR COMPLETELY DISCREET KIT |
| NNTN8459A              | 1 WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BLACK                       |
| NTN2572A               | EARPIECE WITH 12 CABLE (FOR USE WITH BLUETOOTH POD)                        |
| NTN2575A               | EARPIECE WITH 9 CABLE (FOR USE WITH BLUETOOTH POD)                         |
| PMLN4620B              | D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE     |
| PMLN5096B              | D-STYLE EARSET   |
| PMLN5102A              | ULTRA LITE HEADSET   |
| PMLN5275C              | HEAVY DUTY HEADSET   |
| PMLN5973A              | Ear Rcvr w Inline Mic/PTT, Magone  |
| PMLN5974A              | Lt Wt Hs w Boom Mic & PTT  |
| PMLN5975A              | Swivel Earpiece w Mic/PTT  |
| PMLN5976A              | Earset w Boom Mic/PTT  |
| PMLN5979A              | Breeze HS w Boom Mic & PTT   |
| PMLN6069A              | Earbud w Inline Mic/PTT  |

## Rev. 1 Anexo a Declaración UE de conformidad (DoC-17120701051-C)

Esta declaración de conformidad es un anexo de la Declaración de conformidad del producto referido anteriormente y su emisión es responsabilidad exclusiva del fabricante.

Los accesorios que se describen a continuación cumplen la correspondiente legislación de armonización de la Unión Europea.

Los accesorios enumerados están certificados y aprobados para el uso con los modelos de radio a los que se hace referencia en la Declaración de conformidad mencionada.

| <u>NÚMERO DE PIEZA</u> | <u>DESCRIPCION (SOLO PARA INFORMACION)</u>                                 |
|------------------------|--|
| AUDIO                  |  |
| PMLN6123A              | IMPRES 3 WIRE W/ TRANS TUBE-BLK  |
| PMLN6124A              | IMPRES 3 WIRE W/ TRANS TUBE-BGE  |
| PMLN6125A              | 1 WIRE SURVEILLANCE KIT-BLK  |
| PMLN6126A              | 1 WIRE SURVEILLANCE KIT -BGE   |
| PMLN6127A              | IMPRES 2 WIRE SURVEILLANCE -BLK  |
| PMLN6128A              | IMPRES 2 WIRE SURVEILLANCE-BGE   |
| PMLN6129A              | IMPRES 2 WIRE W/TRANS TUBE-BLK   |
| PMLN6130A              | IMPRES 2 WIRE W/TRANS TUBE-BGE   |
| PMLN6463A              | BUSINESS WIRELESS ACCESSORY KIT  |
| PMLN6765A              | TACTICAL GCAI PTT/VOX INTERFACE MODULE                                     |
| PMLN6767A              | TACTICAL REMOTE BODY PTT (FOR USE WITH INTERFACE MODULE PMLN6827)          |
| PMLN6827A              | PTT INTERFACE MODULE   |
| PMLN6830A              | TACTICAL REMOTE PTT RING SWITCH  |
| PMLN6852A              | NEXT GEN BTH HEAVY DUTY HEADSET GCAI                                       |
| PMLN6853A              | NEXT GEN BTH HEAVY DUTY HEADSET GCAI TIA4950                               |
| PMLN7052A              | OPERATIONS CRITICAL WIRELESS 1-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE |
| PMLN7181A              | FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC                                   |
| PMLN7203A              | FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC, MULTIPACK                        |
| PMLN7396A              | RX-ONLY ADJ D-STYLE W/STD 3.5MM JACK                                       |
| PMMN4024A              | REMOTE SPEAKER MICROPHONE  |
| PMMN4025A              | IMPRES REMOTE SPEAKER MIC  |
| PMMN4040A              | SUBMERSIBLE REMOTE SPEAKER MIC   |
| PMMN4046A              | IMPRES LARGE RSM W/ VOLUME, EMERGENCY, PROGRAMMABLE BUTTON, IP57           |
| PMMN4050A              | IMPRES LARGE RSM WITH EARJACK, NOISE CANCELING                             |
| PMMN4083A              | IMPRES LARGE RSM APX IP68 DELTA T (GCAI)                                   |

## Rev. 1 Anexo a Declaración UE de conformidad (DoC-17120701051-C)

Esta declaración de conformidad es un anexo de la Declaración de conformidad del producto referido anteriormente y su emisión es responsabilidad exclusiva del fabricante.

Los accesorios que se describen a continuación cumplen la correspondiente legislación de armonización de la Unión Europea.

Los accesorios enumerados están certificados y aprobados para el uso con los modelos de radio a los que se hace referencia en la Declaración de conformidad mencionada.

| <u>NÚMERO DE PIEZA</u> | <u>DESCRIPCION (SOLO PARA INFORMACION)</u>   |
|------------------------|--|
| AUDIO                  |  |
| PMMN4095A              | WIRELESS RSM (MCW)   |
| RLN4922A               | COMPLETELY DISCREET EARPIECE KIT   |
| RLN4941A               | RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE AND RUBBER EARTIP FOR REMOTE SPEAKER MICROPHONE |
| RLN5313A               | RECEIVE NLY SURV KIT (BLACK) /NOISE  |
| RLN5314A               | RECEIVE ONLY SURV KIT (BEIGE)/NOISE  |
| RLN5878A               | CORE 1 WIRE SURVEILLANCE - BLACK   |
| RLN5879A               | 1 WIRE SURVEILLANCE KIT RECEIVE-ONLY EARPIECE.BEIGE.   |
| RLN5886A               | LOW NOISE KIT  |
| RLN5887A               | HIGH NOISE KIT   |
| RLN6074A               | RSM REPLACEMENT COIL CORD KIT FOR PMMN4024 & PMMN4040A                                       |
| RLN6075A               | RSM REPLACEMENT COIL CORD KIT FOR PMMN4025   |
| RLN6279A               | STANDARD EARPIECE-BLACK  |
| RLN6280A               | STANDARD EARPIECE-BEIGE  |
| RLN6284A               | EARPIECE W/ ACOUSTIC TUBE ASSM-BEIGE   |
| RLN6285A               | EARPIECE W/ ACOUSTIC TUBE ASSM-BLACK   |
| RLN6288A               | EARPIECE W/HIGH NOISE KIT ASSM-BEIGE   |
| RLN6289A               | EARPIECE W/HIGH NOISE KIT ASSM-BLACK   |
| RLN6477A               | MT SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR  |
| RLN6490A               | XBT HEADSET BTN, HEAVY DUTY HEADSET, BT  |
| RLN6491A               | XBT HEADSET HB, HEAVY DUTY HEADSET, BT   |
| RLN6500A               | MOTOTRBO BLUETOOTH ACCESSORY KIT W/NA POWER SUPPLY   |
| RLN6502A               | MOTOTRBO BLUETOOTH ACCESSORY KIT ARGENTINA   |
| RLN6503A               | MOTOTRBO BLUETOOTH ACCESSORY KIT EURO PLUG   |
| RLN6504A               | MOTOTRBO BLUETOOTH ACCESSORY KIT BRAZIL  |
| RLN6550A               | SWIVEL EARPIECE WITH INLINE MICROPHONE FOR BLUETOOTH ACCY KIT POD (PACK OF 3)                |

## Rev. 1 Anexo a Declaración UE de conformidad (DoC-17120701051-C)

Esta declaración de conformidad es un anexo de la Declaración de conformidad del producto referido anteriormente y su emisión es responsabilidad exclusiva del fabricante.

Los accesorios que se describen a continuación cumplen la correspondiente legislación de armonización de la Unión Europea.

Los accesorios enumerados están certificados y aprobados para el uso con los modelos de radio a los que se hace referencia en la Declaración de conformidad mencionada.

| <u>NÚMERO DE PIEZA</u> | <u>DESCRIPCION (SOLO PARA INFORMACION)</u>  |
|------------------------|---|
| <b>AUDIO</b>           |   |
| RMN4051B               | MT SERIES HARD HAT ATTACHED HEADSET WITH NEXUS CONNECTOR  |
| RMN4052A               | TACTICALPRO SERIES OVER-THE-HEAD HEADSET WITH NEXUS CONNECTOR                                     |
| RMN4053B               | TACTICALPRO SERIES HARD HAT HEADSET WITH NEXUS CONNECTOR  |
| RMN4055B               | HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM NON THREADED CONNECTOR                     |
| RMN4056B               | HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM THREADED CONNECTOR                         |
| RMN4057B               | HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM THREADED CONNECTOR                              |
| RMN5058A               | CORE LIGHTWEIGHT HEADSET W/PTT & VOX  |
| RMN5131A               | METAL BOOM WITH MICROPHONE  |
| RMN5132A               | HT SERIES LISTEN ONLY NECKBAND HEADSET WITH 3.5MM NON THREADED CONNECTOR                          |
| RMN5133A               | HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM NON THREADED CONNECTOR                          |
| RMN5135A               | TACTICALPRO SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR  |
| RMN5137A               | MT SERIES OVER-THE HEAD HEADSET, DIRECT RADIO CONNECT   |
| RMN5138A               | MT SERIES NECKBAND HEADSET, DIRECT RADIO CONNECT  |
| RMN5139A               | MT SERIES HARD HAT ATTACHED HEADSET, DIRECT RADIO CONNECT   |
| WADN4190B              | RECEIVE-ONLY FLEXIBLE EARPIECE  |
| <b>BATERÍA</b>         |   |
| NNTN8129A              | IMPRES HI-CAP LI-ION FM BATTERY 2300M2350T  |
| NNTN8560A              | IMPRES HI-CAP LI-ION 2500 MAH BATTERY SUBMERSIBLE (IP57), INTRINSICALLY SAFE (TIA4950) 2300M2500T |
| PMNN4406BR             | BATTERY STD IP67 LI-ION 1500M 1600T   |
| PMNN4407BR             | IMPRES LI-ION, 1650MAH SLIM BATTERY 1600M1650T  |
| PMNN4409BR             | IMPRES HI-CAP LI-ION NON-FM, 2150 MAH BATTERY 2150M2250T  |
| PMNN4412A              | BATT STD IP67 NIMH1300M1400T  |
| PMNN4435AR             | LI-MN 1400 MAH LOW TEMP -30C BATTERY SUBMERSIBLE (IP57)   |
| PMNN4448AR             | BATT IMP STD IP67 LIION 2700M2800T  |
| PMNN4463A              | BATT LIION IP57 2000M   |
| PMNN4488A              | BELIZE/ANDORRA UHC + VIBRATOR 2950M3000T  |

## Rev. 1 Anexo a Declaración UE de conformidad (DoC-17120701051-C)

Esta declaración de conformidad es un anexo de la Declaración de conformidad del producto referido anteriormente y su emisión es responsabilidad exclusiva del fabricante.

Los accesorios que se describen a continuación cumplen la correspondiente legislación de armonización de la Unión Europea.

Los accesorios enumerados están certificados y aprobados para el uso con los modelos de radio a los que se hace referencia en la Declaración de conformidad mencionada.

| <u>NÚMERO DE PIEZA</u> | <u>DESCRIPCION (SOLO PARA INFORMACION)</u>               |
|------------------------|--|
| <b>BATERÍA</b>         |  |
| PMNN4489A              | BELIZE TIA4950 IMPRES HIGH CAP LI ION BATTERY 2850M2900T |
| PMNN4491A              | BATTERY IMPRES LI-ION IP68 2200T                         |
| PMNN4493A              | BELIZE NON-TIA HIGH CAP LV LI- ION BATTERY 2950M3000T    |
| <b>CABLE</b>           |  |
| PMKN4012B              | DMR PORTABLE PROGRAMMING CABLE                           |
| PMKN4013C              | PROGRAMMING, TEST AND ALIGNMENT CABLE (M3 7-MAY-09)      |
| PMKN4040A              | DMR PORTABLE TELEMETRY CABLE                             |
| PMKN4126A              | TEST ALIGNMENT, TTR AND PROGRAMMING CABLE                |
| <b>OTROS</b>           |  |
| 3087791G04             | EURO LINE CORD FOR SMART MUC                             |
| 3087791G07             | UK LINE CORD FOR SMART MUC                               |

### SOFTWARE

El software de radio instalado se encuentra bajo el control total del fabricante sin acceso por parte del usuario y cumple con las directivas pertinentes.

Los accesorios anteriores se muestran con los números de referencia globales. En la práctica el accesorio tendrá un prefijo regional. Los prefijos se crean para los kits regionales, principalmente el manual (idiomas) y el embalaje. Los prefijos identifican MD con los países europeos, AA con Estados Unidos y AZ con la región Asia/Pacífico.

Nota: Puede obtener una copia de la Declaración de conformidad mencionada anteriormente, firmada y fechada, a través del servicio de atención al cliente local de Motorola o del distribuidor que le vendió la radio. También puede solicitarla mediante un mensaje de correo electrónico a [manufacturerdeclaration.eu@motorolasolutions.com](mailto:manufacturerdeclaration.eu@motorolasolutions.com) o a través de <http://www.motorolasolutions.com/Business/XU-EN/BMS+Resource+Library>