




# APX PROJECT 25 RADIO ACCESSORIES SAFETY WITHOUT COMPROMISE





# MISSION CRITICAL PERFORMANCE **THAT PUTS SAFETY FIRST**



# APX PORTABLE RADIO **ACCESSORIES**

Motorola P25 APX radios deliver what first responders need to increase their safety and improve their situational awareness.

Get the most out of your APX radio by extending its power and reliability with APX accessories. They are the only accessories, tested and certified for use with APX radios. Our accessories endure rigorous testing to help keep you safer. There's simply no substitute for APX accessories.

Hazards that can impede other batteries, don't affect ours. We build superior batteries specifically for Motorola radios, then test them in real-world conditions against other manufacturers to prove they are the toughest and most reliable around.



### **MOTOROLA'S EXCLUSIVE AUDIO FEATURES ARE MADE FOR MISSION CRITICAL MOMENTS**

### **IMPRES<sup>™</sup> ENERGY: YOUR BATTERY SAFER, SMARTER, POWERED FOR LONGER**

Only IMPRES technology gives you the most accurate information on the state of your battery so you know it's fully charged to last the entire shift. IMPRES batteries can be charged 150 more times than a standard battery.

### **DUAL-MIC NOISE SUPPRESION: I HEAR YOU, EVEN WHEN YOU CAN'T HEAR YOURSELF**

Virtually blocks out all background noise in demanding and extreme noise environments so you can always communicate clearly.



## YOU, NOT THE WIND

Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.

Reduce the effect of wind and other outdoor noise so your messages are always heard clearly.






WINDPORTING AUDIO: I HEAR

### **NOISE-CANCELING AUDIO: HEAR YOU, NOT THE NOISE**

Reduce the effect of background crowd noise, sounds of sirens and horns so your messages are always heard clearly.



OMPATIBILITY	ACCESSORY			FEATURES											MARKET <sup>1</sup>	
E REMOTE SPEAI	KER MICROPHONE	(RSM)W														
X PORTABLE RADIOS	REMOTE SPEAKER Microphones	DESCRIPTION	PART NUMBER	IMPRES	WINDPORTING OR Noise-canceling	VOLUME CONTROL <sup>2</sup>	ORANGE PROGRAMMABLE BUTTON	DISPLAY	CHANNEL CONTROL	PROGRAMMABLE BUTTON	AUDIO JACK	IP RATING	INTRINSIC SAFETY RATING	SIZE (WITHOUT CLIP), (MM)	POLICE	FIRE /
E RSM WITH XTR	REME TEMPERATU	RE CABLE														
	<b>F</b>	Xtreme Temperature Cable High Impact Green Housing	NNTN8575A	•	Dual Mic Noise Suppression	Step				1		♦ IP68	FM	75 x 100 x 33		•
APX 7000 SERIES	Ţ	Xtreme Temperature Cable Black Housing	NNTN8575ABLK	•	Dual Mic Noise Suppression					1		▲ IP68	FM	75 x 100 x 33		•
APX 7000XE SERIES	Ĩ	Xtreme Temperature Cable Yellow Housing	NNTN8575AYLW	•	Dual Mic Noise Suppression					1		♦ IP68	FM	75 x 100 x 33		•
APX 6000 SERIES	*	Xtreme Temperature Replacement Cable for XE RSM (NNTN8203 and NNTN8575 series)	30009402002													
APX 6000XE SERIES		Clip Assembly with brass insert designed to work with radio straps with hang up clip. Requires Clip Button NNTN8749	NNTN8271													
	3	Clip Button	NNTN8749													
	REMOTE SPEA         X PORTABLE RADIOS         E RSM WITH XTF         APX 7000         SERIES         APX 7000XE         SERIES         APX 6000         APX 6000XE	REMOTE SPEAKER MICROPHONE         X PORTABLE RADIOS         REMOTE SPEAKER MICROPHONES         ERSM WITH XTREME TEMPERATUR         APX 7000         APX 7000XE         SERIES         APX 7000XE         SERIES         APX 6000         APX 6000XE	REMOTE SPEAKER MICROPHONE (RSM)W         X PORTABLE RADIOS       REMOTE SPEAKER MICROPHONES       DESCRIPTION         RSM WITH XTREME TEMPERATURE CABLE       Xtreme Temperature Cable High Impact Green Housing         APX 7000 SERIES       Impact Green Housing       Xtreme Temperature Cable Black Housing         APX 7000 SERIES       Impact Green Housing       Xtreme Temperature Cable Black Housing         APX 7000XE SERIES       Impact Green Housing       Xtreme Temperature Cable Black Housing         APX 7000XE SERIES       Impact Green Housing       Xtreme Temperature Cable Pellow Housing         APX 6000       Impact Green Housing       Impact Green Housing         Impact Green Housing       Impact Green Housing       Impact Green Housing         Impact Green Housing       Impact Green Housing       <	REMOTE SPEAKER MICROPHONE (RSM)W         XPORTABLE RADIOS       RMOTE SPEAKER MICROPHONES       DESCRIPTION       PART NUMBER         ERSM WITH XTERME TEMPERATURE CABLE       XTreme Temperature Cable High Impact Green Housing       NNTN8575A         APX 7000 SERIES       XTreme Temperature Cable Black Housing       NNTN8575ABLK         APX 7000XE SERIES       XTreme Temperature Cable Black Housing       NNTN8575APLW         APX 7000XE SERIES       XTreme Temperature Cable Vellow Housing       NNTN8575APLW         APX 6000XE SERIES       Clip Assembly with brass insert designed to work with radio straps with hang up clip. Requires Clip Button NNTN8749       NNTN8271	REMOTE SPEAKER MICROPHONE (RSM)W         XPORTABLE RADIOS       REMOTE SPEAKER MICROPHONES       DESCRIPTION       PART NUMBER       IMPRES         RSM WITH XTREME TEMPERATURE CABLE       Impact Green Housing       NNTN8575A       •         APX 7000       Impact Green Housing       NNTN8575A       •         APX 7000       Impact Green Housing       NNTN8575A       •         APX 7000XE       Impact Green Housing       NNTN8575ABLK       •         APX 6000       Impact Green Housing       NNTN8575APLW       •         APX 6000XE       Impact Green Housing       NNTN8575 series)       30009402002         APX 6000XE       Impact Green Housing       NNTN8575 series)       NNTN8571         APX 6000XE       Impact Green Housing       NNTN8575       NNTN8575         APX 6000XE       Impact Green Housing       NNTN8575       NNTN8575         APX 6000XE       Impact Green Housing       NNTN8575       NNTN8575	REMOTE SPEAKER MICROPHONE (RSM)W         KRORTABLE RADIOS       REMOTE SPEAKER MICROMINANS       DESCRIPTION       PART NUMBER       IMPRES       WINDPOSE MODE CANCELING         E RSM WITH XTREME TEMPERATURE CABLE       Impact Green Housing       NNTN8575A       •       Dual Mic Noise         APX 7000 SERIES       Xtreme Temperature Cable High Impact Green Housing       NNTN8575A       •       Dual Mic Noise         APX 7000 SERIES       Xtreme Temperature Cable Black Housing       NNTN8575ABLK       •       Dual Mic Noise         APX 7000XE       Xtreme Temperature Cable Vellow SERIES       NNTN8575APLW       •       Dual Mic Noise         APX 7000XE       Xtreme Temperature Cable Yellow SERIES       NNTN8575APLW       •       Dual Mic Noise         APX 7000XE       Xtreme Temperature Cable Yellow Inviting       NNTN8575APLW       •       Dual Mic Noise         APX 7000XE       Xtreme Temperature Replacement Cable for XE RSM (INTN2203 and NNTN8575 series)       30009402002       V         APX 6000XE SERIES       Clip Assembly with brass insert designed to work with radio straps Requires Clip Button NNTN8749       NNTN8271	REMOTE SPEAKER MICROPHONE (RSM)W         KRONT SPEAKER MICROPHONES       DESCRIPTION       PART NUMBER       IMPRES       WithEPORTING OD WITHER       CONTROL         ENSM WUTH XTREME TEMPERATURE CABLE       Impres       Xirreme Temperature Cable High Impact Green Housing       NNTN8575A       Dual Mic Noise Suppression       Dual Mic Noise         APX 7000 SERIES       Impres       Xirreme Temperature Cable Black Housing       NNTN8575ABLK       Dual Mic Noise Suppression         APX 7000XE SERIES       APX 7000XE SERIES       Xirreme Temperature Cable Vellow Housing       NNTN8575AVLW       Dual Mic Noise Suppression         APX 8000 SERIES       Xirreme Temperature Cable Yellow Housing       NNTN8575AVLW       Dual Mic Noise Suppression         APX 8000 SERIES       Xirreme Temperature Replacement Cable for XE RSM (NNTN8203 and NNTN8575 series)       30009402002         APX 8000 SERIES       Clip Assembly with brass inset designed to work with radio straps Requires Clip Button NNTN8749       NNTN8271	ENHOTE SPEAKER MICROPHONE (RSM)W         KRONT SPEAKER MECOPHONES       DESCRIPTION       PAIT NUMBER       MARCE       WINDPORTINGE OR VOURSE CAUCELING       VOUNTEL UNIMBER       OPAMOE OUNTERLE         ENSM WITH XTREME TEMPERATURE CABLE       Xtreme Temperature Cable High Impact Green Housing       NNTNBE75A       -       Dual Mic Noise Suppression       Stop       Impact OPAMOE         APX 7000 SERIES       APX 7000 SERIES       Xtreme Temperature Cable Black Housing       NNTNBE75ABLK       -       Dual Mic Noise Suppression       Out Mic Noise         APX 7000 SERIES       Xtreme Temperature Cable Vellow Housing       NNTNBE75APLW       Dual Mic Noise Suppression       Dual Mic Noise         APX 8000E       Xtreme Temperature Cable Vellow Series       NNTNBE75AYLW       Dual Mic NNTNBE75AYLW       Dual Mic Noise         APX 8000E       Xtreme Temperature Replacement designed to work with radio straps struct       Struct       Clip Assembly with brass insert designed to work with radio straps Requires Clip Buton NNTN8749       NNTNB271	REMOTE SPEAKER MICROPHONE (RSM)W         KRONTALLE MADIO       MMMCT SPEAKER MICROPHONES       DESCRIPTION       PART NUMBER       MMMCS       MMMCPORTING OR VOLUME MICROPHONES       OWNER OWNER DISTANT       DATA NUMBER         KRONTALLE MADIO       MMMCT SPEAKER MICROPHONE       MMMCT SPEAKER MICROPHONE <th>ENCOTE SPEAKER MICROPHONE (RSM)W       DESCRIPTION       VAIL VAILERA       IMPRES       VAIL VAILERA       VAIL VAILERA<!--</th--><th>REMOTE SPEAKER MICROPHONE (RSM)W         Remote Speaker Accompany       Description       Part NAMER       MMER       MERCOMPANY       Description       <thdescription< th="">       Description       D</thdescription<></th><th>EREMOTE SPEAKER MICROPHONE (RSM)/W       DESCRIPTION       PATINAMESO       MIRE       MADORDITINO DU LUCADO       DESCRIPTION       DESCRIPTION</th><th>EREMOTE SPEAKER MICROPHONE (RSM)W         Remote Speaker MICROPHONE (RSM)W         Control of Monophone (RSM)W         Remote Speaker MICROPHONE (RSM)W         Control of Monophone (RSM)W         Contro of Monophone (RSM)W         Control of Monophone (RSM)W&lt;</th><th>EREMOTE SPEAKER MICROPHONE (ISMI)///         BOOM //         BOOM //         PAT NUMBER         WITE OF CARE //         DURING         DURING<th>ERMOTE SPEAKER MICROPHONE (RSM)///         Description         Parts         Parts<th>REMOTE SPEAKER MICROPHONE (RSMI)         Resultant Marker Mar</th></th></th></th>	ENCOTE SPEAKER MICROPHONE (RSM)W       DESCRIPTION       VAIL VAILERA       IMPRES       VAIL VAILERA       VAIL VAILERA </th <th>REMOTE SPEAKER MICROPHONE (RSM)W         Remote Speaker Accompany       Description       Part NAMER       MMER       MERCOMPANY       Description       <thdescription< th="">       Description       D</thdescription<></th> <th>EREMOTE SPEAKER MICROPHONE (RSM)/W       DESCRIPTION       PATINAMESO       MIRE       MADORDITINO DU LUCADO       DESCRIPTION       DESCRIPTION</th> <th>EREMOTE SPEAKER MICROPHONE (RSM)W         Remote Speaker MICROPHONE (RSM)W         Control of Monophone (RSM)W         Remote Speaker MICROPHONE (RSM)W         Control of Monophone (RSM)W         Contro of Monophone (RSM)W         Control of Monophone (RSM)W&lt;</th> <th>EREMOTE SPEAKER MICROPHONE (ISMI)///         BOOM //         BOOM //         PAT NUMBER         WITE OF CARE //         DURING         DURING<th>ERMOTE SPEAKER MICROPHONE (RSM)///         Description         Parts         Parts<th>REMOTE SPEAKER MICROPHONE (RSMI)         Resultant Marker Mar</th></th></th>	REMOTE SPEAKER MICROPHONE (RSM)W         Remote Speaker Accompany       Description       Part NAMER       MMER       MERCOMPANY       Description       Description <thdescription< th="">       Description       D</thdescription<>	EREMOTE SPEAKER MICROPHONE (RSM)/W       DESCRIPTION       PATINAMESO       MIRE       MADORDITINO DU LUCADO       DESCRIPTION       DESCRIPTION	EREMOTE SPEAKER MICROPHONE (RSM)W         Remote Speaker MICROPHONE (RSM)W         Control of Monophone (RSM)W         Remote Speaker MICROPHONE (RSM)W         Control of Monophone (RSM)W         Contro of Monophone (RSM)W         Control of Monophone (RSM)W<	EREMOTE SPEAKER MICROPHONE (ISMI)///         BOOM //         BOOM //         PAT NUMBER         WITE OF CARE //         DURING         DURING <th>ERMOTE SPEAKER MICROPHONE (RSM)///         Description         Parts         Parts<th>REMOTE SPEAKER MICROPHONE (RSMI)         Resultant Marker Mar</th></th>	ERMOTE SPEAKER MICROPHONE (RSM)///         Description         Parts         Parts <th>REMOTE SPEAKER MICROPHONE (RSMI)         Resultant Marker Mar</th>	REMOTE SPEAKER MICROPHONE (RSMI)         Resultant Marker Mar

 $^{\rm 2}$  Two settings switch for volume – high and low.

4





GOWIPATIBILITY	AGGESSONT			FEATURES								WIANKE	f					
REMOTE SPEA clearer communic	KER MICROPHONES (R ations even in loud environr	SM) Our robust portfolio includes Remote Spenets.	eaker Microphone	hones and secondary audio accessories engineered to give you						All remote speaker microphones are built with top quality mate						rials including d		
APX PORTABLE RADIOS	REMOTE SPEAKER MICROPHONES	DESCRIPTION	PART NUMBER	IMPRES	WINDPORTING OR NOISE-CANCELING	VOLUME CONTROL <sup>2</sup>	ORANGE PROGRAMMABLE BUTTON	DISPLAY	CHANNEL Control	PROGRAMMABLE BUTTON	AUDIO JACK	IP RATING	INTRINSIC SAFETY RATING	SIZE (WITHOUT CLIP), (MM)	POLICE	FIRE		
	Ţ	IMPRES XP RSM with Dual Mic Noise Suppression, Volume Control, 1-Programmable Button and Orange Button. Rugged, Submersible (IP68)	NMN6271	•	Dual Mic Noise Suppression					1		♦ IP68		95 x 69 x 27	•			
APX 7000 SERIES APX 7000XE SERIE	s 🛡	IMPRES XP RSM with Dual Mic Noise Suppression, 3.5mm threaded jack, Volume Control,1-Programmable Button and Orange Button (IP55)	NMN6274	•	Dual Mic Noise Suppression	Step	ð			1	Threaded 3.5 mm	IP55		95 x 69 x 27	•			
APX 6000 SERIES APX 6000XE SERIE	<b>•</b>	Wireless RSM w/ Battery, Clip and Dual Unit Charger	RLN6554		Windporting					1	Threaded 3.5 mm	IP55		88 x 63 x 26	•			
APX 0000AE SERIES	,	IMPRES Display RSM with Audio Jack, Channel Selector, Volume Control, 2-Programmable Buttons and Orange Button. Windporting, Rugged, Submersible (IP68)	HMN4104	•	Windporting	Step	ý	•	•	2	8-Pin	♦ IP68	FM	68 x 106 x 31	•	•		
APX 2000 SERIES SRX 2200 SERIES	<b>P</b>	IMPRES Display RSM with Audio Jack, Volume Control, 2-Programmable Buttons and Orange Button. Windporting, Rugged, Submersible (IP68)	HMN4103	•	Windporting	Step	ý	•		2	8-Pin	♦ IP68	FM	68 x 106 x 31	•	•		
	Ţ	IMPRES RSM with Audio Jack, Volume Control, 2-Programmable Buttons and Orange Button. Windporting, Rugged, Submersible (IP68)	HMN4101	•	Windporting	Step	Ŷ			2	8-Pin	<b>▲</b> IP68	FM	68 x 106 x 31	•	•		

<sup>2</sup> Two settings switch for volume - high and low.

IMPRES AUDIO (MOTOROLA EXCLUSIVE): Ensure your voice is heard clearer, crisper, AUDIO JACK: Connect a variety of comfortable earpiece styles to the remote speaker and louder regardless of level or direction you're speaking into the accessory.

WINDPORTING (MOTOROLA EXCLUSIVE) OR NOISE-CANCELLING: Windporting reduces the effect of wind and other outdoor noises on your microphone performance and prevents water from clogging the microphone and distorting your transmission. Noise-cancelling microphones negates crowd or machinery noise so your voice comes through loud and clear anytime you speak directly into the microphone.

microphone for a more discreet communication option.

**ORANGE BUTTON:** This essential programmable button on top of the microphone is easily activated if you are in trouble. This button can also be set for any programmable feature on the radio, such as emergency.

**PROGRAMMABLE BUTTON:** This programmable button allows you to access key features while you keep your radio on your belt or hidden under a jacket.

**VOLUME CONTROL:** Conveniently access the volume control. Toggle switch allows you to easily adjust between high and low volume as needed. Ruggedized and is heated at 27°C higher than the water temperature for 2 hours then immediately immersed to a depth of 1 meter for another 2 hours.

IP RATING: The international standard for rating dust and water protection. The first digit represents the level of dust protection: 5 provides excellent protection from dust. The second digit represents water protection. IP54 provides protection from water sprayed from all directions, IP55 protects against driving rain, IP57 resists submersion in 1 meter of fresh water for 30 minutes and IP68 exceeds industry specs. Product is

FEDERAL UTILITIES AND OIL, GAS AND AGENCIES PUBLIC WORKS MINING TRANSPORTATION EMS MILITARY

durable **Kevlar®** cables that survive tough working conditions.

<sup>1</sup> These are recommended uses based on typical use case for each market listed.

INTRINSIC SAFETY RATING: Motorola-approved accessories are a critical part of the overall radio system certified by a recognized testing organization as intrinsically safe. Non-Motorola approved accessories may not be certified for APX and if used, could result in equipment that is NOT approved or unsafe in a hazardous environment.

ATIBILITY	ACCESSORY			FEATUR	RES								MARKET <sup>1</sup>							
OTE SPEAKEI	R MICROPHONES (R ons even in loud environ	SM) Our robust portfolio includes Remote Spe	eaker Microphone	es and seco	ondary audio acce	essories eng	ineered to give you													
RTABLE RADIOS	REMOTE SPEAKER MICROPHONES	DESCRIPTION	PART NUMBER	IMPRES	WINDPORTING OR Noise-canceling	VOLUME CONTROL <sup>2</sup>	ORANGE PROGRAMMABLE DISPLAY CHANNEL BUTTON	PROGRAMMABLE BUTTON	AUDIO JACK	IP RATING	INTRINSIC SAFETY RATING	SIZE (WITHOUT CLIP), (MM)	POLICE	FIRE	EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS		TRANSPOR
7000 SERIES 7000XE SERIES	5	IMPRES RSM Windporting, Rugged (IP68)	PMMN4083	•	Windporting			0		♦ IP68	FM TIA <sup>3</sup>	60 x 78 x 28	•	•	•	•	•	•	٠	•
6000 SERIES 6000XE SERIES 3000 SERIES	<b>49</b> -	IIMPRES RSM with 3.5mm Threaded and NON-Threaded Audio Jack and Orange Button. Noise Cancelling (IP54) NOT INTENDED FOR FIRE MARKETS	PMMN4084	•	Noise- Canceling			0	Threaded and Non-Threaded 3.5 MM	IP54	FM TIA <sup>3</sup>	60 x 78 x 28	•			•	•	•	•	•
2000 SERIES 2200 SERIES	5	IMPRES Windporting RSM with Volume Toggle Switch, Orange Button, 3.5mm NON- Threaded Jack (IP55)	PMMN4099	•	Windporting	High/Low <sup>2</sup>	Þ 🖗	1	3.5 mm	IP55		60 x 78 x 28	•			•	•	•		
SRX 2200		Windporting RSM, small, submersible (IP57), Coyote Brown	NNTN8235		Windporting			0		<b>♦</b> IP57	FM	55 x 60 x 27				•				
SERIES	G	Windporting RSM with NON-Threaded 3.5mm Audio Jack, small (IP54), Coyote Brown	NNTN8236		Windporting			0	3.5 mm	IP54	FM	55 x 60 x 27				•				
7000 SERIES 7000XE SERIES	1	IMPRES RSM with NON-Threaded Audio Jack, Orange Button, Noise Cancelling (IP54)	PMMN4062	•	Noise- Canceling			0	3.5 mm	IP54	FM TIA <sup>3</sup>	60 x 78 x 28				•	•	•	•	
000 SERIES 000XE SERIES 000 SERIES		IMPRES RSM with Volume Toggle Switch, Orange Button and 1-Programmable Button, Windporting (IP57)	PMMN4065	•	Windporting	High/Low <sup>2</sup>	⇒ ₩	1		<b>I</b> P57	FM	60 x 78 x 28	•	•	•	•	•	•	•	
2000 SERIES 1000 SERIES 1200 SERIES	5	IMPRES RSM with NON-Threaded Audio Jack, Windporting (IP55)	PMMN4069	•	Windporting			0	3.5 mm	IP55	FM	60 x 78 x 28	•	•	•	•	٠	•	•	

COMPATIBILITY	ACCESSORY			FEATURES		
REMOTE SPEAKE	R MICROPHONES AG	CCESSORIES AND REPLACEMENT P	ARTS			
APX PORTABLE RADIOS	REMOTE SPEAKER Microphones and Replacement parts	DESCRIPTION	PART NUMBER	EARPIECE TYPE	CONNECTOR TYPE	INTRINSIC Safety Rating
APX 7000 SERIES APX 7000XE SERIES		Wireless RSM w/ Battery & Clip	RLN6544			
APX 6000 SERIES APX 6000XE SERIES APX 3000 SERIES APX 2000 SERIES		Wireless RSM only	PMMN4095			
APX 1000 SERIES SRX 2200 SERIES		Wireless RSM Battery, 1750mA Lilon	PMNN4461			

### WIRELESS **REMOTE SPEAKER MICROPHONE**


Secure pairing is easier than ever with voice prompts as there is no need to navigate menus or enter codes.

Removing the cord from the RSM makes getting ready for work quicker than ever. No more worrying about getting tangled with the seatbelt or other equipment.

This wireless RSM features a large, but recessed push-to-talk and emergency buttons to ensure that users have easy access to controls but don't have to worry about accidental activation. Additional features include volume control, an audio jack, 360 degree rotatable clip, as well as a task light that allows you to read items such as a driver's license in the dark.



COMPATIBILITY	ACCESSORY			FEATURES		
REMOTE SPEAKE	R MICROPHONES AU REMOTE SPEAKER MICROPHONES AND REPLACEMENT PARTS	CESSORIES AND REPLACEMENT PAR DESCRIPTION	PART NUMBER	EARPIECE TYPE	CONNECTOR TYPE	INTRINSIC SAFETY RATING
		Dual Unit Charger, Rapid Rate 230V (US plug)	PMLN7120			
		Dual Unit Charger, Rapid Rate 230V (Euro plug)	PMLN7121			
APX 7000 SERIES		Dual Unit Charger, Rapid Rate 230V (UK plug)	PMLN7122			
APX 7000XE SERIES	٢	Vehicular Charger	PMLN6716			
APX 6000 SERIES		D Ring Swivel Clip 12/PK	NNTN4990			
APX 6000XE SERIES	. 6	Receive-Only Earpiece with Comfort Eartube, FM approved	RLN4941	Clear Rubber Eartip	3.5mm	FM
APX 3000 SERIES	5	Receive-Only Earpiece with Comfort Eartube, FM approved	MDRLN4941	Clear Rubber Eartip	3.5mm	FM
APX 2000 SERIES	D	Receive-Only Earbud, FM approved, Threaded 3.5mm connector	MDRLN4885	Foam Earbud	3.5mm	FM
SRX 2200 SERIES	$\mathbf{Q}$	Receive-Only Earbud, FM approved, Threaded 3.5mm connector	AARLN4885	Foam Earbud	3.5mm	FM
		Receive-Only Earbud, Black, Single Wire	BDN6781			
	6	EP7 Sonic Defender, use with RLN4941	RLN6511 RLN6512 RLN6513			



<sup>1</sup> UL certified TIA 4950 approved when used with a UL certified TIA 4950 approved APX 2000 two knob radio.



NOTE: See page 20 for high noise earpiece solutions.

		FEATURES		
NT PAR	TS			
	PART NUMBER	EARPIECE TYPE	CONNECTOR TYPE	INTRINSIC SAFETY RATING
	WADN4190	Over-the-Ear	3.5mm	FM TIA1
ple 3 and	RMN5116	Over-the- Head	8-Pin	FM
ent I,	RLN6424	Clear Rubber Eartip	8-Pin	FM
7 and ack of	5080384F72	Foam Eartip		
424	5080370E97	Clear Rubber Eartip		

# WHICH MICROPHONES ARE 50% LOUDER AND CLEARER?

APX Remote Speaker Microphones and Public Safety Microphones deliver audio that is clearer, easier to understand, and up to 50% louder. That's because they have the same speaker found in APX portable radios for the best-in-class accessory audio available.

COMPATIBILITY	ACCESSORY			
<b>REMOTE SPEAKE</b>	R MICROPHONE ACC	ESSORIES AND REPLACEMENT PART	S	
PORTABLE RADIOS	REMOTE SPEAKER MICROPHONE ACCESSORIES	DESCRIPTION	PART NUMBER	CONNECTOR TYPE
APX 7000 SERIES		Display RSM Interface Cable, 5-Pin Nexus Female Receptacle	PMKN4107	5-Pin Nexus Female
APX 7000XE SERIES		Display RSM Interface Cable 4-Pin Nexus Male Plug	PMKN4112	4-Pin Nexus Male
APX 6000 SERIES APX 6000XE SERIES		Display RSM Interface Cable, 12-Pin Hirose Male Connector	PMKN4113	12-Pin Hirose Male
APX 3000 SERIES APX 2000 SERIES	$\bigtriangledown$	Replacement Coil Cord Kit for HMN4104, 4103 and 4101	3075336B17	
APX 1000 SERIES SRX 2200 SERIES		Replacement Coil Cord Kit for PMMN4062, PMMN4065, PMMN4069, PMMN4083 and PMMN4099.	RLN6075	
		Replacement coil cord for PMMN4084	30012057001	

### WHICH MICROPHONE **IS RIGHT FOR ME?**

### WINDPORTING AUDIO: I HEAR YOU, NOT THE WIND

100 100

If you work outdoors in demanding weather, a Windporting microphone is right for you. It reduces the effects of wind and other sounds whenever you use the microphone. It also prevents water from clogging the microphone for clear transmissions.

11

### NOISE-CANCELING AUDIO: I HEAR YOU, NOT THE NOISE

Talking in a crowd or near heavy equipment? A Noise-Canceling microphone reduces background sounds. To optimize noise reduction, hold the microphone in the correct position directly in front of your mouth, facing the source of the noise.

### DUAL MIC NOISE SUPPRESSION:

### I HEAR YOU, EVEN WHEN YOU CAN'T HEAR YOURSELF

Virtually blocks out all background noise in demanding and extreme noise environments so you can always communicate clearly.

MPATIBILITY	ACCESSORY			FEATURES	5								<b>MARKET</b> <sup>1</sup>						
BLIC SAFETY N arer communicatio	<b>AICROPHONES</b> Our ons even in loud enviro	robust portfolio includes Public Safety Micropho onments.	ones and seconda	ry audio acco	essories engineered	to give you													
PORTABLE RADIOS	PUBLIC SAFETY MICROPHONES	DESCRIPTION	PART NUMBER	IMPRES	WINDPORTING OR Noise-canceling	VOLUME CONTROL <sup>2</sup>	ORANGE PROGRAMMABLE BUTTON	PROGRAMMABLE BUTTON	AUDIO JACK	IP RATING	INTRINSIC SAFETY RATING	SIZE (MM)	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	DIL, GAS AND MINING	TRANSPO
<b>APX 7000</b> 700/800 MHz only	1.	IMPRES Windporting Public Safety Microphone (30 inch cable) with 3.5mm NON-Threaded Audio Jack, Volume Control, Orange Button. PSM Antenna required. Large (IP55)	PMMN4061	•	Windporting	Hi/Low		1	3.5 mm	IP55	FM	60 x 78 x 28	•				•		
APX 6000 700/800 MHz only		IMPRES Windporting Public Safety Microphone (24 inch cable) with 3.5mm NON-Threaded Audio Jack, Volume Control, Orange Button. PSM Antenna required. Large (IP55)	PMMN4060	•	Windporting	Hi/Low		1	3.5 mm	IP55	FM	60 x 78 x 28	•				•		
<b>APX 3000</b> 700/800 MHz only		IMPRES Windporting Public Safety Microphone (18 inch cable) with 3.5mm NON-Threaded Audio Jack, Volume Control, Orange Button. PSM Antenna required. Large (IP55)	PMMN4059	•	Windporting	Hi/Low	-	1	3.5 mm	IP55	FM	60 x 78 x 28	•				•		
BLIC SAFETY N	<b>IICROPHONE ANT</b>	ENNAS																	
PX 6000 SERIES PX 6000XE SERIES		UHF Range 1, GPS Stubby Antenna	FAF5259																
PX 2000 SERIES PX 1000 SERIES		UHF Range 2, GPS Stubby Antenna	FAF5260																
	I	V/UE_700/000 M/Uz Duel Paged CBS M/big																	

APX 6000 SERIES APX 6000XE SERIES	UHF Range 1, GPS Stubby Antenna	FAF5259	
APX 2000 SERIES APX 1000 SERIES	UHF Range 2, GPS Stubby Antenna	FAF5260	
APX 7000 SERIES APX 7000XE SERIES	VHF, 700/800 MHz Dual Band, GPS Whip Antenna	NAR6594	



COMPATIBILITY	ACCESSORY			FEATURES		
	tegrated microphone/receir d you, from traffic noise to o	ver lets you talk discreetly and hear cle other responders.	arly and still be aw	are		
APX PORTABLE RADIOS	EARPIECES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	РТТ
	3.	Integrated Ear Microphone/Receiver System with Palm PTT (Includes adapter BDN6783)	RLN6480	Over-the-Ear, Clear Silicone Eartube	On Earpiece, Above Ear	Palm
APX 7000 SERIES APX 7000XE SERIES	<b>~</b>	Integrated Ear Microphone/Receiver System with PTT on Adapter (Includes adapter BDN6783)	RLN6482	Over-the-Ear, Clear Silicone Eartube	On Earpiece, Above Ear	On Adapter
IPX 6000 SERIES IPX 6000XE SERIES IPX 3000 SERIES	<b>```</b> ~ ~ ~	Integrated Ear Microphone/Receiver System with Snap-On-Side PTT (Includes adapter BDN6783)	RLN6481	Over-the-Ear, Clear Silicone Eartube	On Earpiece, Above Ear	Side
IPX 2000 SERIES IRX 2200 SERIES	<b>~</b> ~	Integrated Ear Microphone/Receiver System with Ring PTT (Includes adapter BDN6783)	RLN6483	Over-the-Ear, Clear Silicone Eartube	On Earpiece, Above Ear	Ring
	<b>*</b>	Integrated Ear Microphone/Receiver System with Body PTT (Includes adapter BDN6783)	RLN6484	Over-the-Ear, Clear Silicone Eartube	On Earpiece, Above Ear	Body



### HOW DOES COMMPORT<sup>™</sup> WORK?

The miniature microphone and receiver connect to your APX radio and fasten securely and comfortably to your ear. Unlike bone conduction or boom mic technology, the CommPort System picks up sound waves as they cross the face so you hear and can be heard virtually in any environment.



	PART NUMBER
	NKN6510
	NKN6508
	NKN6525
	NKN6512
	NNTN4188
	NTN8819
ens)	NTN8821
to ear	NTN8986
ar	NTN8988
	RLN5037
	4285838B01
	4202006A01



COMPATIBILITY	ACCESSORY			FEATURES						<b>MARKET</b> <sup>1</sup>	
EAR MICROPHON	E SYSTEM										
APX PORTABLE RADIOS	EAR MICROPHONE System	DESCRIPTION	PART NUMBER	IMPRES	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	INTRINSIC SAFETY RATING	POLICE	FIR
APX 7000 SERIES	Sip	IMPRES Ear Microphone with Bone Conduction and programmable button, black	PMLN5653	•	In-Ear Mic	In-Ear Mic	Large, Ring-guarded, Recessed	Ď	FM APPROVED FOR APX™ 7000, APX 7000XE, APX 6000, APX 6000XE	•	
APX 7000XE SERIES		Earguard with Adjustable Loop	0180300E25				Solar Marcal		and the second se		
APX 6000XE SERIES		Earholder, Black, Small	0180358B32		-1-			DOES IMPR Ormance?	ES IMPROVE /	AUDIO	
APX 3000 SERIES		Earholder, Black, Medium	0180358B33		7	1	Motoro	la accessories by	arity and audio qua reducing ambient r	noise and	
APX 2000 SERIES		Earholder, Black, Large	0180358B34	_		2	normall	ly, but not directly	pility. If you speak q v into a microphone	, IMPRES	
APX 1000 SERIES SRX 2200 SERIES		Earholder, Clear, Medium	0180358B36			1-200	adjusts	-	n your voice and uto volume so your liste a and down		
		Earholder, Clear, Large	0180358B37			SAL	Have to				

COMPATIBILITY	ACCESSORY			FEATURES						MARKET <sup>1</sup>	
		Transmit and receive discreetly with a variet ck-disconnect, durable and comfortable transl				rugged			transmissions and one wire receiving transmissions, p		
APX PORTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	IMPRES	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	INTRINSIC SAFETY RATING	POLICE	FIRE
APX 7000 SERIES APX 7000XE SERIES		1-Wire Receive-only earpiece, black	PMLN6125	•	Ear Hanger				FM TIA <sup>2</sup>	•	
APX 6000 SERIES APX 6000XE SERIES		1-Wire Receive-only earpiece, beige	PMLN6126	•	Ear Hanger				FM	•	
APX 3000 SERIES APX 2000 SERIES		IMPRES 2-Wire Surveillance Kit, programmable button, black	PMLN6127	•	Ear Hanger	Ť	<b>₽</b> <sup>×</sup>		FM TIA²	•	
APX 1000 SERIES								T			

Ear Hanger

<sup>2</sup> UL certified TIA 4950 approved when used with a UL certified TIA 4950 approved APX 2000 two knob radio

IMPRES AUDIO (MOTOROLA EXCLUSIVE): Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory. MICROPHONE AND PTT: Some accessories have a microphone on the same wire as push-to-talk (2-Wire surveillance kit) or on a separate wire (3-Wire surveillance kits).

IMPRES 2-Wire Surveillance Kit,

programmable button, beige

Microphones are small, easy to mount and hide during surveillance operations, yet powerful enough to pick up whispered transmissions and reduce ambient noise.

PMLN6128

**PROGRAMMABLE BUTTON:** This programmable button allows you to access key features while you keep your radio on your belt or hidden under a jacket.

**INTRINSIC SAFETY RATING:** Motorola-approved accessories are a critical part of the overall radio system certified by a recognized testing organization as intrinsically safe. Non-Motorola approved accessories may not be certified for APX and if used, could result in equipment that is NOT approved or unsafe in a hazardous environment.

FM

TIA<sup>2</sup>

1

Mic and PTT

single wire


combined on a


Mic and PTT


single wire

combined on a

SRX 2200 SERIES








<sup>1</sup>These are recommended uses based on typical use case for each market listed.

COMPATIBILITY	ACCESSORY			FEATURE	S					<b>MARKET</b> <sup>1</sup>					
SURVEILLANCE K	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	IMPRES	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	INTRINSIC SAFETY RATING	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND OIL, G PUBLIC WORKS MININ	AS AND TRANSPORT
	$\bigcirc$	IMPRES 2-Wire Surveillance Kit with translucent tube, programmable button, black	PMLN6129	•	Clear Rubber Eartip	Ť	<b>*</b>	.*	FM TIA <sup>2</sup>	•		•	•		
1		IMPRES 2-Wire Surveillance Kit with translucent tube, programmable button, beige	PMLN6130	•	Clear Rubber Eartip	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire	Ţ	FM TIA <sup>2</sup>	•		•	•		
APX 7000 SERIES		IMPRES 3-Wire Surveillance Kit with translucent tube, programmable button, black	PMLN6123	•	Clear Rubber Eartip	P	190 ×	100	FM TIA <sup>2</sup>	•		•	•		
APX 7000XE SERIES	6	IMPRES 3-Wire Surveillance Kit with translucent tube, programmable button, beige	PMLN6124	•	Clear Rubber Eartip	Separate wire	Separate wire		FM TIA <sup>2</sup>	•		•	•		
APX 6000 SERIES		2-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter	ZMN6038		Ear Hanger	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire			•		•	•		
APX 6000XE SERIES		3-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter	ZMN6039		Ear Hanger	Separate wire	Separate wire			•		•	•		
APX 3000 SERIES	<u>e</u>	2-Wire Surveillance Kit, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter	ZMN6032		Ear Hanger	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire			•		•	•		
APX 2000 SERIES	Ì	3-Wire Surveillance Kit, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter	ZMN6031		Ear Hanger	Separate wire	Separate wire			•		•	•		
APX 1000 SERIES		1-Wire Receive-Only Surveillance Kit with Earpiece, Beige, 3.5mm Threaded. Requires BDN6783 or used with RSMs that have a 3.5mm threaded jack.	BDN6664		Ear Hanger				FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•		
SRX 2200 SERIES	P	1-Wire Receive-Only Surveillance Kit with Earpiece, Black, 3.5mm Threaded. Requires BDN6783 or used with RSMs that have a 3.5mm threaded jack.	BDN6726		Ear Hanger				FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•		
	0	1-Wire Receive-Only Surveillance Kit with Extra-Loud Earpiece, Beige, 3.5mm Threaded. Requires BDN6783 or used with RSMs that have a 3.5mm threaded jack.	BDN6665		Ear Hanger				FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•		
		1-Wire Receive-Only Surveillance Kit with Extra-Loud Earpiece, Black, 3.5mm Threaded. Requires BDN6783 or used with RSMs that have a 3.5mm threaded jack.	BDN6727		Ear Hanger				FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•		

<sup>2</sup> UL certified TIA 4950 approved when used with a UL certified TIA 4950 approved APX 2000 two knob radio

COMPATIBILITY	ACCESSORY							<b>MARKET</b> <sup>1</sup>						
SURVEILLANCE KI	TS													
APX PORTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	РТТ	INTRINSIC SAFETY RATING	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
APX 7000 SERIES		1-Wire Receive-Only Surveillance Kit with Translucent Tube, Beige, 3.5mm Threaded. Requires BDN6783 or used with RSMs that have a 3.5mm threaded jack.	RLN5314	Clear rubber eartip				•		•	•			
APX 7000XE SERIES APX 6000 SERIES	Lawrence .	1-Wire Receive-Only Surveillance Kit with Translucent Tube, Black, 3.5mm Threaded. Requires BDN6783 or used with RSMs that have a 3.5mm threaded jack.	RLN5313	Clear rubber eartip				•		•	•			
APX 6000XE SERIES APX 3000 SERIES	<i>9</i>	Wire Receive-Only Surveillance Kit with Translucent Tube, Black, 3.5mm Threaded. Requires BDN6783 or used with RSMs that have a 3.5mm threaded jack.	RLN5312	Clear rubber eartip	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire		•		•	•			
APX 2000 SERIES APX 1000 SERIES		1-Wire Receive-Only Surveillance Kit with Volume Control and Earpiece, Beige, 3.5mm Threaded. Requires BDN6783 or used with RSMs that have a 3.5mm threaded jack.	BDN6666	Ear Hanger			FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•			
SRX 2200 SERIES		1-Wire Receive-Only Surveillance Kit with Volume Control and Earpiece, Black, 3.5mm Threaded. Requires BDN6783 or used with RSMs that have a 3.5mm threaded jack.	BDN6728	Ear Hanger			FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•			
APX 7000 SERIES		2-Wire Receive-Only Surveillance Kit with Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6667	Ear Hanger	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire	FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•			
APX 7000XE SERIES	19	2-Wire Receive-Only Surveillance Kit with Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6729	Ear Hanger	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire	FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•			
APX 6000 SERIES	Q	2-Wire Receive-Only Surveillance Kit with Extra-Loud Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6669	Ear Hanger	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire	FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•			
APX 6000XE SERIES		2-Wire Receive-Only Surveillance Kit with Extra-Loud Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6731	Ear Hanger	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire	FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•			
APX 3000 SERIES		3-Wire Receive-Only Surveillance Kit with Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6668	Ear Hanger	Separate wire	Separate wire	FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•			
APX 2000 SERIES	A.	3-Wire Receive-Only Surveillance Kit with Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6730	Ear Hanger	Separate wire	Separate wire	FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•			
APX 1000 SERIES	Cor	3-Wire Receive-Only Surveillance Kit with Extra-Loud Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6670	Ear Hanger	Separate wire	Separate wire	FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•			
SRX 2200 SERIES		3-Wire Receive-Only Surveillance Kit with Extra-Loud Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6732	Ear Hanger	Separate wire	Separate wire	FM approved with APX6000/6000XE and APX7000/7000XE	•		•	•			




COMPATIBILITY	ACCESSORY			FEATURES	
SURVEILLANCE K	IT ACCESSORIES A	ND REPLACEMENT PARTS			
APX PORTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS
	2	Completely Discreet Earpiece Kit with Neckloop, Beige	RLN4922		
	2	Phonak Nano Ear Receiver, Beige (Neckloop must be ordered separately)	GMLN5261		
	D	Phonak Nano Ear Receiver, Brown (Neckloop must be ordered separately)	GMLN5262		
		Replacement Earwax guards. 5 per pack. Compatible with RLN4922	RLN4919		
APX 7000 SERIES		Low Noise Kit with Quick Disconnect translucent tube and 1clear rubber eartip	RLN6242	Clear rubber eartip	PMLN6123, PMLN6124, PMLN6129, PMLN6130
APX 7000XE SERIES	5	Optional Retention Hooks (10/pk)	NNTN8457		
APX 6000 SERIES		Phonak Phonito Intra Ear Receiver	RLN4921		
APX 6000XE SERIES		Phonak Inductive Neckloop	RLN4920		
APX 3000 SERIES		1.4 Volt Battery – Pack of 6	RNN4005		
APX 2000 SERIES	A D	Replacement standard clear rubber eartip, Pack of 50	RLN6282	Clear rubber eartip	PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6127, PMLN6128, PMLN6129, PMLN6130
APX 1000 SERIES SRX 2200 SERIES		Replacement Foam Plugs for RLN5887 and RLN6242. Noise reduction = 24dB.* Pack of 50 pairs.	5080384F72	Foam eartip	PMLN6123, PMLN6124, PMLN6129, PMLN6130
	- Sar	Low Noise Kit with 1 clear rubber eartipv	RLN5886	Clear rubber eartip	RLN5882, RLN5883,
	12	High Noise Kit* with 2 foam earplugs	RLN5887	Foam eartip	<ul> <li>PMLN5111, PMLN5112, PMLN6125, PMLN6126</li> </ul>
	K-	Acoustic Tube Assembly Includes Quick disconnect tube, black acoustic tube adapter and 2 foam plugs.	RLN6230		

COMPATIBILITY	ACCESSORY			FEATURES	
SURVEILLANCE K	IT ACCESSORIES A	ND REPLACEMENT PARTS			
APX PORTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	
	1	Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6511	Comply <sup>™</sup> foam eartip	RLN5882, RLN5883,
		Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6512	Comply <sup>™</sup> foam eartip	PMLN5111, PMLN5112, PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6127, PMLN6128,
APX 7000 SERIES APX 7000XE SERIES	O	Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6513	Comply <sup>™</sup> foam eartip	PMLN6129, PMLN6130
APX 6000 SERIES	Ś	Small Clear Comfortable Earpiece, right ear	RLN4760	Clear comfortable earpiece	2
APX 6000XE SERIES APX 3000 SERIES	Ð	Medium Clear Comfortable Earpiece, right ear	RLN4761	Clear comfortable earpiece	)
APX 2000 SERIES	ð	Large Clear Comfortable Earpiece, right ear	RLN4762	Clear comfortable earpiece	2
APX 1000 SERIES SRX 2200 SERIES	<b>S</b>	Small Clear Comfortable Earpiece, left ear	RLN4763	Clear comfortable earpiece	2
	C.	Medium Clear Comfortable Earpiece, left ear	RLN4764	Clear comfortable earpiece	)
	6	Large Clear Comfortable Earpiece, left ear	RLN4765	Clear comfortable earpiece	)
SURVEILLANCE K	IT AUDIO ADAPTE	RS			
APX 7000 SERIES APX 7000XE SERIES APX 6000 SERIES APX 6000XE SERIES		3.5mm Threaded Audio Adapter	BDN6783	BDN6664, BDN6665, BDN BDN6668, BDN6669, BDN BDN6729, BDN6730, BDN	6726, BDN6727, BDN6728
APX 3000 SERIES APX 2000 SERIES APX 1000 SERIES SRX 2200 SERIES		6 Pin Hirose Keyload and Audio Adapter, FM/IS rated	NNTN7869	ZMN6031, ZMN6032, ZMI	N6038, ZMN6039

\* For High Noise Kit solution - combine RLN6242 Low Noise Kit with translucent tube and clear rubber eartip and RLN6281 Replacement Foam Plugs for RLN6242. Noise reduction = 24dB.

COMPATIBILITY	ACCESSORY			FEATU	RES							MARKET <sup>1</sup>	
HEADSETS													
APX PORTABLE RADIOS	HEADSETS	DESCRIPTION	PART NUMBER	IMPRES	HEADSET TYPE	SPEAKER	NOISE-CANCELLING / NOISE-REDUCTION	MICROPHONE	РП	INTRINSIC SAFETY RATING	WEIGHT	POLICE	FIRI
APX 7000 SERIES APX 7000XE SERIES	Ĩ	IMPRES Temple Transducer with boom microphone and inline push-to-talk	PMLN5101	•	Behind- the-Head	Bone Conduction		Boom	In-line	FM	Lightweight	•	
APX 6000 SERIES APX 6000XE SERIES APX 3000 SERIES APX 2000 SERIES	Ċŝ	Lightweight Over-the-Head Headset single muff with in-line push-to-talk and boom mic	RMN5058		Over- the-Head	Single-Ear		Boom	In-line	FM TIA²	Lightweight		
APX 1000 SERIES SRX 2200 SERIES	S	Heavy-Duty Behind-the-Head Headset with Noise-Cancelling boom microphone, noise reduction = 24dB	PMLN5275		Behind- the-Head	Dual-Ear	•	Boom	In-line	FM TIA²	Heavy-Duty		
APX 7000 SERIES APX 7000XE SERIES APX 6000 SERIES		XBT Operations Critical Wireless Behind-the-Neck Headset	RLN6490		Behind-the- Neck	Dual-Ear	•	Boom	Radio, headset or wireless PTT pod		Heavy-Duty		
APX 6000XE SERIES APX 3000 SERIES APX 2000 SERIES SRX 2200 SERIES	<b>Q</b> .	XBT Operations Critical Wireless Headband Style Headset	RLN6491		Over- the-Head	Dual-Ear	•	Boom	Radio, headset or wireless PTT pod		Heavy-Duty		

<sup>2</sup> UL certified TIA 4950 approved when used with a UL certified TIA 4950 approved APX 2000 two knob radio



<sup>1</sup>These are recommended uses based on typical use case for each market listed.

COMPATIBILITY	ACCESSORY				FEATURES					
<b>3M PELTOR HEAV</b>	Y DUTY HEADSETS									
APX PORTABLE RADIOS	3M PELTOR HEAVY DUTY Headsets	DESCRIPTION AND ADAPTER TYPE	PART NUMBER	PELTOR PART NUMBER	HEADSET TYPE	CONNECTOR TYPE	SPEAKER	NOISE REDUCTION RATING (NRR)	NOISE CANCELLING MICROPHONE	PTT (APX)
DIRECT CONNECT										
APX 7000 SERIES APX 7000XE SERIES		MT Series Over-The-Head Headset, direct radio connect	RMN5137	MT7H79A-C5063-34	Over-The-Head	Connects directly to Radio	Dual-Ear	25dB	Boom	On Ear Cup
APX 6000 SERIES APX 6000XE SERIES APX 3000 SERIES		MT Series Neckband Headset, direct radio connect	RMN5138	MT7H79B-C5063-34	Neckband	Connects directly to Radio	Dual-Ear	24dB	Boom	On Ear Cup
APX 2000 SERIES SRX 2200 SERIES		MT Series Hard Hat Attached Headset, direct radio connect	RMN5139	MT7H79P3E-C5063-34	Hard Hat Attached	Connects directly to Radio	Dual-Ear	21dB	Boom	On Ear Cup
PTT ADAPTER COI	NFIGURATIONS									
		MT Series Over-the-Head Headset with Nexus connector	PMLN6088	MT7H79A-34	Over-the-Head	Nexus	Dual-Ear	25dB	Boom	Requires PTT Adapte PMLN6095
	02	MT Series Neckband Headset with Nexus connector	RLN6477	MT7H79B-34	Neckband	Nexus	Dual-Ear	24dB	Boom	Requires PTT Adapt PMLN6095
APX 7000 SERIES APX 7000XE SERIES	2	MT Series Hard Hat Attached with Nexus connector	RMN4051	MT7H79P3E-34	Hard Hat Attached	Nexus	Dual-Ear	21dB	Boom	Requires PTT Adapt PMLN6095
APX 6000 SERIES APX 6000XE SERIES APX 3000 SERIES		TacticalPro Series Over-The- Head Headset with Nexus connector	RMN4052	MT15H7A-34	Over-The-Head	Nexus	Dual-Ear	26dB	Boom	Requires PTT Adapt PMLN6095
APX 2000 SERIES SRX 2200 SERIES	00	TacticalPro Series Neckband Headset with Nexus connector	RMN5135	MT15H7B-07-34	Neckband	Nexus	Dual-Ear	25dB	Boom	Requires PTT Adapt PMLN6095
	0.	TacticalPro Series Hard Hat Attached with Nexus connector	RMN4053	MT15H7P3E-34	Hard Hat Attached	Nexus	Dual-Ear	22dB	Boom	Requires PTT Adapt PMLN6095
		PTT Nexus Adapter	PMLN6095	FL5063-34						
RSM CONFIGURA	TIONS									
APX 7000 SERIES APX 7000XE SERIES		HT Series Listen Only Over- The-Head Headset with 3.5mm NON threaded connector	RMN4055	HTM79A-34	Over-The- Head	3.5mm NON threaded	Dual-Ear	25dB	(Listen-Only)	
APX 6000 SERIES APX 6000XE SERIES APX 3000 SERIES	ŐĘ	HT Series Listen Only Neckband Headset with 3.5mm NON threaded connector	RMN5132	HTM79B-34	Neckband	3.5mm NON threaded	Dual-Ear	24dB	(Listen-Only)	<ul> <li>APX radio requires</li> <li>RSM: PMMN4062,</li> <li>PMMN4069 or</li> <li>PMMN40694</li> </ul>
APX 2000 SERIES SRX 2200 SERIES	÷.	HT Series Listen Only Hard Hat Attached Headset with 3.5mm NON threaded connector	RMN5133	HTM79P3E-34	Hard Hat Attached	3.5mm NON threaded	Dual-Ear	23dB	(Listen-Only)	- PMMN4084



COMPATIBILITY	ACCESSORY			
REPLACEMENT P	ARTS			
APX PORTABLE RADIOS	REPLACEMENT PARTS	DESCRIPTION	PART NUMBER	PELTOR PART NUMBER
APX 7000 SERIES		Earmuff Hygiene Kit Black Earseals	RLN4923	HY79
APX 7000XE SERIES APX 6000 SERIES		Hygiene Tape for Microphone	RLN6542	HYM1000
APX 6000XE SERIES APX 3000 SERIES APX 2000 SERIES		Boom Microphone Wind Screen	RLN6543	M40/1
SRX 2200 SERIES		Metal Boom with Microphone	RMN5131	MT7N

COMPATIBILITY	ACCESSORY			FEATURES				MARKET						
HEARING PRO	DTECTION													
APX PORTABLE RAD	OS SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	IMPRES	HEADSET TYPE	SPEAKER	NOISE-CANCELLING / NOISE-REDUCTION	POLICE	FIRE / EMS	MILITARY	FEDERAL Agencies	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
APX 7000 SERIES APX 7000XE SERIE	s 6	Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs, noise reduction = 28dB	RLN6511		Comply™ Foam Ear tip		Noise Reduction					•	•	•
APX 6000 SERIES APX 6000XE SERIE APX 3000 SERIES APX 2000 SERIES	s 🥶	Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs, noise reduction = 28dB	RLN6512		Comply™ Foam Ear tip		Noise Reduction					•	•	•
APX 1000 SERIES SRX 2200 SERIES	U	Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs, noise reduction = 28dB	RLN6513		Comply™ Foam Ear tip		Noise Reduction					•	٠	•
TACTICAL SO	LUTIONS.			1										
APX 7000 SERIES	<b>\$</b>	Tactical PTT/VOX Interface Module	PMLN6765					•	•	•	•	•		•
APX 7000 SERIES	xe	Tactical PTT Only Interface Module	PMLN6827					•	•	•	•	•		•
APX 6000	O and	Tactical Boomless Temple Transducer (requires Interface Module PMLN6765 or PMLN6827)	PMLN6766		Over- the-head	Bone Conduction	Noise Cancelling	•		•	•	•		•
APX 6000 SERIES	Q	Tactical Throat Microphone (requires Interface Module PMLN6765 or PMLN6827)	PMLN6828		Neckband	Earbud	Noise Cancelling	•		•	•	•		•
SERIES		Tactical Ear Microphone (requires Interface Module PMLN6765 or PMLN6827)	PMLN6829		In-Ear	In-Ear	Noise Cancelling	•	•			•		•
APX 3000 SERIES	of the	Tactical Temple Transducer / Boom Mic (requires Interface Module PMLN6765 or PMLN6827)	PMLN6833		Over- the-head	Bone Conduction	Noise Cancelling	•			•	•		•
APX 2000 SERIES	e,>	Tactical Remote Body PTT (for use with Interface Module PMLN6765 or PMLN6827)	PMLN6767					•	•	•	•	•		•
SRX 2200 SERIES		Tactical Remote Ring PTT (for use with Interface Module PMLN6765 or PMLN6827)	PMLN6830						•		•			•

# WHAT ARE THE EP7 SONIC DEFENDERS ULTRA EARPLUGS?

### RLN6511, RLN6512, RLN6513

The EP7 Sonic Defenders Ultra Earplugs provide extra comfort and/or noise protection for users wearing surveillance accessories or users wearing heavy duty headsets / helmets. With a foam-tipped stem design and soft memory-foam Comply<sup>™</sup> Canal Tips, these comfortable earplugs protect your hearing without blocking your ability to hear routine sounds or conversations. Safe sounds are allowed to pass through into the ear canal, while potentially harmful noises (above 85dB) are reduced through a filter.

Filter caps are included and can be inserted for additional hearing protection or removed for use with surveillance kits.\* With a patented EarLock<sup>®</sup> technology to hold them in place, all-day comfort, and a low-profile design, these earplugs can be worn while wearing a helmet or mask, or while using a phone or heavy duty headset. Lanyard is included in each earplug kit, as shown in picture.

\*EP7 earpiece will not provide full 28dB Noise Reduction when the noise-reducing filter is removed.

### **NEW PRODUCT OFFERING**

Motorola's Tactical Solution offers a high performance interface enhanced by high speed DSP (Digital Signal Processor) which only detects the human voice.

Providing steady and trouble free transmission without clipping your message even in the noisiest environments.

Combined with various headset assures efficient and safer operation in a variety of work environments.



MPATIBILITY	ACCESSORY			FEATURES										<b>MARKET</b> <sup>1</sup>					
ISSION CRITIC remove the radio	AL WIRELESS ACCES from your belt and stay co	SORIES (MCW) This portfolio is a game ch nnected within 30 feet.	anger, giving you tl	ne flexibility															
TABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	SIZE (MILLIMETERS)	RANGE (FEET LINE OF SIGHT)	IP RATING	INTRINSIC SAFETY RATING <sup>2</sup>	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND OI PUBLIC WORKS M	L, GAS AND INING TRANSPORT
X 7000 SERIES	5	Mission Critical Wireless Earpiece with 12" cable and push-to-talk pod (with US charger). EU/UK Charger PMPN4006 ordered separately.	NTN2570	Over-the-Ear (CommPort™)	Directional, above the Earpiece	•	10	3	43	70 x 41 x 25	30	IP54	FM	•	•	•	•	•	•
7000XE SERIES		Mission Critical Wireless push-to-talk pod (with US charger). EU/UK Charger PMPN4006 ordered separately.	NTN2571	N/A	N/A	•	10	3	43	70 x 41 x 25	30	IP54	FM	•	•	•	•	•	•
6000 SERIES	200	Mission Critical Wireless push-to-talk pod (without charger)	NNTN8188	N/A	N/A	•	10	3	43	70 x 41 x 25	30	IP54	FM	•	•	•	•	•	•
3000 SERIES 2000 SERIES		Mission Critical Wireless Remote Control Keyfob with programmable buttons	NNTN8442	N/A	N/A	•	10	3	26	67 x 32 x 16	30	IP54		•			•		
(2200 SERIES		Mission Critical Wireless Remote Control Keyfob with programmable buttons (with EU & UK charger)	GMTN4000	N/A	N/A	•	10	3	26	67 x 32 x 16	30	IP54		•			•		

<sup>2</sup> Accessory solution is FM certified when used with an FM certified radio system and FM certified adapter if required.

**EARPIECE TYPE:** Choose the right fit for your operations – a simple, low cost, discreet earbud or the rugged, high performance CommPort<sup>™</sup> style earpiece.

MICROPHONE: The in-line microphone on the earbud earpiece is designed for general use, while the directional microphone on the CommPort<sup>®</sup> style earpiece is ideal for lower noise environments.

<sup>1</sup> These are recommended uses based on typical use case for each market listed.


PATIBILITY	ACCESSORY			FEATURES		
SION CRITIC	AL WIRELESS ACCES from your belt and stay co	SORIES This portfolio is a game changer, giv nnected within 30 feet.	ring you the flexibi	lity		
ABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT
		1- Wire Earbud for Wireless Push-to-Talk pod with 11.5" cable, Black	NNTN8294	Earbud	In-line	On Pod, ordered separately
	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	1- Wire Earbud for Wireless Push-to-Talk pod with 45" cable, Black	NNTN8295	Earbud	In-line	On Pod, ordered separately
APX 7000	55	Covert Audio Kit for Mission Critical Wireless PTT Pod	NNTN8296	1 earbud and 2 earbud headsets	In-line	On Pod, ordered separately
SERIES	,0	Y-Adapter and Retention Hook for Mission Critical Wireless Push-to-Talk Pod	NNTN8385		Directional, on separate wire	On Pod, ordered separately
APX 7000XE SERIES		Phonak Inductive Neckloop	RLN4920			
APX 6000 Series	Ce.	Accessory Kit, Completely Discreet WRLS Surveillance Kit	NNTN8434			
APX 6000XE SERIES		Commercial 3.5 Earbud Headset Adapter, 10 per pack	NNTN8737			
APX 3000 Series	5	Replacement Wireless Earpiece 12 inch cable	NTN2572	Over-the-Ear (CommPort™)	Directional above the ear comport mic	On Pod, ordered separately
		1- Wire Surveillance kit with Translucent Acoustic tube for Wireless PTT PODs	PMLN7052	Clear Eartip	In-line	
APX 2000 SERIES SRX 2200		Mission Critical Wireless Covert Pack- N-Go Kit, Basic. Kit includes: NNTN8296 Wireless Covert Kit, NTN2571 Wireless Push-to-Talk (PTT) Pod and NNTN8442 Wireless Remote Control Unit (Kit Includes US Charger only)	RLN6489	Earbud and earbud headset	On Y-Adapter or in-line on earbuds	On PTT and MCW Keyfol
SERIES	6	Mission Critical Wireless Covert Pack-N-Go Kit, Advanced. Kit includes: All contents of Covert Pack-n-Go Kit plus RLN4922 Completely Discreet Earpiece Kit and NNTN8385 Wireless Neckloop Y-adapter	RLN6501	Completely Discreet Earpiece, earbud and earbud headset	On Y-Adapter or in-line on earbuds	On PTT and MCW Keyfol
		Mission Critical Wireless Covert Pack-N-Go Kit, Advanced. (Euro and UK plug)				
	(1)	Wireless Earpiece Maintenance Kit with 10 silicone ear tubes, 10 microphone seal strips and 2 foam windscreens for NTN2572 Over-the-Ear earpiece	NTN8821	Over-the-Ear (CommPort™)		

COMPATIBILITY	ACCESSORY			FEATURES		
MISSION CRITICA to remove the radio fr	AL WIRELESS ACCESS rom your belt and stay cor	ORIES This portfolio is a game changer, gi nnected within 30 feet.	ving you the flexibil	ity		
PORTABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT
	020000000000000000000000000000000000000	Ear strap for CommPort <sup>™</sup> earpiece to secure earpiece to ear (10 per pack)	NTN8988	Over-the-Ear (CommPort™)		
APX 7000 SERIES	5	Eartubes for CommPort <sup>™</sup> earpiece (10 per pack)	RLN5037	Over-the-Ear (CommPort™)		
APX 7000XE SERIES APX 6000 SERIES		Replacement ear tips kit for wireless ear buds (20 Small, 20 Medium, 20 Large and 10 clips)	NNTN8361	Earbud		
APX 6000XE SERIES		Replacement Swivel Clip for Wireless PTT Pod	PMLN6246			
APX 2000 SERIES SRX 2200 SERIES		Micro-USB plug-in charger (US plug)	PMPN4027			
		Micro-USB plug-in charger (Euro and UK plug)	PMPN4006			



### WHAT MAKES THE COVERT PACK-AND-GO KIT A MUST-HAVE?

Organize and stow all your APX wireless accessories on the go, all in one place. Keep this durable kit in a backpack or messenger bag and you'll always have the right accessories on hand. With a dozen secure straps and deep mesh pockets, you can access exactly what you need when an operation happens.



PATIBILITY	ACCESSORY			FEATURES							
TOROLA IMPR batteries are Pro	<b>RES TWO-WAY BA</b> oven Tough, in lab test	<b>TTERIES</b> The only batteries developed, tested a after lab test, to withstand shocks, knocks, drops	nd certified for op and shakes and o	timal performa outperform the	nce with your / other brands.	APX radio.					
ABLE RADIOS	BATTERIES	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	TYPICAL RATED CAPACITY (mAh)	APPROXIMATE OPERATIONAL TIME (HOURS) 5/5/90 DUTY CYCLE	DIMENSIONS (MILLIMETERS) (H x W x D)	WEIGHT (MAX. GRAMS)	INTRINSIC SAFETY RATING	IP RATING*
APX 7000	1	IMPRES Li-Ion 2150 mAh Slim, Submersible Battery-IP67	PMNN4403	•	Li-Ion	2200	10.5	86 x 59 x 37	142		▲ IP67
SERIES		IMPRES Li-Ion 3100 mAh Submersible Battery-IP67	NNTN7038	•	Li-lon	3100	14	86 x 59 x 42	185		♦ IP67
APX 7000XE SERIES		IMPRES Li-Ion 2350 mAh, Intrinsically Safe - FM, Submersible, Rugged Battery-IP68	NNTN8092	•	Li-lon	2350	11	86 x 59 x 42	160	FM	IP68
APX 6000 SERIES		IMPRES Li-Ion 4400 mAh -30°C Rated Submersible, Rugged Battery-IP68	NNTN7034	•	Li-lon	4400	20.5	130 x 59 x 42	285		▲ IP67
APX 6000XE		IMPRES Li-Ion 4300 mAh Intrinsically Safe - FM, Submersible, Rugged Battery-IP68	NNTN7033	•	Li-Ion	4300	19.5	130 x 59 x 42	285	FM	▲ IP68
SERIES		IMPRES NiMH 2200 mAh Intrinsically Safe - FM, Submersible Rugged Battery-IP68	NNTN7035	•	NiMH	2200	10.5	136 x 59 x 40	335	FM	▲ IP68
SRX 2200 SERIES	6	APX Clamshell Battery Pack (requires 12 AA Alkaline batteries, not included), Submersible Battery-IP57	PMNN4439		AA Alkaline/ Li-lon	Alkaline: 2700 Li-lon: 6100	Alkaline: 12 Li-Ion: 27	165 x 60 x 60	Alkaline: 476 Li-Ion: 380	6	▲ IP57
X 2200 SERIES		Military, Li-Ion 3100 mAh, Submersible, Rugged Battery-IP68, Coyote Brown	NNTN8182		Li-lon	3100	14	86 x 59 x 42	185		<b>IP68</b>
APX 3000 SERIES		IMPRES Li-Ion 2000 mAh Slim, Submersible, Battery-IP67	NNTN8128	•	Li-lon	2000	8.5	115 x 52 x 18	160		<b>IP67</b>
APX 2000		IMPRES Li-Ion 2350 mAh Submersible, Battery-IP67	PMNN4424	•	Li-lon	2350	10.5	115 x 52 x 23	170		▲ IP67
SERIES		IMPRES Li-Ion 2800 mAh Submersible, Battery-IP67	PMNN4448	•	Li-lon	2800	12	115 x 52 x 23	170		▲ IP67
APX 1000 SERIES		IMPRES Li-Ion 2350 mAh Intrinsically Safe - FM, Submersible, Battery-IP67	NNTN8129	•	Li-Ion	2350	10.5	115 x 52 x 23	170	FM	▲ IP67
X 2000 SERIES		IMPRES Li-Ion 2500 mAh Intrinsically Safe - TIA4950, Submersible, Rugged Battery-IP67	NNTN8560	•	Li-lon	2500	11	115 x 52 x 23	195	FM TIA <sup>1</sup>	▲ IP67
X 3000 SERIES		IMPRES Li-Ion 1300 mAh Slim, Submersible, Battery-IP67	NNTN8305	•	Li-lon	1300	6	115 x 52 x 14	98		▲ IP67

\* International Protection (IP) is a global standard for rating dust and water protection. The first digit IP5x or IP6x represents increased levels of dust protection, while the second digit, IPx7 represents withstanding submersion in 1 meter of fresh water for 30 minutes. Rugged batteries exceed industry standards (IPx7) for submersibility and provide a higher level of water protection - MIL-STD-810E, Method 512.3 (Immersion). These batteries meet the incremental requirement of submersion in 1 meter of fresh water that is 27C colder than the product for 2 hours.

1 UL certified TIA 4950 approved when used with a UL certified TIA 4950 approved APX 2000 two knob radio



FOR LÓNGER.

MOTOROLA **POWER PRODUCTS** 

MULTIPLIER


### **HOW DO IMPRES BATTERIES AND CHARGERS SAVE MONEY?**

They reduce the number of spare batteries you buy and increase the time before you need replacements. Only IMPRES batteries can be charged 150 additional times versus a standard battery – a 43% increase in charge cycles. If you charge radios two to three times a week, you'll get more than an extra year out of every IMPRES battery. YOUR BATTERY. SAFER, STRONGER, POWERED

### KNOCKS. DROPS. SHOCKS. VIBRATION. STATIC.

If your radio gets banged on a ride, rattled by heavy equipment or shocked by static electricity, our batteries will stay true and stand tough. These rigorous lab tests prove that Motorola radio batteries perform robustly and reliably, despite the toughest conditions. What's more, we stand behind every battery we build.

See www.motorolasolutions.com/proventough for details.



COMPATIBILITY	ACCESSORY			FEATURES							
CHARGER SOLUT and be confident you	IONS Choose from a varion of the second se	ety of solutions including single-unit, unique o dy to go the moment you need it.	lual-unit, multi-uni	t, travel and v	ehicular charger	s					
PORTABLE RADIOS	CHARGERS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MILLIMETERS) (H x W x D)	NUMBER OF POCKETS	RECONDITIONING CAPABLE	CHARGING CURRENT (MAX.)	NUMBER OF DISPLAYS
DESKTOP, SINGL	E AND MULTI-UNIT C	HARGERS									
APX 7000 SERIES		IMPRES Single-Unit Rapid Rate Charger, 120V (US Plug)	WPLN7080	•	Li-Ion, NiMH	120VAC	60 x 97 x 163	1	•	Rapid Rate	
APX 7000XE SERIES APX 6000 SERIES	-1	IMPRES Single-Unit Rapid Rate Charger, 230V (EURO Plug)	NNTN7081	•	Li-Ion, NiMH	230VAC	60 x 97 x 163	1	•	Rapid Rate	
PX 6000XE SERIES		IMPRES Single-Unit Rapid Rate Charger, 230V (UK Plug)	NNTN7082	•	Li-Ion, NiMH	230VAC	60 x 97 x 163	1	•	Rapid Rate	
SRX 2200 SERIES		IMPRES Multi-Unit Rapid Rate Charger with 6 Displays, 230V (Euro plug)	NNTN7086	•	Li-Ion, NiMH	230VAC	153 x 445 x 292	6	•	Rapid Rate	6
		IMPRES Single-Unit Rapid Rate Charger, 120V (US Plug)	WPLN4232	•	Li-Ion, NiMH	120VAC	60 x 97 x 163	1	•	Rapid Rate	
I		IMPRES Single-Unit, 50/60 Hz Charger, 110V (for APME only)	AZWPLN4232	•	Li-Ion, NiMH	110VAC	60 x 97 x 163	1	•	Rapid Rate	
APX 3000 SERIES		IMPRES Single-Unit, 50 Hz Charger, 230V (for APME only)	AZWPLN4233	•	Li-Ion, NiMH	230VAC	60 x 97 x 163	1	•	Rapid Rate	
APX 2000 SERIES		IMPRES Single-Unit, 50 Hz Charger, 220-240V (for APME only)	AZWPLN4234	•	Li-Ion, NiMH	220-240VAC	60 x 97 x 163	1	•	Rapid Rate	
APX 1000 SERIES		IMPRES Single-Unit Rapid Rate Charger, 120V (US PLUG)	WPLN4253	•	Li-Ion, NiMH	120VAC	60 x 97 x 163	1	•	Rapid Rate	
		IMPRES Single-Unit Rapid Rate Charger, 230V (Euro Plug)	WPLN4254	•	Li-Ion, NiMH	230VAC	60 x 97 x 163	1	•	Rapid Rate	
		IMPRES Single-Unit Rapid Rate Charger, 230V (UK Plug)	WPLN4255	•	Li-Ion, NiMH	230VAC	60 x 97 x 163	1	•	Rapid Rate	
APX 3000		Single-Unit Rapid Rate Charger, 230V (Euro Plug)	NNTN8273			230VAC		1			
SERIES	11	Single-Unit Rapid Rate Charger, 230V (UK Plug)	NNTN8274			230VAC		1			


IMPRES BATTERIES AND CHARGERS: Get the most out of every battery and eliminate the surprise of "low battery alerts". IMPRES Display chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio and exactly when an IMPRES battery has reached the end of service life.

NUMBER OF POCKETS: APX multi-unit chargers let you simultaneously charge up to 6 radios and/or batteries.



OMP/	ATIBILITY	ACCESSORY			FEATURES							
ESK	TOP, SINGLI	E AND MULTI-UNIT (	CHARGERS									
ORTAB	LE RADIOS	CHARGERS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MILLIMETERS) (H x W x D)	NUMBER OF POCKETS	RECONDITIONING CAPABLE	CHARGING CURRENT (MAX.)	NUMBER OF DISPLAYS
			IMPRES Dual-Unit Rapid Rate Charger with 2 Displays, 120V (US Plug)	NNTN7593	•	Li-lon, NiMH	120VAC	64 x 142 x 208	2	•	Rapid Rate	2
L	A DV 2000		IMPRES Dual-Unit Rapid Rate Charger with 2 Displays, 230V (EU Plug)	NNTN7594	•	Li-lon, NiMH	230VAC	64 x 142 x 208	2	•	Rapid Rate	2
	APX 7000 SERIES APX 7000XE		IMPRES Dual-Unit Rapid Rate Charger with 2 Displays, 230V (UK Plug)	NNTN7595	•	Li-Ion, NiMH	230VAC	64 x 142 x 208	2	•	Rapid Rate	2
	APX 6000		IMPRES Multi-Unit Rapid Rate Charger with 6 Displays, 120V (US Plug)	NNTN7073	•	Li-Ion, NiMH	120VAC	153 x 445 x 292	6	•	Rapid Rate	6
	SERIES		IMPRES Multi-Unit Rapid Rate Charger with 6 Displays, 230V (UK Plug)	NNTN7074	•	Li-Ion, NiMH	230VAC	153 x 445 x 292	6	•	Rapid Rate	6
	SERIES SRX 2200		IMPRES Multi-Unit Rapid Rate Charger with 1 Display, 120V (US Plug)	NNTN7065	•	Li-Ion, NiMH	120VAC	153 x 445 x 292	6	•	Rapid Rate	1
	SERIES		IMPRES Multi-Unit Rapid Rate Charger with 1 Display, 230V (EURO Plug)	NNTN7066	•	Li-Ion, NiMH	230VAC	153 x 445 x 292	6	•	Rapid Rate	1
			IMPRES Multi-Unit Rapid Rate Charger with 1 Display, 230V (UK Plug)	NNTN7067	•	Li-Ion, NiMH	230VAC	153 x 445 x 292	6	•	Rapid Rate	1
	APX 3000 SERIES		IMPRES Multi-Unit Rapid Rate Charger with 1 Display, 120V (US plug)	WPLN4212	•	Li-Ion, NiMH	120VAC	153 x 445 x 292	6	•	Rapid Rate	1
	APX 2000 SERIES		IMPRES Multi-Unit Rapid Rate Charger with 1 Display, 230V (Euro plug)	WPLN4213	•	Li-Ion, NiMH	230VAC	153 x 445 x 292	6	•	Rapid Rate	1
	APX 1000 Series		IMPRES Multi-Unit Rapid Rate Charger with 1 Display, 230V (UK plug)	WPLN4214	•	Li-Ion, NiMH	230VAC	153 x 445 x 292	6	•	Rapid Rate	1





COMPATIBILITY	ACCESSORY			FEATURES							
DESKTOP, SINGL	E AND MULTI-UNIT C	HARGERS									
PORTABLE RADIOS	CHARGERS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MILLIMETERS) (H x W x D)	NUMBER OF POCKETS	RECONDITIONING CAPABLE	CHARGING CURRENT (MAX.)	NUMBER OF DISPLAYS
APX 3000 SERIES		IMPRES Multi-Unit Rapid Rate Charger with 6 Displays, 120V (US plug)	WPLN4219	•	Li-Ion, NiMH	120VAC	153 x 445 x 292	6	•	Rapid Rate	6
APX 2000 SERIES		IMPRES Multi-Unit Rapid Rate Charger with 6 Displays, 230V (Euro plug)	WPLN4220	•	Li-Ion, NiMH	230VAC	153 x 445 x 292	6	٠	Rapid Rate	6
APX 1000 SERIES		IMPRES Multi-Unit Rapid Rate Charger with 6 Displays, 230V (UK plug)	WPLN4221	•	Li-Ion, NiMH	230VAC	153 x 445 x 292	6	•	Rapid Rate	6
SRX 2200 SERIES		Military, IMPRES M ulti-Unit Rapid Rate, Charger, 120V (US Plug) with Pocket Inserts	NNTN8185	•	Li-Ion, NiMH	120VAC	153 x 445 x 292	6	•	Rapid Rate	
VEHICULAR AND	TRAVEL CHARGERS										
APX 7000 SERIES APX 7000XE SERIES APX 6000 SERIES APX 6000XE SERIES SRX 2200 SERIES		IMPRES Single-Unit Rapid Rate Vehicular Charger	NNTN7624	•	Li-Ion, NiMH	12VDC hardwire	82 x 97 x 200	1		Rapid Rate	
APX 3000 SERIES APX 2000 SERIES APX 1000 SERIES		IMPRES Single-Unit Rapid Rate Vehicular Charger	NNTN7616	•	Li-Ion, NiMH	12VDC hardwire	82 x 97 x 200	1		Rapid Rate	
APX 7000 SERIES APX 7000XE SERIES APX 6000 SERIES APX 6000XE SERIES SRX 2200 SERIES	L	Travel Charger with voltage regulated vehicular charger adapter, custom charger base, mounting bracket, and coil cord	RLN6434		Li-Ion, NiMH	12VDC cigarette lighter adapter	67 x 67 x 70	1			
APX 3000 SERIES APX 2000 SERIES APX 1000 SERIES		Travel Charger with voltage regulated vehicular charger adapter, custom charger base, mounting bracket, and coil cord	NNTN8525		Li-Ion, NiMH	12VDC cigarette lighter adapter	64 x 67 x 57	1			
APX 6000 SERIES APX 6000XE SERIES SRX 2200 SERIES VHF IS NOT SUPPORTED		APX Vehicular Adapter. Includes fused power cable, 2 keys for the lock, screws for attaching VA to the trunnion and quick start. Trunnion Mounting Bracket NTN8940 must be ordered separately. <sup>1</sup>	NTN8527	•		12VDC hardwire					
		Trunnion Mounting Bracket	NTN8940								

<sup>1</sup> See: http://www.motorolasolutions.com/content/dam/msi/docs/products/accessories/specifications/APX-Vehicular-Adapter-Specifications.pdf for complete ordering guide



COMPATIBILITY	ACCESSORY		
CHARGER SOLUT	IONS		
APX PORTABLE RADIOS	CHARGER ACCESSORIES	DESCRIPTION	PART NUMBER
SINGLE AND MUL	TI-UNIT CHARGER AC	CESSORIES	
APX 7000 SERIES APX 7000XE SERIES APX 6000 SERIES APX 6000XE SERIES	40	Display Module for IMPRES Multi-Unit Charger	RLN5382
APX 3000 SERIES APX 2000 SERIES APX 1000 SERIES SRX 2200 SERIES	//// sase	Wall Mount Bracket for IMPRES Multi-Unit Charger	NLN7967
APX 7000 SERIES APX 7000XE SERIES APX 6000 SERIES	U	Insert for all XTS Multi-Unit Chargers: WPLN4108/4109/4110/4130/4131/4132 (6 per pack)	NNTN7686
APX 6000XE SERIES SRX 2200 SERIES	1	Insert for all XTS Single-Unit Chargers: NTN1873/1874/1875 & WPLN4111/4113/4114	NNTN7687
APX 3000 SERIES APX 2000 SERIES	U	Insert for all XTS Single-Unit Chargers: NTN1873/1874/1875 & WPLN4111/4113/4114 (6 per pack)	NNTN8170
APX 2000 SERIES APX 1000 SERIES	U	Insert for all XTS Multi-Unit Chargers: WPLN4108/4109/4110/4130/4131/4132	NNTN8169
IMPRES BATTERY	MANAGEMENT TOO	LS	
		IMPRES Battery Reader	NNTN7392
	<b>Q</b>	IMPRES Battery Fleet Management Software (http://www.motorolasolutions.com/US-EN/ Business+Product+and+Services/Accessories/Two- Way+Radio+Accessories/Batteries/IMPRES)	NNTN7676
APX 7000 SERIES APX 7000XE SERIES APX 6000 SERIES APX 6000XE SERIES		IMPRES Battery Fleet Management License Key (US)	HKVN4036
APX 3000 SERIES APX 2000 SERIES APX 1000 SERIES SRX 2200 SERIES		IMPRES Battery Fleet Management License Key	HKVN4037
		IMPRES Battery Fleet Management Multi-Unit Charger Interface Unit	NNTN7677
		IMPRES Battery Fleet Management Single-Unit Charger Interface Unit	NNTN8045
KEYLOAD CABLES	3		
APX 7000 SERIES APX 7000XE SERIES APX 6000 SERIES APX 6000XE SERIES APX 3000 SERIES APX 2000 SERIES SRX 2200 SERIES		Keyloader Cable, KVL3000 & KVL4000	WPLN6904



### **CARRY SOLUTIONS**

Motorola Carry Solutions were developed to meet the demands of public safety and other users who operate in the most rigorous of environments. A variety of carrying accessories are available for comfort and convenience.

### **LEATHER CARRY CASES**

Motorola Leather Carry Cases constructed of top-grain leather are designed to withstand the harsh conditions of public safety users.



COMPATIBILITY	ACCESSORY			FEATURES			
CARRY SOLUTIO	NS Carry cases and holes beskeep your hands-free	ders are available in sizes designed to fit your r so you can concentrate on the task at hand.	adio and battery an	id permit audio t	o be heard clea	arly.	
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	D-RINGS
APX 7000 SERIES		Carry Holder for 1.5, 2.5 and 3.5 Model Radios	PMLN5331	Plastic	3	Fixed	
APX 7000XE SERIES		Carry Holder for 1.5, 2.5 and 3.5 Model Radios	PMLN6102	Plastic	3	Fixed	
APX 6000 SERIES		Carry Holder for 1.5, 2.5 and 3.5 Model Radios	PMLN5709	Plastic	2.5	Fixed	
APX 6000XE SERIES		Carry Holder for 1.5, 2.5 and 3.5 Model Radios	PMLN5880	Plastic	3	Fixed	
APX 3000 SERIES	Ĺ	Covert Carry Holster	PMLN6327	Plastic	3	Fixed	
	1	Leather Carry Case with 3" Fixed Belt Loop for NNTN7038, PMMN4403 and NNTN8092 Batteries	PMLN5323	Hard Leather	3	Fixed	٠
APX 7000	1	Leather Carry Case with 3" Fixed Belt Loop for NNTN7033 and NNTN7034 Batteries	PMLN5326	Hard Leather	3	Fixed	•
SERIES	Ť	Leather Carry Case with 3" Fixed Belt Loop for NNTN7035, NNTN7036, NNTN7037 and NNTN7573 Batteries	PMLN5329	Hard Leather	3	Fixed	•
	P	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop for NNTN7038, PMMN4403 and NNTN8092 Batteries	PMLN5324	Hard Leather	2.75	Swivel	٠




**MATERIAL:** Choose from comfortable and flexible nylon cases, rugged, durable hard leather cases or carry holsters.

### FEATURES

	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	D-RINGS
3 and	PMLN5327	Hard Leather	2.75	Swivel	•
5, 573	PMLN5330	Hard Leather	2.75	Swivel	•
Case N7038, s	PMLN5560	Hard Leather	2.75	Swivel	•
t d	NNTN8112	Hard Leather	3	Fixed	•
t Loop ries	NNTN8114	Hard Leather	3	Fixed	•
: Loop 137 and	NNTN8116	Hard Leather	3	Fixed	•
8, 's	NNTN8111	Hard Leather	2.75	Swivel	•


SWIVEL OR FIXED LOOP: Secure to a belt loop and the case swings freely from side to side. The swivel latch system also allows the radio and case to be removed from the belt loop by simply inverting, lifting it up and out of the belt loop. Fixed loops provide a sturdy attachment to your belt.

COMPATIBILITY	ACCESSORY			FEATURES			
CARRY SOLUTION	VS CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL/ FIXED	D-RINGS
4PX 7000XE	1	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop for NNTN7033 and NNTN7034 Batteries	NNTN8113	Hard Leather	2.75	Swivel	•
SERIES	ľ	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop for NNTN7035, NNTN7036, NNTN7037 and NNTN7573 Batteries	NNTN8115	Hard Leather	2.75	Swivel	•
	1	Leather Carry Case with 3" Fixed Belt Loop for NNTN7038, PMMN4403 and NNTN8092 Batteries	PMLN5658	Hard Leather	3	Fixed	•
APX 6000	1	Leather Carry Case with 3" Fixed Belt Loop for NNTN7033 and NNTN7034 Batteries	PMLN5660	Hard Leather	3	Fixed	•
SERIES	-	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop for NNTN7038, PMMN4403 and NNTN8092 Batteries	PMLN5657	Hard Leather	2.75	Swivel	•
	1	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop for NNTN7033 and NNTN7034 Batteries	PMLN5659	Hard Leather	2.75	Swivel	•
	1	Leather Carry Case with 3" Fixed Belt Loop for NNTN7038, PMMN4403 and NNTN8092 Batteries	PMLN5876	Hard Leather	3	Fixed	•
4PX 6000XE	Ť	Leather Carry Case with 3" Fixed Belt Loop for NNTN7033 and NNTN7034 Batteries	PMLN5879	Hard Leather	3	Fixed	•
SERIES	1	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop for NNTN7038, PMMN4403 and NNTN8092 Batteries	PMLN5875	Hard Leather	2.75	Swivel	•
	1	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop for NNTN7033 and NNTN7034 Batteries	PMLN5877	Hard Leather	2.75	Swivel	•
IPX 2000 SERIES	1	Leather Carry Case only for APX 2000 Series dual knob radios	PMLN7182	Hard Leather	2.75	Swivel	•
		Replacement belt loop for PMLN7182	PMLN7229				
NPX 2000 SERIES SRX 1000 SERIES		Leather Carry Case with 2.5" Swivel Belt Loop	PMLN6085	Hard Leather	2.5	Swivel	
SRX 2200 SERIES	Ĩ	Nylon, Coyote brown carry pouch designed to fit with the elite special ops "MOLLE" vest (sold separately)	NNTN8269	Nylon	Up to 5	Fixed	



		FEATURES			
	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	D-RINGS
op 18092	PMLN5322	Nylon	3	Fixed	•
op for	PMLN5325	Nylon	3	Fixed	•
op 7 and	PMLN5328	Nylon	3	Fixed	•
	PMLN6712	Nylon	Up to 5	Fixed	•
ble with	NTN8266	Plastic	2.5		
	HLN6875	Plastic	3		
r, Pen	HLN6602	Nylon			
older	RLN4570	Nylon			
	1505596Z02	Nylon			
	PMLN4651	Plastic	2		
	PMLN7008	Plastic	2.5		
Loop	PMLN5407	Hard Leather	2.5	Swivel	
t Loop	PMLN5408	Hard Leather	2.75	Swivel	
ор	PMLN5409	Hard Leather	3	Swivel	
	4200865599	Leather			
	NTN5243	Nylon			
	RLN6486	Leather			
XL	RLN6487	Leather			
ston	RLN6488	Leather			

COMPATIBILITY	ACCESSORY			FEATURES				
ANTENNAS								
PORTABLE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / MHz	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE
APX 7000 SERIES APX 7000XE SERIES APX 6000 SERIES APX 6000XE SERIES APX 6000XE SERIES		700/800 MHz, GPS Whip Antenna	NAF5085	700/800	764-870	•	20	Whip
APX 3000 SERIES APX 2000 SERIES APX 1000 SERIES SRX 2200 SERIES		UHF, GPS Whip Antenna	PMAE4065	UHF	380-520	•	14.2	Whip
APX 6000 SERIES APX 6000XE SERIES APX 3000 SERIES APX 2000 SERIES APX 1000 SERIES SRX 2200 SERIES		VHF, GPS Whip Antenna	NAR6593	VHF	136-174	•	20	Whip
APX 2000 SERIES APX 1000 SERIES		GPS 900 MHz	PMAF4008	800/900	896-941	•		Whip
APX 7000 SERIES APX 6000 SERIES APX 6000XE SERIES APX 2000 SERIES APX 1000 SERIES		1/4 Wave, 700/800 MHz, GPS Stubby Antenna	NAR6595	700/800	764-870	•	9.8	Stubby
APX 6000 SERIES APX 6000XE SERIES		UHF Range 1, GPS Stubby Antenna	FAF5259	UHF	380-470	•	9.3	Stubby
APX 2000 SERIES APX 1000 SERIES		UHF Range 2, GPS Stubby Antenna	FAF5260	UHF	470-520	•	9.3	Stubby
APX 7000 SERIES		VHF, 700/800 MHz Dual Band, GPS Whip Antenna	NAR6594	VHF 700/800	136-174; 764-870	٠	20	Whip
APX 7000XE SERIES		VHF, UHF Dual Band, GPS Whip Antenna	PMAT4001	VHF UHF	136-174; 380-520	•	21.8	Whip
APX 7000 SERIES APX 7000XE SERIES		UHF 700/800 MHz Dual Band, GPS Whip Antenna	PMAS4001	UHF 700/800	380-520; 764-870	•	19.7	Whip
APX 7000 SERIES (700/800 MHz only)	/	GPS Antenna (Directly connected to radio when a public safety microphone is used)	NAG4000	700/800		•	7	Stubby
APX 6000 SERIES (700/800 MHz only)	/	700/800 Public Safety Microphone Only Stubby Antenna	PMAF4002	700/800	764-870		9	Stubby
		Flexible Antenna, 700/800 MHz, with GPS	PMAF4006	700/800	764-870	•	41	Flexible
APX 3000 SERIES		Flexible Antenna, UHF, with GPS	PMAE4080	UHF	308-470	•	77	Flexible
•		Flexible Antenna, VHF, with GPS	PMAD4125	VHF			44	Flexible
PROGRAMMING	CABLES							
APX 7000 SERIES APX 7000XE SERIES APX 6000 SERIES APX 6000 SERIES APX 3000 SERIES APX 2000 SERIES APX 2000 SERIES SRX 2200 SERIES		Programming and Test Cable	PMKN4013					



**INTEGRATED GPS:** A GPS antenna is integrated into the RF antenna.





**APX 7500 WITH 05 CONTROL HEAD** 



**APX 6500 WITH 05 CONTROL HEAD** 



**APX 2500 WITH 02 CONTROL HEAD** 

# APX MOBILE RADIOS ACCESSORIES

### **COMMUNICATE SAFELY AND EASILY WHEREVER YOU GO**

You count on your mobile radio to function clearly and easily so you can concentrate on the mission and communicate safely.

Get the most out of your APX radio by extending its power and reliability with APX accessories. Every mobile microphone, speaker, alarm and control station accessory is bestin-class technology, designed and optimized specifically for your APX mobile. There's simply no substitute for APX accessories.


## **APX MOBILE RADIO ACCESSORIES**



COMPATIBILITY	ACCESSORY			FEATURES	
		econds without having to worry about the wire n demanding environments.	s getting in the way	. No more getting tangled with	your seatbelt.
MOBILE RADIOS	MICROPHONES	DESCRIPTION	PART NUMBER	MICROPHONE STYLE	IMPRES
APX 7500 SERIES	<b>Q</b> ,	Long Range Wireless Mobile Accessory Kit, includes Wireless Remote Speaker Microphone (RLN6544), Mobile Microphone Bluetooth Gateway (PMMN4097C), Vehicular Charger (PMMN6716)	RLN6551		
APX 1300 SERIES	4	Long Range Wireless Mobile Accessory Kit, includes Wireless Remote Speaker Microphone (RLN6544), Mobile Microphone Bluetooth Gateway (PMMN4097C), Vehicular Charger (PMMN6716)	MDRLN6551		
APX 2500 SERIES		Long Range Wireless Mobile Accessory Kit (No Power Charger), includes Wireless Remote Speaker Microphone (RLN6544), Mobile Microphone Bluetooth Gateway (PMMN4097C), Charger must be purchased separately	RLN6552		



	PART NUMBER
s not	PMMN4095
,	PMLN7120
	PMLN7121
,	PMLN7122
	PMLN6716
	RLN6544
	PMMN4097
	PMNN4461
	NNTN4990
	RLN4941
	BDN6781
	AARLN4885
	0105954U29
41	RLN6511 RLN6512 RLN6513



49

COMPATIBILITY	ACCESSORY			FEATURES	
MICROPHONES A phone numbers and s	ccess critical features d send text messages. Thr	irectly on the Keypad microphone. Navigation ee programmable buttons are available for ad	nal buttons and a fu Iditional customizat	II keypad allow users to navigate radio menus on.	s, dial
MOBILE RADIOS	MICROPHONES	DESCRIPTION	PART NUMBER	MICROPHONE STYLE IMP	RES
APX 7500 SERIES	S	Keypad Microphone	HMN4079	Keypad + Navigation	
APX 6500 SERIES	Go	Standard Palm Microphone	HMN1090	Standard	
APX 2500 SERIES		Water Resistant Palm Microphone	HMN1089	Standard	
APX 7500 SERIES	2	Water Resistant Palm Microphone for Motorcycle Mounted Mobiles	HMN1079	Standard	
	Ţ	Telephone Keypad Handset with Hang-Up Cup	HMN4097	Telephone + Keypad	
APX 7500 SERIES	7	Hang-Up Handset with Armored Cable	HKN1018	Telephone	
APX 6500 SERIES	2	Handset with Hang-Up Cup	HLN1457	Telephone	
APX 2500 SERIES	1	Desktop Microphone	RMN5070	Desktop	
	10	IMPRES Visor Microphone, requires PTT Switch GLN7278 or RLN5926	RMN5054	Visor	




### IMPRES<sup>™</sup> AUDIO ACCESSORIES

Mission critical voice transmissions have to be heard over engine, siren, road and wind noise. Fortunately, Motorola's exclusive IMPRES audio accessories are designed to optimize its output based on the accessory in use. IMPRES Visor Microphones are able to pick up and transmit the user's voice consistently to the receiving user regardless of how close they are speaking into the microphone.

COMPATIBILITY	ACCESSORY		
MOBILE MICROP	HONE ACCESSORIES	3	
MOBILE RADIOS	MOBILE MICROPHONE Accessories	DESCRIPTION	PART NUMBER
		Microphone Hang-Up Clip	HLN5391
		Microphone Extension Cable, 2-Feet. Not compatible with HMN4097 handset or HMN4079 Keypad	PMKN4093
	k	Microphone Extension Cable, 10-Feet. Not compatible with HMN4097 handset or HMN4079 Keypad	PMKN4033
		Microphone Extension Cable, 20-Feet. Not compatible with HMN4097 handset or HMN4079 Keypad	PMKN4034
APX 7500 SERIES		Emergency Push Button, can be used with the Visor Microphone	HLN5131
APX 6500 SERIES	0,	Emergency Footswitch, can be used with the Visor Microphone	HLN5113
APX 2500 SERIES	9	Footswitch Push-To-Talk, can be used with the Visor Microphone	GLN7278
	83	Push Button Push-To-Talk, can be used with the Visor Microphone	RLN5926
		Replacement Cable for HMN4079	3075336B10
CONTROL STATI	ON ACCESSORIES		
		Desktop Tray with Speaker	HLN6042
APX 7500 SERIES		Power Supply, 25-60W, for low power radios (US cord included)	HPN4007
APX 6500 SERIES		230V EU Cord, Replacement Cable for HPN4007	GKN6121
APX 2500 SERIES		110V Line Cord, Replacement Cable for HPN4007 (US cord)	3060665A04






external speakers. Mobile RADIOS	SPEAKERS AND SIRENS	DESCRIPTION	PART NUMB
		Remote Mount, Water Resistant Speaker, 7.5 Watt Rated Audio	HSN4038
		Remote Mount, Water Resistant Speaker, 15 Watt Rated Audio	HSN4040
		Water Resistant Speaker, 13 Watt Rated Audio	HSN4018
APX 7500 SERIES		Non-Water Resistant Speaker, 13 Watt Rated Audio	HSN4032
APX 6500 SERIES	-	Siren Speaker, Round with Chrome Finish	TDN6251
APX 2500 SERIES	-	Siren Speaker, Rectangular with White Finish	TDN6252
	<b>S</b>	Siren Speaker, Round with Grey Finish	TDN6254
		Siren Speaker, Under Hood with Grey Finish	TDN6253
REPLACEMENT S	IREN ACCESSORIES		
APX 7500 SERIES		Status/Message Direct Entry Keypad, 8 Buttons	H1338
APX 6500 SERIES		Mobile Siren	HLN1439





COMPATIBILITY	ACCESSORY		
SIREN ACCESSOF			
MOBILE RADIOS	SIREN ACCESSORIES	DESCRIPTION	PART NUMBER
		Siren Switchbox	HLN6819
APX 7500 SERIES	and and a second	Mode Direct Entry Keypad, 8-Buttons	H1615
APX 6500 SERIES APX 2500 SERIES		Siren Cable, O3 Siren to Switchbox	HKN6146
	6	Siren Cable, Direct Keypad for O3 Control Head	HKN6145




Control Head, rear connector

DESCRIPTION

Universal Relay Controller for 09 Control Head, 10 DC Outputs, 15 Amps per Channel

Universal Relay Controller to Transceiver Cable







COMPATIBILITY	ACCESSORY		
CONTROL HEAD C	ABLES		
MOBILE RADIOS	CABLES	DESCRIPTION	PART NUMBER
	O	03 Handheld Control Head Extension Cable, 17-Feet	PMLN4958
APX 7500 SERIES	Q.	03 Handheld Control Head Accessory Cable	PMLN4959
APX 6500 SERIES	Ć.	Control Head Cable with Connections for Power, Speaker and Headset Jack	HKN6187
APX 2500 SERIES	Ó	Control Head Cable with Connections for Power and Speaker	HKN6188
REMOTE MOUNT	CABLES		
		Remote Mount Cable, 131-Feet	HKN6164
	0	Remote Mount Cable, 115-Feet	HKN6165
		Remote Mount Cable, 75-Feet	HKN6166
APX 7500 SERIES		Remote Mount Cable, 50-Feet	HKN6167
APX 6500 SERIES		Remote Mount Cable, 30-Feet	HKN6168
APX 2500 SERIES		Remote Mount Cable, 17-Feet	HKN6169
		Remote Mount Cable, 10-Feet	HKN6170
	$\cap$	Cable, Remote Control Head Vehicular Interface Port Connector for 05 Control Head	HKN6196
		Cable, Remote Control Head Mobile Accessory Port Connector for 05 Control Head	HKN6961
APX 7500 SERIES	Q	Motorcycle Remote Cable for 05 Control Head	3075217A02

........

COMPATIBILITY	ACCESSORY		
POWER CABLES			
MOBILE RADIOS	CABLES	DESCRIPTION	PART NUMI
	-0	Mid Power, Dash Mount Power Cable, 10-Feet	HKN4191
APX 7500 SERIES		Mid Power, Remote Mount Power Cable, 20-Feet	HKN4192
APX 6500 SERIES	••••	Mid Power, Rear Ignition Cable, Dash Mount	HLN6863
APX 2500 SERIES	Ò	High Power, Remote Mount Power Cable 20-Feet	HKN6110
	<b>S</b>	Motorcycle Power Cable	HKN6032
DATA CABLES			
		RS232 Cable for Rear Accessory Port, Dash Mount Only, 6-Feet	HKN6160
APX 7500 SERIES		RS232 Cable for Rear Accessory Port, Remote Mount Only, 20-Feet	HKN6161
APX 6500 SERIES	0	RS232 Cable for Mobile Microphone Port	HKN6183
APX 2500 SERIES	Ø	RS232 Cable for J600 Transceiver Interconnect Board, 22-Feet	HKN6122
KEYLOAD CABLES	•		
APX 7500 SERIES	9	Keyloader Cable, KVL3000 and KVL4000	TKN8531
APX 6500 SERIES APX 4500 SERIES		Keyload Adapter for Mobile Microphone Port	HKN6182
PROGRAMMING	CABLES		
APX 7500 SERIES		USB Cable, Rear Accessory Port, Remote Mount, 15-Feet (for use with customer program software)	HKN6163
APX 6500 SERIES APX 4500 SERIES		USB Cable, Rear Accessory Port, Dash Mount, 6-Feet (for use with customer program software)	HKN6172





COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS A var to standalone RF ant	ANTENNAS A variety of antennas ensure the best possible reception wherever you operate. Choose from antennas with integrated GPS to standalone RF antennas.						
MOBILE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	MOUNTING STYLE	
<b>VHF ANTENNAS</b>	(RF ONLY)						
		VHF 1/4 Wave Antenna, 136-144 MHz	HAD4006	VHF	136-144	Through-hole	
APX 7500 SERIES		VHF 1/4 Wave Antenna, 144-150.8 MHz	HAD4007	VHF	144-150.8	Through-hole	
APX 6500 SERIES	Q.	VHF 1/4 Wave Antenna, 150.8-162 MHz	HAD4008	VHF	150.8-162	Through-hole	
		VHF 1/4 Wave Antenna, 162-174 MHz	HAD4009	VHF	162-174	Through-hole	

FREQUENCY BAND: Most antennas only cover a portion of a frequency band. Our wideband UHF and VHF antennas offer coverage across the entire band, enhancing your communication flexibility.


COMPATIBILITY ANTENNAS	ACCESSORY			FEATURES		
MOBILE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	MOUNTING STYLE
VHF ANTENNAS	(RF ONLY)					
		VHF 1/4 Wave Antenna, 136-162 MHz	HAD4016	VHF	136-162	Through-hole
		VHF 1/4 Wave Antenna, 146-174 MHz	HAD4017	VHF	146-174	Through-hole
APX 7500 SERIES		VHF Wideband Antenna, 136-174 MHz	HAD4021	VHF	136-174	Through-hole
APX 2500 SERIES		VHF Wideband Antenna 3.0 dB Gain, 136-174 MHz	HAD4022	VHF	136-174	Through-hole
		VHF Wideband Antenna 3.0 dB Gain, 136-174 MHz	RAD4010ARB	VHF	136-174	Through-hole

	ACCESSORY			FEATURES	1.000	
o standalone RF ar	riety of antennas ensur itennas.	re the best possible reception wherever you ope	rate. Choose from ar	ntennas with integr	rated GPS	
NOBILE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	MOUNTING STYLE
/HF ANTENNAS	(RF ONLY)					l
		VHF 1/4 Wave Antenna, 136-144 MHz	RAD4002ARB	VHF	136-144	Motorcycle
		VHF 1/4 Wave Antenna, 144-150.8 MHz	RAD4003ARB	VHF	144-150.8	Motorcycle
APX 7500 SERIES		VHF 1/4 Wave Antenna, 150.8-162 MHz	RAD4004ARB	VHF	150.8-162	Motorcycle
		VHF 1/4 Wave Antenna, 162-174 MHz	RAD4005ARB	VHF	162-174	Motorcycle
UHF ANTENNAS	S (RF ONLY)					
		UHF 1/4 Wave Antenna, 380-433 MHz	HAE6012	UHF	380-433	Through-hole
		UHF 1/4 Wave Antenna, 450-470 MHz	HAE4003	UHF	450-470	Through-hole
APX 7500 SERIES		UHF 1/4 Wave Antenna, 450-470 MHz	HAE4004	UHF	450-470	Through-hole
APX 6500 SERIES APX 2500 SERIES		UHF 3 dB Gain Antenna, 450-495 MHz	HAE4012	UHF	450-495	Through-hole
		UHF 3 dB Gain Antenna, 494-512 MHz	HAE4013	UHF	494-512	Through-hole
	<b>_</b>	UHF 3.5 dB Gain Antenna, 380-433 MHz	HAE6010	UHF	380-433	Through-hole



		FEATURES	_	_
	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	MOUNTING STYLE
1Hz	HAE4011	UHF	450-470	Through-hole
lz	HAE6011	UHF	380-433	Through-hole
lz	RAE4014ARB	UHF	455-470	Through-hole
lz	RAE4016ARB	UHF	494-512	Through-hole
	HAE6013	UHF	380-470	Through-hole
	HAE6015	UHF	450-512	Through-hole
	HAE6031	UHF	380-520	Through-hole
	HAE6016	UHF	450-512	Through-hole
łz	HAE6014	UHF	380-433	Motorcycle
łz	HAE6032	UHF	425-470	Motorcycle

COMPATIBILITY	ACCESSORY			FEATURES		
<b>ANTENNAS</b> A varie to standalone RF anter	ty of antennas ensure nnas.	the best possible reception wherever you op	erate. Choose from a	antennas with int	egrated GPS	
MOBILE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	MOUNTING STYLE
UHF ANTENNAS (I	RF ONLY)					
	T	UHF 1/4 Wave Antenna, 450-482 MHz	HAE6033	UHF	450-482	Motorcycle
APX 7500 SERIES	٢	UHF 1/4 Wave Antenna, 482-512 MHz	HAE6034	UHF	482-512	Motorcycle
	9 mm	UHF 1/4 Wave Low Profile Antenna, 450-512 MHz	HAE6035	UHF	450-512	Motorcycle
700/800 MHZ ANTE	NNAS (RF ONLY)					
		1/4 Wave Antenna, 762-870 MHz	HAF4016	700/800	762-870	Through-hole
APX 7500 SERIES		3 dB Gain Low Profile Antenna, 762-870 MHz	HAF4013	700/800	762-870	Through-hole
APX 6500 SERIES APX 2500 SERIES		3 dB Gain Elevated Feed Antenna, 762-870 MHz	HAF4014	700/800	762-870	Through-hole
		3 dB Gain Collinear Antenna, 762-870 MHz	HAF4017	700/800	762-870	Through-hole



		FEATURES	-	-
	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	MOUNTING STYLE
	HAF4015	700/800	762-870	Motorcycle
	HAF4018	700/800	762-870	Motorcycle
7ft	HAG4000	GPS Only		Roof Mount
7ft	PMAN4001	GPS Only		Glass Mount
	HAG4001	GPS Only		Motorcycle
14″	RRA4935	900	890-960	Roof Mount
22″	RAF4003ARM	900	890-960	Roof Mount



For more information on Motorola mission critical accessories, visit **motorolasolutions.com/apx**.

Motorola Solutions, Inc. 1301 E. Algonquin Road, Schaumburg, Illinois 60196 U.S.A. **motorolasolutions.com** MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2016 Motorola Solutions, Inc. All rights reserved.

