CLP446 UNLICENSED TWO-WAY RADIOS AND ACCESSORIES

STAY STYLISHLY CONNECTED

Checking in guests or checking store inventory, you want discreet but durable devices to keep your people continuously and comfortably connected. The Motorola Solutions CLP446 Unlicensed Two-Way Radio delivers all that and more — with its small size, lightweight design, easy push-to-talk button, crystal-clear audio and comfortable earpieces. Now your teams can connect instantly and respond quickly to address customer requests and enhance customer service.



KEY BENEFITS

SIMPLE AND SLEEK

From the kitchen to the stockroom, our CLP446 compact radio combines exceptional performance with stylish portability. It's small, light and simple to use, with an oversized push-to-talk button that is easy to access. And with an embedded antenna, there is nothing external to add bulk or get in the way. Plus a Smart Status Glow ring that changes colour to indicate channel, transmit, receive, scan and battery status.

STRONG, CLEAR AUDIO

The CLP446 two-way radio makes communicating a breeze in noisy environments — whether your teams are connecting in a busy restaurant, hotel or retail store and with a variety of comfortable, unobtrusive earpieces, you can be sure conversations are private and discreet. For the ultimate in discretion, a Bluetooth® model is available that can connect to an earpiece without wires.

DAY-IN, DAY-OUT DURABLE

With an innovative and durable design created specifically for retail, hospitality and restaurant environments, CLP446 can stand up to your busiest days and heaviest uses. Its tough polycarbonate housings contain built-in anti-microbial* properties that inhibit the growth of bacteria and mould on the radio surfaces. CLP446 uses a Li-lon battery that can provide up to 14 hours of talk time, making it the ideal communication tool for long shifts.

PERSONALISE AND CUSTOMISE

CLP446 offers plenty of versatility for your staff and your business. Wear the radio on a magnetic clip or belt to complement any wardrobe or uniform. Customise radio settings with Motorola Solutions Customer Programming Software (CPS) to match the CLP446 performance to your requirements.





GENERAL SPECIFICATIONS CLP446 PMR446 Frequency Band 7,400 m2 (80,000 sq ft) / 6 floors ** Range Channels Capacity 8 Channel Bandwidth 12 5 kHz PL Codes 39 std + 6 custom DPL Codes 84 std + 84 inverted + 6 custom Average Battery Life @ 5/5/90 9 (wired) / 8 (Bluetooth) w/Standard Li-Ion Battery BT60 1130 mAh Average Battery Life @ 5/5/90 14 (wired) / 12 (Bluetooth) w/High Capacity Li-Ion Battery BT90 1800 mAh Radio Dimensions (H x W x D): 88 x 50 x 19 mm Radio with Standard Li-Ion Battery BT60 3.5 x 2.0 x 0.75 inches Radio Dimensions (H x W x D): 88 x 50 x 24 mm Radio with High Capacity Li-Ion Battery BT90 3.5 x 2.0 x 0.96 inches Weight: Radio with Standard Li-Ion Battery BT60 68g (2.38 oz) Weight: Radio with High Capacity Li-Ion Battery BT90 85g (3.0 oz) TRANSMITTER RF Output 0.5 Watts Frequency Stability < 2.5 ppm< - 45 dBc Spurs & Harmonics FM Hum & Noise: @ 12.5kHz without companding - 40 dB Modulation Limiting: @ 12.5kHz ± 2.5kHz Adjacent Channel Power 60dBc Radiated Spurious Emissions @ 12.5kHz < - 20dBm Audio Frequency Response (0.3 - 3.0 kHz) +1 to - 3 dB Audio Distortion < 2% RECEIVIER Sensitivity (12 dB SINAD) 122 dBm (0.18 uV) Adjacent Channel Selectivity: @ 12.5kHz 60 dB Intermodulation rejection 60dB Spurious response Rejection (blocking 1Mhz) 80dB < 5% Audio Distortion CSQ Hum & Noise @ 12.5kHz 50dB PL Hum & Noise @ 12.5kHz 50dB DPL Hum & Noise @ 12.5kHz 45dB Radiated Spurious Emissions (< 1GHz) < - 54 dBm Radiated Spurious Emissions (> 1GHz) < - 52 dBm Audio Output @ <5% Distortion 0.5W @ 8 ohms **MILITARY STANDARDS** STANDARD MIL STD 810 C MIL STD 810 D MIL STD 810 E MIL STD 810 F MIL STD 810 G Low Pressure 500.1 / Procedure 1 500.2 / Procedure 2 500.3 / Procedure 2 500.4 / Procedure 1 500.5 / Procedure 501.1 / Procedure 1, 2 501.3 / Procedure 1, 2 501.4 / Procedure 1, 2 501.5 / Procedure 1, 2 High Temperature 501.2 / Procedure 1. 2 Low Temperature 502.1 / Procedure 1 502.2 / Procedure 1, 2 502.3 / Procedure 1, 2 502.4 / Procedure 1, 2 502.5 / Procedure 1, 2 503.1 / Procedure 1 503.2 / Procedure 1 503.3 / Procedure 1 503.4 / Procedure 1 503.5 / Procedure 1 Temperature Shock Solar Radiation 505.1 / Procedure 1 505.2 / Procedure 1 505.3 / Procedure 1 505.4 / Procedure 1 505.5 / Procedure 1 514.2 / Procedure 8, 10 514.3 / Procedure 1 514.4 / Procedure 1 514.5 / Procedure 1 514.6 / Procedure 1 Vibration 516.6 / Procedure 1 Shock 516.2 / Procedure 1, 2, 5 516.3 / Procedure 1, 4 516.4 / Procedure 1, 4 516.5 / Procedure 1 **ENVIRONMENTAL SPECS** Operating Temperature -30°C to +60°C (Radio)

Polycarbonate Housing passes EIA 603

Satisfied EIA 603

Shock & Vibration

Dust & Humidity

FEATURES

- Sleek compact design
- Operates on license-free and subscription-free PMR446 frequencies
- 0.5W power transmission
- 8 channels with customisable privacy codes
- Easy to access oversized, textured and centrally located PTT button
- Smart Status Glow ring indicates active channel, radio transmit & receive, scan and battery status
- Voice menu system
- Monitor/Scan modes
- Hands-free VOX
- Single pin lock-in accessory port
- Antimicrobial protection*
- Up to 14 hours battery life
- Complete range of optional accessories
- Bluetooth® headset compatible model available

For more information on CLP446, visit: www.motorolasolutions.com/clp446

Motorola Solutions Ltd. Nova South, 160 Victoria Street, London, SW1E 5LB, United Kingdom. Availability is subject to individual country law and regulations. All specifications shown are typical unless otherwise stated and are subject to change without notice.

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. ©2019 Motorola Solutions, Inc. All rights reserved. v4(02/19)

Distributed by:



^{*}The antimicrobial properties do not protect users or others against bacteria, viruses, germs, or other disease organisms. Always clean this product thoroughly before and after each use. Does not apply to accessories.

^{**}Range achieved will vary dependant on terrain and local conditions